
BUTANE-PROPANE


HEADQUARTERS FOR LP-GAS

News



DECEMBER, 1950-50c per Copy





A screwdriver is <u>all</u> you need!

ROCKWELL - EMCO NO. OO LP-GAS METER

with pressure cast aluminum alloy case

You simply replace the measuring unit

When you install Rockwell-Emco meters you can forget about the repair problem. We've streamlined that for you. After lengthy service the complete measuring unit in these meters can be removed intact and replaced with either a new assembly or a factory repaired duplicate. The only tool required is a screw driver and anyone can make the switch in a few minutes time. We offer customers the choice of returning worn measuring units or complete meters to the factory for low cost repairs. Check our modest repair prices now and learn all about the many other advantages of using Rockwell-Emco LP-Gas meters on all your services. Write for bulletin 1163.



ROCKWELL MANUFACTURING COMPANY

Pittsburgh 8, Pa.



DECEMBER, 195

Gen F WOI hig ver don offe Iow A 58 fuel he s flexi tain anv (Th h

lati

Ge

wi of the

sa the

to M tir

ver

alt too

DI

A JENKINS PUBLICATION	
Letters	21
Comment	25
Beyond the Mains Ed Titus	27
"Cookgas Time" Every DayGrier Lowry	31
Why Poland Spring House Chooses Gas Stephen A. Victor	38
"Dead File" Is Source of Pre-Christmas Sales Gene Creighton	42
Performance Rating of Automatic Water Heaters.C. E. Bartlett	43
Distribution Will be Bottle Neck E. W. Voice	51
Unity, Sincerity Determine FutureT. G. Tackett	57
Dealers Warned of Electric Tactics Ed Titus	63
Associations	64
Calendar	70
Stock Tank HeatersSheldon Miller	74
War Time Controls	78
Service, Safety, Sales, Part 5Keith Clevenger	84
Bottled Gas Ends Wood ChoppingPhil Glanzer	88
Making Collections Without Making Enemies Ernest W. Fair	92
Power: 50,000 Watch Tractor Perform	98
Propane, Anhydrous Ammonia Valves Compared	114
Products	116
Make Clean Fight for BusinessZoe Johnson	122
Pipe Line Capacities in Cubic Feet	127
The Trade	132
Classified	150
Annual Editorial Index	152
Advertisers' Index	160

Publication Office

Los Angeles (4)-198 So. Alvarado St. Phone: DUnkirk 7-4337

Branch Offices

New York (18)—11 W. 42nd St. Joseph M. Dematthew, District Manager. Phone CH 4-1969. Chicago (3)—1064 Peoples Gas Bldg. David Carmen, District Manager. Phone WAbash 2-2589. Cleveland (22)—19718 Lanbury Ave. James K. Gillam, District Manager. Phone WY 1-2587. Tulsa—P. O. Box 4055. Craig Espy, District Manager. Phones: Business—2-2414; Res.—7-9807.

Lynn C. Denny, Editor; Edward K. Titus, Eastern Editor; Lester L. Luxon, Technical Editor; Ted Shields, News Editor; Barbara Hall, Editorial Assistant; O. D. Hall, Mid-Continent Editor; Fred L. Dalton, Art Editor.

Jay Jenkins, President and Publisher; James E. Jenkins, Secretary-Treasurer; Paul Lady, Advertising Manager; Robert C. Horton, Circulation Manager; Gene Masters, Research.

December, 1950 Volume 12 BUTANE-PROPANE News is published monthly. Copyright 1950 by Jenkins Publications, Inc., at 198 So. Alvarado St., Los Angeles 4, California, Subscription price: United States and U. S. Possessions, Canada, Mexico, Cuba, South and Central American Countries (in advance), 50e per copy, one year \$2.00; two years, \$3.50; three years, \$5.00. All other countries \$3.00 per year. By air mail \$8 per year, in U. S. only, Entered as second-class matter May 29, 1989, at the post office at Los Angeles, California, under the Act of March S, 1879. Member of Audit Bureau of Circulation, Controlled Circulation Audit, Liquefied Petroleum Gas Assn. National Butane-Prepane Assn., Society of Business Magazine Editors.

Publishers: GAS, The Magazine of the Gas Utility Industry; HANDBOOK BUTANE-PROPANE GAEES; THE BOTTLED GAS MANUAL; Annual BUTANE-PROPANE News CATALOG; B-P News BULK PLANT DIRECTORY; WESTERN METALS.

Letters

Gentlemen:

From time to time in carburetion work we see the place where flexible high pressure gas lines would work very well.

Are such flexible lines made? I don't believe I have ever seen any offered for sale.

D.S.

Iowa

According to Page 42 of NBFU Pamphlet 58 issued in March 1949, "All piping from fuel container to first-stage regulator shall be standard copper or brass pipe or approved, seamless drawn non-ferrous tubing. Approved fexible connections may be used between container and regulator or between regulator and gas air mixer within limits of approval by any of the authorities listed in B.2 (a)." (This is on Page 3.)

In addition to whatever Pamphlet 58 may have, you must also consider any state regulations that exist in Iowa.—Ed.

Gentlemen:

We plan to line a brick chimney with an aluminum liner to take care of an LP-Gas furnace venting into the chimney. Also, venting into the same chimney is a coal range. Will the heat from a coal and wood fire be too high for the aluminum liner to withstand?

J.M.

Montana

The aluminum liner would not prove entirely satisfactory with a wood and coal range venting into it also. The melting point of aluminum is about 1110°F, which we feel is too low to provide adequate safety, especially

where the range flue enters the chimney and there is a possibility of direct impingement of flame.—Ed.

Gentlemen:

Would propane at 12 cents per gallon be economical enough for farm heating—bulk storage 500-gal. tank to be used? And compare to 60-cent natural gas, or \$15 coal a ton, 13-cent oil a gallon.

M.B.

Ohio

In order to compare the fuel prices, they must be placed on a common basis, and an allowance must be made for the efficiency with which the fuels are burned.

For this reason, the quantity, 1,000,000 Btu, has been selected as the basis for comparison. This is the heat, approximately, which is stored in 1000 cubic feet of natural gas, 11 gallons of propane, and 7½ gallons of stove oil.

Also, the word "coal" covers a broad subject—some coals are clean and of high quality; others are less desirable as they contain quantities of moisture, and ash, which range from 5% to 25% of each.

Therefore, three qualities of coal were selected for analysis: high grade, for which a heating value of 13,000 Btu per pound was used; medium grade, for which a heating value of 11,000 Btu per pound was used; and low grade, for which a heating value of 9000 Btu per pound was used. (See table I.)

The selection of these heating values does

 BUTANE-PROPANE News welcomes letters from our readers, but it must be understood that this magazine does not necessarily concur in opinions expressed by them.—Editor.

		m.	

Fuel	Cost Per Unit Quantity	Cost Per One Million Btu	Efficiency Of Burning	Cost Per Million Btu Usefully Applied
Natural Gas	\$.60 per 1000 cu. ft.	.60	75%	\$.80
Propane	· .12 per gal.	1.31	75%	1.76
Stove Oil	.13 per gal.	.96	60%	1.60
High Grade Coal	15.00 per ton	.58	50%	1.16
Medium Grade Coal	15.00 per ton	.68	50%	1.36
Low Grade Coal	15.00 per ton	.84	50%	1.68

not necessarily coincide with those set up by authorities in the coal industry, but the values are merely used for comparative purposes in this letter.

We feel that the efficiency of burning which was selected for the various fuels is fair. In fact, it may favor oil and coal, and be low for natural gas and propane. No consideration has been made in the comparative figures for the additional costs of coal and ash handling, nor for the costs of cleaning and redecorating required by the use of coal and oil for heating purposes.—Ed.

Gentlemen:

We would appreciate it very much if you could advise us if you have information or source of information on propane gas, as to what it does, where it comes from, and Btu content, and various natures of the gas.

W. G. D.

Wisconsin

We are sending you a pamphlet entitled "The ABC of LP-Gas," taken from the "Handbook Butane-Propane Gases" which will give you this information, except for the Btu values for various units of measure.

These are added below:

Gross	Heat	of (Com	bus	tion	Propane	Butane
Btu	per	pou	nd			21,690	21,340
Btu	per	cu.	ft.	at	60°F	2,521	3,267
Btu	per	gal.	at	60	°F	91,300	103,000

Gentlemen:

I would like to know the vaporizing capacity of a 30,000-gal. water capacity propane tank, aboveground, on an industrial job. The tank is 103 in. in diameter and 70 ft., 10 in. long. The propane will drop as low as 10,000 gals. I wish to know what the tank will vaporize at this level.

Ten thousand gallons, or one-third of capacity, is, I believe, about 40% of tank area that will be wet, or 845 sq. ft. This is as far as I have gotten.

The design temperature in this area is 10°F. The regulators on tank are set to deliver 25 lbs.

I would like to know the formula to figure this as soon as possible.

S. L. P.

absolt of + feren tank. On the h Vapo tank feren heat 10. fi when sq. 1 Té. of li and condi llim.

the '

Th

lator

press

mini

15 x

of t

abou

pera

heat

pera

Btu.

174

fore.

hour

does

peru

rela

Ders

fros

tran

It

you

1.

inte

2.

peri

rem

air.

tha

of :

wp

to

if 1

rise

DE

8

North Carolina

You state that the regulators are set to deliver vapors at 25-lb. pressure. There must be some pressure drop through the regulators to induce a proper flow and a regulated presure. Assume that a minimum of 5 lbs. drop is required through the regulator. (The regulator manufacturer should be consulted for the maximum flows with various inlet and outlet pressures.)

Then the pressure in the storage tank must not fall below 30 psi gauge. Table 3, "Thermodynamic Properties of Saturated Propane," p. 26, of the Handbook Butane-Propane Gases, indicates the temperature of the liquid propane must be about 8.5°F above zero for it to produce 30 psi pressure gauge (44.7 psi

absolute). A minimum outside temperature of +10°F allows only 1.5°F temperature differential to transfer heat to the liquid in the tank.

On p. 47 of the Handbook a discussion of the heat transfer in the section headed "Batch Vaporization" uses 2 Btu per square foot of tank surface per degree F temperature difference per hour as a conservative rate of heat transfer. Since you have estimated 845 sq. ft. of surface is in contact with the liquid when 10,000 gals. are in the tank, a heat transfer rate to the liquid propane of 845 sq. ft. × 2 Btu per hr. per sq. ft. per \$\forall \tau\$ x 2 Btu per hr. per sq. ft. per \$\forall \tau\$ x 5 Btu per hour.

It requires about 168 Btu to convert 1 lb. of liquid propane at 10°F to vapor at 10°F and 30 lbs. pressure. Therefore, under the conditions outlined above, $2535 \div 168 = 15$ hs. or 3.3 gals. would be vaporized by the outside heat transferred to the liquid through the walls of the tank from the atmosphere. The high discharge pressure from the regulator on the tank demands the high tank pressure and temperature. If the allowable minimum tank pressure could be reduced to 15 psi gauge, the corresponding temperature of the liquid and vapor in equilibrium is about -12.5°F below zero. Then the temperature difference would be 22.5°F and the heat transfer at minimum atmospheric temperature would be $845 \times 2 \times 22.5 = 38,000$ Btu. However, at -12.5°F it requires about 174 Btu to vaporize 1 lb. of propane. Therefore, 38,000 ÷ 174 = 218 lbs. or 48 gals. per hour.

ng

a-

on

in.

ıg.

28

he

rd

%

or

ve

ea

re

to

op u-

or

nd

it

si ise If the temperature of the liquid in the tank does drop to a -12.5° and the outside temperature is 10°F frost will start to form on the tank at 30% relative humidity. Higher relative humidities and higher outside temperatures will tend to increase the rate of frost formation and reduce the rate of heat transfer to the liquid.

Items which may be considered as aiding your problem are:

1. The rate of vapor withdrawal may be intermittent and usage will not be heavy during the minimum temperature period.

2. Vapor withdrawal may be low during the period when the temperature is falling, and the temperature of the liquid propane will remain higher than the temperature of the air. Then when vapor is withdrawn faster than heat is transferred to the liquid, some of the latent heat in the liquid will be given up to produce vapor.

 Radiation from the sun will quickly add to the temperature and give substantial aid if the load does not come on until after sunrise.—Ed. Gentlemen:

How many hundred miles can a dealer afford to haul propane either by tank car or transport and show him a profit on his investment? In other words, at an average, approximately what should be the difference between cost and selling price (gal.) per hundred miles of hauling distance?

J. W. K.

Iowa

The distance which a dealer can haul gas and sell it at a profit can only be determined by an analysis of that dealer's operating costs. In thickly populated areas, dealers may be located in adjoining towns or areas only 25 or 30 miles away, while in other sections where the population is scattered, the nearest dealer may be two or three hundred miles away and it will still prove profitable to deliver to customers over 100 miles away.

All overhead, salaries, and operating costs should be added to the cost of the fuel, then the margin of profit added to this figure. Due consideration must also be given shortages, shrinkage, or otifer items which reduce the number of gallons sold below the number purchased. A dealer should know or determine the cost of operating his delivery truck. This will include the driver's salary, gasoline, oil, tires, maintenance, depreciation, etc. It can be reduced to a cost-per-mile basis and then determine where it is profitable and where it is not profitable to deliver fuel.—Ed.

Gentlemen:

When some of our tanks are nearly empty the customer gets a very distinct and disagreeable odor in the house. We have checked the lines very thoroughly with soap and water and there seem to be no leaks. Could you offer any suggestions?

T.P.

Ohio


This is undoubtedly due to a concentration of the odorant that is placed in the fuel as a safety precaution to enable people to detect leaks if such occur.

Sometimes the concentration of these odorants becomes very objectionable. There is no way to remedy this that I know of except to pick up the tanks and have them purged. —Ed.



All valves and fittings of AMERICAN Mobile Safety Tank are Recessed for Safety

Vital valves and fittings can't be knocked off. Cover plate protects against road grime and provides accessibility. American Mobile Safety Tank gives you maximum fuel capacity in minimum space for longer more profitable hauls. Quality-built to API-ASME or ASME codes. Low initial cost, economical operation and long life. Hundreds in use, Order now.



ord

pro

Na

col

cle

by st



"CRAFTSMEN IN STEEL"

AMERICAN PIPE & STEEL CORPORATION

2201 W. Commonwealth Ave., Alhambra, California Cable Address AMPSTEEL

Comment

W E are going to tackle this tank car demurrage problem just once more.

In the October issue (p. 121) we reported that the ICC had issued an order stating that because of a shortage of freight cars, demurrage would be charged for Saturdays and Sundays the same as weekdays unless such days fell within the "free time provision."

lished the statement of a reader who said he understood "freight cars" did

not include tank cars.

Since then, F. M. Taylor, of Texas
Natural Gasoline Co., warns that the

order does include tank cars.

By this time we were considerably confused, but quite miraculously there appeared in our office the day before this issue went to press Mr. Interstate Commerce Commission himself in the form of Victor E. Haninger, chief of the Section of Explosives, ICC, Washington, D. C., and Clyde Hogsett, California regional agent for the ICC.

It took just about two seconds to clear up the whole matter.

Tank cars are included and demurage will be charged as first specified unless the cars are owned or leased by the consignor or consignee and standing on privately owned sidings of the consignor or consignee.

That's the last word. Except the time limit still stands as Feb. 1 for the effective period of the new order.

Many a dealer has been wondering how seriously the current war situation is going to affect fuel supply and

transportation facilities this winter.

Incidentally, they are wondering how cantankerous Old Man Winter is going to be.

We can't help a bit on forecasting weather extremes or severities over the next several months but readers can certainly glean lots of information on supply conditions by reading E. W. Voice's article farther along in this issue entitled "Distribution Will Be Bottle Neck If Hard Winter Comes in '51." The fuel supply will be adequate.

And while you're scanning the editorial features, take time to read about the new method of sizing water heaters to household demand by C. E. Bartlett.

It really gives you a basis upon which to figure size and requirements, and supplants the generalities that have been used for past estimates.

You will want to keep a copy of this article where every salesman can read it before he estimates a water heating installation.

A quiet investigation of the REA and TVA has been in progress in Washington, under House of Representatives executive expenditures subcommittee. Use of money for lobbying and propaganda is being watched, and some of that propaganda has been against legitimate small business men in the LP-Gas business.

Only 25 more days until Christmas. Make it a merry one!

By Ed.



when it comes to QUICK DELIVERY

BEACON'S got me beat!

That's the reason it's wise to depend on Beacon for

BUTANE - PROPANE

Yep, I only make my deliveries once a year, but Beacon delivers the year 'round . . . and when it comes to service, you just can't beat 'em. They are dependable and efficient . . . try them on your next order.


BEAGON

PETROLEUM COMPANY

P. O. BOX 2618 . . TULSA, OKLAHOMA

P. O. BOX 2478 HOUSTON, TEXAS

53 West Jackson Blvd. CHICAGO 4, ILLINOIS



MAINE is said to provide an example of how the electric crowd may infiltrate a state government.

We're told that in executive posts and state legislature, there are various former electric company employes who still appear to show sympathy for that industry.

Forecasts are there'll be a batch of nuisance and restrictive bills, aimed at LP-Gas in the current session of

the Maine legislature. It's no small wonder.

No wonder either that the electric fellows are worried about the continued forward march of propane and butane. Heating and automotive business will increase its volume in the Northeast, and may reduce prices for other uses competitive with electricity.

Legislative tricks can be licked too, and more and more so as LP-Gas men learn their potential political power, as demonstrated in many states, and learn to work together.

Better think fast, electric guy!

In connection with alleged bias of some newspapers against LP-Gas, it's pointed out they may actually be owned by electric interests. Twenty years ago this created a major investigation of nationwide proportions. Interests controlling both paper and power bought control in chains of newspapers, with heavy Wall Street financing. This also enabled control of policy.

The hullabaloo raised by the free and un-kept press led to withdrawal of the power interests from newspaper

enterprises, in theory at least.

If you and other LP-Gas men are treated unfairly by

newspapers in your community or state—if they will not print legitimate news about your fuel—and distort facts about accidents, you might look into paper ownership.

Some day there might be another investigation.

There are dozens of guesses about how much manufacturers of civilian products will be cut back on their supply of steel and other essential materials as a result of the defense program. One competent authority, estimates the arms program in sight directly and indirectly will take 15% of the steel industry's output in a year of capacity operations. In addition there will be some steel needed for construction, in expanding the steel industry itself. And if there are strikes, we'll not have capacity production.

It seems unlikely that when things get squared away the materials available to the whole of any important industry will be cut more than 25%, unless and until a much greater emergency develops. Many may find themselves

cut 5% or less.

And because of expanded production of this country, there is capacity for both civilian and mobilization needs.

Scarcities and pinches so far have been caused by hoarding. There certainly have not been enough definite government defense orders to cause scarcities.

A man who buys steel or steel products he doesn't need leads others to do the same. Before he knows it he may be looking in vain for a certain item that is lying idle in a nearby plant.

Warehouse stocks constantly are replenished, but if everyone starts buying beyond his needs the system breaks

down, and everyone suffers.

Walter Hoagland, of Fisher Governor Co., the sage of Westport, Conn., thinks the time has come to stop wailing about competition from the Rural Electrification Administration. Regardless of what one may think of the subsidies to this agency and the economic thinking behind it, it's here to stay. If a man has a farm and can make a good deal on a pump through dealing with REA, he is going to do it. He's also going to get lights for his barn through REA, if that's the best way.

Only thing to do is go out and sell REA customers on LP-Gas for cooking, water heating, refrigeration, agricultural uses, and anything else where LP-Gas can do a better job.

"COOKGAS TIME"

EVERY DAY

Cook Gas founds its advertising faith on the old-fashioned newspaper in a flood of ads of all sizes, Its prospects, however, may expect to receive any morning a Cook Gas special postcard or a manufacturer's product mailing bearing the Cook Gas stamp, see the Cook Gas billboards as they drive down the highways, or hear a Cook Gas announcement over the air waves.

This is a case history of a hard-hitting volume advertising effort. Whereas some dealers may doubt the quantitative philosophy of advertising, Cook Gas continues to capitalize with profit on its own and product names.

Although this type of advertising is not applicable to all territories, the Cook Gas day-in and day-out advertising follow-through is worthy of study by every dealer.

By GRIER LOWRY

ABOUT 60% of the selling job is completed when the prospect walks in your front door! So says E. C. Cook, president of Cook Gas, Plumbing & Heating Supply Co., St. Joseph, Mo. And the job of bringing in the prospect is done by an advertising program that hammers daily at the "Midland Empire" (northwest Missouri and northeastern Kansas).

There are hits and misses but there is nothing hit-or-miss about the over-all program. It is handled on a clockwork budget and insertion schedule geared to sales volume and seasonal demand.

Best results per dollar have come from newspaper advertising. These ads are in sizes anywhere from 1-col. x 3-in, to a full page — but they never miss a day! The Cook name is nearly always the most prominent element in these product ads. Product names are continually plugged. Repetition is the keystone. Small advertising space is used consistently throughout the year-the local newspaper contract covers daily 1-col, x 6-in, ads and 2-col. x 10-in. ads on Sundays, but sizes vary from smaller 2- and 3-col. ads and larger ones, 3-col.



The smallest element, but not the least important, in the Cook Gas program, is the 1-col. classified display ad. They never miss a week-day issue.

x 10-in., to a full page. Best results have been obtained with heater ads.

Emphasis placed on timely, seasonable items helps to keep up sales through what are considered selling valleys on most dealers' schedules. At vacation time caseroles, toasters, and roasters are featured. A cold spell in the fall or spring brings out gas heaters.

Usually, the spotlight in each ad is turned on a single product. One Sunday, it may be a hot water heater, the following Sunday, a range. Eight sales resulted from one water heater ad. A package kitchen deal is another advertising "special" that pulls well.

WE

in

ro

tie

do

co

CC

SU

m

ir

g

a

C

The firm's long, successful use of newspaper advertising was highlighted this year by a 3-day 40th anniversary party. The event



BUTANE-PROPANE News



was heralded in a full-page layout in the local daily (cost, \$400).

Advertising played a dominant role in the success of the celebration. The full-page spread, illustrated with photographs of the downtown store and the plant, contained a coupon gimmick, accountable for much of the affairs success.

Newspaper readers could either mail the coupon, or bring it in personally, to participate in drawings for prizes which included a gas range, a 32-piece set of dishes, a Presto cooker, and 6- and 8-cup percolators. Some 1600 of the cou-

Cook Gas billboards, treated with "Scotch Light" for night-time visibility, are situated on busy highways into St. Joe. They are 6x12 feet, silver and cream letters on a green background. Bottle at left is silver.

The busy Cook Gas office in downtown St. Joe. Left to right: Sue Mc-Pike, stenographer; Charles Enos, Jr., 2nd vice president; Veronica Middaugh, secretary-treasurer; and Charles Enos, Sr., vice president and sales manager.

pons were received during the party's 3-day run.

Additional "come-on" was supplied by door prizes — metal pot holders and measuring spoons and toy banks for the youngsters.

"One of our salesmen demonstrated the efficiency of a gas range by baking biscuits," said Charles Enos, Sr., vice president and sales manager of Missouri operations. "The fact that a man could turn out tempting biscuits impressed prospective buyers, and crowds eddied elbow - to - elbow around this exhibition. The biscuits were served, with honey, by wives



Highest Quality of Gas Heaters

COOK GAS FLUMING & HEATING

Ph. 3-2571

These Sunday ads range from 3-col. x 9 in. to 2-col. x 12-in.

of salesmen. We also served 35 pounds of coffee and four cartons of cookies."

It is worthwhile, both from a dollar-and-cents and a publicity viewpoint, to stage a celebration such as this, Mr. Enos believes.

"Our volume during the week of the festivities," he said, "was five times as great as the corresponding week of a year ago. One salesman sold \$2400 worth of merchandise, and two others racked up almost that much. Our store was jam-packed; many people didn't buy merchandise, but many have since returned and bought goods. Moreover, names on the coupons filled out for the drawing made a nice addition to our mailing list."

St. J

for

16 0

tled

mod

sup

nece

the

dat

deli

mo

gro

16

mo

ins

ke

sa

st

Co

W

W

81

0

D

T

Direct mail promotions are an additional sales booster. Stuffers with bottled gas statements are routine. Literature furnished by manufacturers and stamped with the Cook name is routed to all boxholders in the Midland Empire at regular intervals. Five hundred to 1000 boxholders are reached on each mailing.

This type of advertising clicks, Mr. Enos knows, because people come in to ask about the products featured, waving the literature in their hands. "And the only cost to us," he beams, "is the postage."

In plugging bottled gas, the company mentions only the installation cost, \$9.50, although the total outlay includes a \$10 deposit, \$8



35 ns

18

e

d e e

V

The Cook Gas bottling plant, near St. Joe. From here trucks fan out over a 75-mile radius.

for a 100-lb. cylinder of gas, plus 16 cents, for a total of \$27.66.

The company has set up a bottled gas delivery system that is a model of efficiency. Customers are supplied addressed postcards which necessitate only the inclusion of their names and addresses and the date on which they wish a cylinder delivered.

Shortly before the end of each month, orders are recorded and grouped according to one of the 16 routes for the succeeding month.

"A well-equipped, well-trained installation crew is one of the keys to our success," Mr. Enos said. "In briefing personnel, we lay stress on the safe handling of gas. Courtesy, neatness, and efficient workmanship are other qualities we encourage in personnel.

"After each appliance is installed, our servicemen explain the operation of the mechanism and



Cook Gas ads are all sizes. These small ads are 1-col. x 5 in., 2-col. x $4\frac{1}{2}$ in., and 3-col. x $3\frac{1}{2}$ in.

Headquarters of the Cook Gas, Plumbing & Heating Co. has a No. I location in St. Joseph's business district.



inform customers that we are glad to make callbacks and see that the product is working properly."

The firm capitalizes to the hilt on the opportunity a bottled gas installation provides to sell ranges, water heaters, room heaters, refrigerators, etc.

"Our installation staff is tuned to do a good job of selling," Mr. Enos said. "Our objective is to sell at least one new appliance with each bottled gas installation. Our sales to the average new customer run from \$100 to \$350."

Cook Gas sends out batches of postcards advising that simply by visiting the store the card holder may receive a measuring spoon, an apple peeler, or a potato cutter. Postcard mailings are also used four times wearly to emphasize the advantages of cooking and heating the easier, cleaner, more economical "Cook-gas Way."

Radio advertising consists of spot announcements aired just before play-by-play accounts of local ball games in season. At present, these announcements are scheduled daily at 5:45 p.m., "Cookgas Time," over KRES, the local radio station. The announcements are changed weekly.

Outdoor advertising, the last link in the Cook promotional chain, includes three highway signs, all treated with "Scotch light," visible after dark.

A 7x21-foot facsimile of an LP-Gas cylinder, also Scotch light with green letters on a silver background, gleams its message — "Home of Cook Gas" from the sidewall of Cook Gas headquarters.

sho

mo

roo

hea

ter pli fro sp

M

Cl

fa

re

er



Page ad announcing a 3-day anniversary celebration. An arrow points to the coupon necessary for the prize drawing. Sixteen hundred "News-Press" readers clipped this coupon and either mailed or brought it to the store.



er

of

by

er on, er. ed ze nd re

e-

al

be

n.

ed

k

n-II le

)_

h

f

f

RADIO CONTINUITY

Announcer:

P-A-U-S-E EMPHASIZE PERSONALIZE

Advertiser Cookgas Company		**************	Date Aug 21,	1950
Time	Writer			

_____, Cookgas time; Time to cook with gas!

Your heating problems can be solved quickly, efficiently and economically by the heating and furnace experts...at the Cookgas Company, 1201 Frederick Avenue. The Gookgas Company features famous old names in heating units...and they will be only too happy to help you with any and all of your problems; Don't delay....for it won't be long till winter is here; Remember...if it burns gas... Cookgas has it! The Gookgas Company, 1201 Frederick Avenue.

Thirty-five appliances are on the showroom floor, including 10 or 15 models of gas ranges, six or eight room heaters, and eight or 10 water heaters, in at least three sizes.

Located on a leading traffic artery, the firm features seasonal appliances by positioning them at the front of the showroom with bright spotlights overhead.

In store displays, publicity, and personal encounters with customers, Mr. Cook and his good right arm, Charlie Enos, point up the manufacturer's name. They believe that recognition of product names creates confidence for the consumer and breaks down sales resistance.

Cook's has made a lot of headway since it sold its first bottled A copy of a radio script used on "Cookgas Time," a daily spot announcement broadcast.

gas in 1932. And consistent advertising gets a big share of the credit. At the outset there were less than 75 customers on the liquid gas customer rolls; now the firm supplies gas on a wholesale basis to 56 dealers in northwest Missouri towns ranging in size from 200 to 6000, and has 1500 retail customers, including farm homes, country clubs, restaurants, hotels, hatcheries, and print shops. Some 500 customers have bulk tanks ranging in size from 100 to 1000 gallons. The company tovers a territory within a 75-mile radius of St. Joseph.

WHY POLAND SPRING HOUSE CHOOSES GAS

NE of the nation's best known resort hotels — the famed Poland Spring House at Poland Spring, Maine, recently completed its sixth year of cooking with bottled gas.

"There's no fuel to compare with it," says Chef Frank Mariello. And Manager Thomas Conner agrees

with him.

What is there about bottled gas that appeals to these hard-headed By STEPHEN A. VICTOR

with

min

has

G

sma

Hou

fires

nigl

up 1

Who

mar

a.m

its !

pera

Mr.

hote

whi in a

met

ran

cult

exce

Tha

nev

was

the required

to

gas

inst

wit


ing he'l

M

hotelmen? To find the answers, Mariello and Conner were interviewed separately. Their replies provide a guide for dealers anxious to sell commercial installations.

From the chef's point of view, according to Mr. Mariello, the most important factor in favor of gas is kitchen heat control. Gas-fired ranges don't have to be kept burning 24 hours a day, and the kitchens consequently get a chance to cool off during the night. It makes the chef's life easier, more pleasant.

Temperature control is another major factor. Mr. Mariello explained that the secret of good cooking is proper oven and range temperatures. Let them vary from what they're supposed to be, and the quality of the cooking falls off. And thermostatically controlled



"It saves 20 per cent . . . it's cleaner . . . it boosts kitchen efficiency . . . keeps chefs happy, and good chefs are hard to get and keep."

"... no fuel to compare with it ... a cooler kitchen ... temperature control ... minimum stove maintenance ... steady fuel supply ..."

gas heat beats any of the fuels he has worked with in the past.

Gas-fired kitchens also require smaller staffs, the Poland Spring House chef pointed out. Because fres don't have to be kept going all night, nor take a long time to come up to heat, the cooking staff is cut. When Poland Spring used coal, a man had to come on duty at 2:30 a.m. to get the coal fire started on its long, slow climb to cooking temperature.

es

18

W.

st

as

ed

n-

h-

to

es

S-

er

X-

od

ge

m

nd

ls

ed

Maintenance costs are lower, too.—Mr. Mariello recalled a southern hotel he worked in last winter which used oil-fired ranges. There, in a short four-month season, the metal tops were burned off the ranges twice because of the difficulty encountered in controlling the excessive heat of the oil fires. That's something, he said, which never happened to him while he was working in a gas kitchen.

Gas is also favored because of the constant supply of fuel which requires little watching. And this chef emphasized he doesn't have to worry about the purity of his gas fuel supply. But with oil, for instance, a bit of water mixed in with the supply will result in fires burning faultily, if at all.


"Give a chef his choice of cooking fuels," said Mr. Mariello, "and he'll choose gas every time."



Now, let's take a look at the reasons which made bottled gas so attractive to Mr. Conner, the manager. His prime responsibility of course, is the economical, efficient operation of the hotel. And the kitchen is an all-important phase of that operation.

"Primarily," said Conner, "we had two thoughts in mind when we installed our gas equipment in the spring of 1945—economy and clean-liness."

Poland Spring currently uses approximately 5000 pounds of propane a month for cooking during a five-month season, running from



Kitchen arrangement at "Poland Spring House."

mid-May to mid-October. It pays 6.25 cents a pound for its gas—averaging \$312.50 a month for cooking.

"That figure represents a saving of approximately 20% over comparable cooking costs we bore when we used coal in the kitchen," explained Mr. Conner.

He readily admitted that on a strict cost comparison between the two fuels, coal was cheaper. But he pointed out that savings made possible in other ways made gas actually far cheaper than coal.

For one thing, painting costs were cut 300%. During the coal range era, the Poland Spring House kitchen was frequently painted twice and sometimes three times in one year. Since the gas kitchen was

installed, painting is necessary about once every two years.

"And you must also consider that we don't have to use our own trucks or employes to transport and handle coal. Nor do we need as big a kitchen cooking staff," said Conner.

Cleanliness really was a big kitchen problem when coal was used at the Poland Spring House. Coal dust was stirred up several times a day—whenever the coal was added, or ashes hauled. The dust settled on everything from the rafters on down. Extra maintenance help was needed to keep the kitchen clean.

Poland Spring's main kitchen is equipped with eight hotel-type Garland ranges, two fryers and two broilers. A small grill room, open all day and evening, is fitted with scatte pied I famil and I emplo Garla bakin Tot 1950 hotel pound

a Gar

poun used anoth in the cupie for will

Se

is I

ton, main outs inde twin latic tage men ice stall

and Hou gue proj dail ture

sea: abo

DEC

a Garland gas grill. Eleven cottages scattered about the grounds, occupied by department heads and their families, also use gas for cooking, and hot water heating as well. An employes' restaurant also has two Garland ranges, and a gas-fired baking unit.

Total gas consumption during the 1950 season — for cooking at the hotel only — amounted to 25,000 pounds. Another 5,000 pounds was used by the eleven cottages, while another 5,000 pounds will be used in the cottages which remain occupied all year. Total consumption for all purposes during the year will run about 35,000 pounds.

Has 24-Cylinder Hookup

Serving the Poland Spring House is DeBlois & Lauziere of Lewiston, Me., a Utility Gas dealer. It maintains a 24-cylinder hookup outside the main kitchen—12 cylinders to a side—while regular twin cylinder type domestic installations are found around the cottages. Kitchen and grill room equipment is fed from a two-inch service line running from the main installation. This installation has automatic regulating equipment.

During the social season — July and August — the Poland Spring House serves an average of 1,200 guest meals daily. Add to this approximately 1,000 employe meals daily, and you will get a fair picture of the gas cooking load at the hotel. During the remainder of the season, guest meals served go to about 1,500 daily because so many conventions use the hotel facilities.

A little simple arithmetic shows that the hotel served about 350,000 meals during its 1950 season. The total fuel cost was \$1,562.50 (for cooking only). The actual per meal fuel cost ran about .0045 cents—hardly what you'd call expensive.

These are some of the major reasons why Poland Spring House—one of the nation's top resort hotels—has been cooking on bottled gas for six years, and intends to continue doing so.

They also make good selling points when you run up against a commercial prospect because they are not the ideas of gas men, but of hotelmen. Why not use them?

Rheem Announces Plans to Produce Gas Refrigerator

Rheem Manufacturing Co. is preparing to produce and market a new gas-absorption type of household refrigerator, according to a Nov. 13 announcement by President R. S. Rheem.

The refrigerator, developed by Clayton and Lambert Manufacturing Co., Louisville, Ky., will be made by Rheem under an exclusive agreement just concluded between the two companies.

In the process of development and testing for more than five years, the new refrigerator will be available in popular capacities. It will be sold under the Rheem name. Intensive field and laboratory tests have shown unusually high operating performance and efficiency. Further testing and design study will be carried out prior to manufacture of the unit in commercial volume.

ry

at

8

n-

a

r.

at

st

y

r

n

n

8

Dealer's Customer "Dead File" Is Source of Pre-Christmas Sales

THERE may be extra dollars in Christmas gift sales in your "dead" files of paid-up customers. This year, the Lakewood Appliance Co., Lakewood, Colo., not only discovered the hidden gold in these records but reactivated a number of deadwood customers.

In going over old records early this year, Harry Aldrich, head of the firm, was surprised to find that the number of paid-up account sheets still on file amounted to more than 400. Those on the list of 400 names were contacted by telephone to determine if these old customers were still on hand. Almost all proved to be at the same address. Mr. Aldrich felt the list should prove a rich source of Christmas gift sales.

400 Live Prospects

The 400 names, representing customers already using LP-Gas appliances sold by the firm, were divided among the seven employes of the firm. Beginning Nov. 1, every employe was required to call five names per day, extending Christmas greetings, and inviting the customer to use his old charge account to buy a long list of suggested Christmas gifts in the store. Included were many small appliances, houseware items carried by the store, etc.

Mr. Aldrich has been surprised by the pleasant reception given these telephone salespeople. "Nearly every housewife was cordial, and seemed pleased over our apparent thoughtfulness," he said. "By getting an early start, we are managing to sell most of them before they have set up their gift lists, even including new appliances for the home. The important thing is we are following up a By GENE CREIGHTON

market in which we already have an entry, and offering the customer a chance to use his charge account with no bill to pay until after Christmas. When we have pointed out that there might be a shortage next year of the appliances offered as Christmas suggestions, some of the old customers reacted by asking us to send the gifts out."

By the end of the pre-Christmas season, Lakewood Appliance Co. expects to clean up its entire gift inventory, and, more important, establish charge account relations which were merely "deadwood" in the file before. Mr. Aldrich is so impressed with the result that he decided on the policy of keeping a complete ledger sheet of every customer's purchase, including all details and whether cash or charge, for similar use during subsequent Christmas seasons.

of (

tru

wat

app

has

tha

cla

sit

pul

juc

me

jur

tiff

rel

sm

80

of

Th

are

Synthetic Rubber Plant Again Becomes Active

The first of the nation's all-purpose synthetic rubber plants to be reactivated under the government's expanded rubber production program started production on Oct. 12, 20 days ahead of schedule, at Port Neches, Tex.

The huge plant, designed with a production capacity of 60,000 long tons a year, has been thoroughly modernized by engineers of United States Rubber Co. so that it will produce more than 72,000 long tons a year when operating at peak load.

Performance Rating OF AUTOMATIC WATER HEATERS

By C. E. BARTLETT

Ruud Manufacturing Co., Pittsburgh, Pennsylvania

T might be a good idea for those who sell gas water heaters and are bedeviled by the false claims of competition to learn and tell the truth, and the whole truth, about water heaters.

n

h s. e e

5-

18 (-1-

)-

h

le

d

e

er

e,

d

d

a

g

e

r

5

"Gas has got it"! How much "It" gas has got is not always appreciated even by gas men. Gas has so much "It" in water heating that competition properly could claim for itself only the exceptional situation. The burden of proof is on the competition. But the buying public is seldom an unprejudiced judge. It falls for glamor and commercial cheese-cake like a male jury falls for an attractive plaintiff. It thinks gas is an old and reliable public servant, a bit on the smelly side, and, on the whole, not so good as something new. Silly, of course, but people are funny. They know so many things that are not so.

What is hot water? If it were canned and sold over the counter like canned milk or canned soup, what would constitute the useful contents of the can?

Certainly not the water in it—no! No more than the water in the milk or the soup. What the can would really hold and what the purchaser would really buy would be the HEAT of the water which is in the can. Who, then, would ask for a pint can or quart can of hot water without knowing how much heat was in the can?

Therefore, a tank of hot water has a usefulness for housekeeping jobs in proportion to its temperature, no more, no less, and that usefulness cannot be expressed by the gallon content of the tank. A 30-gallon tank of hot water means only that it contains 6930 cubic inches of water at some temperature. How much utility is in that

water no one knows until the temperature is known.

For example, if a washing machine tub of 15 gallons capacity is to be filled with water at 140° and the water in the water heater tank is at 140°, 15 gallons would be drawn from the tank—no cold water used at all.

Should the water in the tank be at 160° and the cold water be at 40° , the hot water required to bring the 15 gallons to 140° would be 83%, or $12\frac{1}{2}$ gallons of 160° water and $2\frac{1}{2}$ gallons of 40° water. But if the cold water were 60° and the hot water 160° , then only 80%, or 12 gallons, of hot and 3 gallons of cold would be needed.

Looking at these figures again, it will be plain that 20% more hot water at 140° would be needed than at 160°. If, therefore, the only job for hot water in that house at that time was to fill the washing machine, a 12½-gallon tank at 160° would do quite as well as a 15-gallon tank at 140°.

Bath Needs Analyzed

And, if for instance, you wanted bath water at 105° and had tap water at 160° , then the mixture of $13\frac{1}{2}$ gallons of 160° and $11\frac{1}{2}$ gallons of 40° water would give 25 gallons at 105° . But, if tap water was 140° , then $16\frac{1}{2}$ gallons of hot and $8\frac{1}{2}$ of cold would be needed.

If the public can learn what to expect from canned milk, frozen fruit juices, canned soups, etc., why should we insult its intelligence by offering it a water heater with an open end specification in gallons or cubic inches without reference to the heat content?

Why such a fuss over tank size selling? Are not millions of water heaters in use which have been sold on tank size ratings? Yes, of course. And are not those most genuinely concerned over the welfare of the gas business shooting all the fireworks possible to get the selling side of the industry, utilities, plumbers, dealers and builders, to sell larger water heaters? Is not this cry for bigness an admission of inadequacy in past sizing of water heaters?

A Standard is Needed

Would it not make sense first to decide what is a gallon of hot water? What temperature should be the unit, so that a 30-gallon water heater may be known as 30 work-gallons or service-gallons, from which point accurate estimates of service can be made?

Since all hot water stored is hotter than the human hide can work with or even endure in long contact, it follows that all hot water from an adequate water heater must be mixed with cold water except when used with mechanical or automatic washers.

At the present rate of selling automatic and non-automatic washing machines—1,000,000 in the first quarter of 1950—and with the many new homes built with washers as original equipment, is it not reasonable to assume the tempera-

er as perat

> temp by m menor repur grad laund sume of th gent

The have subj

at somea lon. its f

DEC

Storage Rating— Thermostat setting measured as a percentage of 160° (standard hot water gallon unit) x tank size.

Recovery Rating= Btu input per hr. \times .83 (Btu required to raise one gal. 100°).

Performance Rating— Storage Rating+Recovery Rating.

ture which is required for a washer as the minimum necessary temperature for the home?

er

f

g e

0

d

This temperature is 160°. This temperature of 160° is requested by makers of washers; it is recommended by domestic science labs of reputable institutions of collegiate grade; it is used in commercial laundries, recommended by Consumers' Union and makers of some of the best known soaps and detergents.

The whole group of those who have seriously investigated this subject testify to the truth of the slogan—"The Hotter the Water the Whiter the Wash."

There are some dissenting voices at setting 160° as the standard of measurement for a hot water gallon. The opposition generally bases its fear on excessive radiation loss with consequent high gas bills, ac-

celerated corrosion of galvanized steel tanks, or on excessive wear and tear on piping, brass work and washers on hot water lines.


These objections are easily answered. If 160° water is not always in demand the thermostat can be adjusted to 125° or 135° or any degree desired, and turned up to 160° when needed. If a steel tank coated with zinc or other linings or coatings cannot take 160° water. there are various treatments for the tank to help resistance to rust. and also there are tanks made of metals which are unaffected by most waters at any temperature. And, as to wear and tear on the system and faucets, Consumers' Union offers the very logical suggestion of an inexpensive mixing or tempering valve for the hot water lines, except those leading to the laundry or sinks where higher temperature water may be used.

Certain it is that if higher temperature water is needed for modern appliances, it will be forthcoming. No fatherly forbidding of 160° by any agency will stop it.

A water heater, then, is satisfactory if it can supply sufficient hot water at right temperatures for the peak demands. If it can take care of the peaks it can easily handle the valleys. It would seem reasonable to suppose that a peak demand in domestic use would not last longer than one hour. The water heater may have a tank big enough to handle the entire peak or it may have a smaller tank with a faster recuperation.

So, if a 30-gallon water heater signifies 30 gallons at 160°, then a 30-gallon tank at 140° is equal only to 24 gallons at 160°, and 30 gallons at 180° is equal to 36 gallons at 160°. (Fig. 1.)

This, of course, is old stuff, but clearly rating each water heater is not old. It has always been possible, true, but seldom used. If it were used the "It" of gas would stand out plain to everyone.



STORAGE-RATING 30 gals.

STORAGE-RATING 30 mi

beer

a g

bv

elec

the

H

pres

thre

peo

Nex

the

that

tial

or s

abo

Ser

mer T sim tho .83.

per froi the A with a S x .8

gall

Per


or wat


DEC

Assume that a 30-gallon water heater contains 30 gallons of water at 160° ready for the one hour peak demand. It might be given, therefore, a Storage Rating of 30 gallons. If it were a 25 gallon heater at 180° it would also have Storage Rating of 30 gallons. (Fig. 2.)

For example: to determine the Storage Rating of a water heater with a maximum thermostat setting of 140°, multiply its tank size by 80%; for a setting of 180° multiply by 120%.*

Now to this 30-gallon Storage Rating should be added the Re-Rating. This Recovery Rating is in plain sight, always has





been, but it needs translation. On a gas water heater it is indicated by the Btu input per hour. In an electric water heater it is shown by the KWH or Watts.

ter ter eak

re-

gal-

ter

age

the

ter

ing

by

lti-

age

Re-

ery

has

Heretofore, recovery has been expressed as gallons heated per hour through a 60° rise. Most informed people think this is not realistic. Next year AGA ratings will be on the basis of 100° rise. This means that using 60° as the average initial temperature, 160° is the final or stored temperature, as suggested above, and the proper unit for Service-Gallon Storage Measurement.

To find this Recovery Rating, simply multiply the Btu input in thousands on gas water heaters by .83.** The answer is the gallons per hour heated 100° or to 160° from the average of 60° through the year. (Fig. 3.)

A 30-gallon gas water heater with 10,000 Btu input would have a Storage Rating of 30 plus (10 x .83), a Recovery Rating of 8.3 gallons per hour of 160° water—a Performance Rating of 30 plus 8.3, or 38.3. This is about the slowest water heater listed in the AGA


Approved List. A more usual 30-gallon gas water heater with a 25,000 Btu input would have a Performance Rating of 51, a 30 Storage Rating plus a 21 Recovery Rating.

A fast 30-gallon gas water heater of 35,700 Btu input would have a Performance Rating of 60, a Storage Rating of 30 plus Recovery Rating of 30. (Fig. 4.)

Here are three 30-gallon water heaters. With the usual selling patter all three would rate equal—just 30-gallon heaters! Yet from a work or service standpoint, alone, there is a difference of 21.3 gallons as between 38.3 and 60. The latter is 56% more efficient!

^{*} It must be remembered that incoming cold water temperature is a factor in the thermostat setting. In determining Storage-Ratings, this factor, or average (here considered to be 60°), must be subtracted throughout. So a 140° setting becomes 80° and the 160° hot water gallon unit of measurement becomes 100°—or for a direct percentage comparison, 80% and 100%. The percentages when multiplied by a given tank size result in the Storage-Rating.

^{**} This figure is a mathematical equivalent derived from the AGA specification that it requires a maximum input of 1190 Btu to raise one gallon of water 100°.



Electric water heaters also have their performance ratings. Giving them the breaks of 100% which is 10% too high, figure 4 gallons at 100° rise for each KWH. A 30gallon electric with a Storage Rating of 30 and an input of 1600 Watts, or 1.6 KWH x 4 equals a Recovery Rating of 6.4 gallons per hour. The addition of 30 gallons storage results in a Performance Rating of 36.4. This is less than that of the slowest 30-gallon gas water heater rated 38.3, and slower by 15 gallons, or 29%, than an ordinary 25,000 Btu gas water heater, and by 24 gallons, or 40%, of a relatively fast gas water heater.

Has Gas Got It? Put it another way. To equal a 30-gallon gas water heater with a Performance Rating of 60 would call for an electric water heater of at least 50 gallons and an input of 2.5 KWH. And, after the first hour, should demand continue, the little 30-gallon gas water heater would continue to serve up 30 gallons of hot water 100° rise, while the electric would be perking only 10 gallons into its 50-gallon tank.

rect be i

electupo
KW
In
hea
to co
bety
wat
cove
coul
othe

coal

hou

rate

hoo

the equ the

DEC

Moving up to larger demands, a home with four bedrooms, two baths, kitchen and a laundry with an automatic washer, might well be served with a gas water heater with a Performance Rating of 85. A gas water heater with a 45-gallon Storage Rating and a 50,000 Btu input giving a Recovery Rating of 42 would swing it comfortably. An electric heater of this rating would require an 80-gallon tank and an input of 1.5 KWH, or a 66-gallon tank with 4 KWH input

would neatly do it. But, again, the recuperation after the peak would be for gas 42 gallons per hour, for electric 6 or 16 gallons depending upon whether the input was 1.5 kWH or 4 KWH.

In any comparison of gas water heaters with competition it is well to consider how much time elapses between the peak hours. A gas water heater with Storage and Recovery Ratings substantially equal could handle a peak hour every other hour. The "bucket-a-day" coal stove every five to twelve hours, depending upon its firing rate. The usual oil "summer-winter hookup," every three hours; and the electric, with usual element equipment, every five hours. All these estimates are made with the provision that no hot water is drawn during the recuperative period. And, in figuring the electric water heaters' recuperation, the input recommended is frequently higher than permissible under a special water heater rate, "offpeak" or even unrestricted as to time.

But, as "Time Marches On" the gas water heater increases its lead. The trend today is definitely toward non-ferrous, rust-proof tanks in water heaters. The washing machines, both dish- and clothes-, are demanding higher water temperatures. The estimate for 1950 is over 3,000,000 new "home laundries"; over 1,000,000 were sold in the first three months, of which 35% were automatics. This, says the "Wall Street Journal," contrasts with the 300,000 sold by

PERFORMANCE · RATING: Minimum Recommendations.

Number of Bedrooms	1	2	3	4	5	6
With No Automatic Washers	40	45	55	75	85	95
*Automatic Clothes Washer Only	55	55	65	85	95	105
Automatic Dishwasher Only	45	50	60	80	90	100
*Both Types Automatic Washers	60	60	70	90	100	110

*A—Although a recommended minimum Performance-Rating of 55 is shown for oneand two-bedroos homes having an automatic clothes washer, it is recommended the 55 Performance-Rating include a simimum Recovery-Rating of 30 gallons. In cases where the automatic clothes washer handles more than three successive loads, a minnimum Recovery-Rating of 35 gallons is recommended

8—In ware climates where inlet temperatures ordinarily do not drop below 60°F. a minimus Performance-Raing 10°S, under that shown should provide satisfactory service. C—In homes where there are very short runs of tubing or small diameter pipe to kitchen and bathroon outlets. Performance-Raing slightly lower than recommended may prove satisfactory. Conversely, long runs or large sizes of pipe will necessitate an increase in Performance-Raing slightly.

d,
id

to er ld ts a vo th ell er 5.

00 t-

18

on or ut

Recovery-Rating of automatic water heaters.

Electric—INF	UT_Gas	Recovery-Rating
(Watts)	(B.T.U.)	(Gal., 100° Rise)
1,000		4
1,500		6
2,000		8
2,500		10
3,000		12
3,500		14
4,000		16
	20,000	17
4,500		18
5,000		20
NOTE: Ratings shown for	25,000	21
theoretical maximum attain- able. They assume a heat	30,000	25
transfer efficiency of 100%, and also assume that both	35,000	29
upper and lower elements are	40,000	34
heating cycle. Actually, the upper element comes "on"	45,000	38
only when incoming cold water reaches the approxi- mate level of the element. Further, in a typical "off-	50,000	42
	55,000	46
peak" type of installation, a time clock prevents use of the lower element during	60,000	50
peak-hours, thus further re- ducing the theoretical Re-	65,000	55
covery-Rating.	70,000	59

Note: Input data usually appears in plate on jacket.

Bendix, alone, from 1937 to 1941 and the 600,000 sold in 1947. Today there are, according to the same source, 27 other makers who will have a share of 1950 sales.

For dish-washing machines the estimate for 1950 is 250,000 and the industry is just beginning. One enthusiastic maker claims for it a market second only to television.

These machines cannot work with low temperature water. They want HOT WATER. And HOT WATER does not mean "proteced" tanks, it means tanks which do not need protection. And tanks like that mean water heaters of real quality and prices in accordance with it. Gas water heaters with their high performance ratings and fast recuperation will have, in the market of the future, even more than now, not only a higher comfort and service potential but also a definitely better selling position than any possible competition.

Gas has not only got"It"—it's got "Them."

N st sur a n wh ove wit the the tio 1 per al pos loa the we sin

sev tak we bu

tha

thi

du

the

wa

bu

dis

801

su

In

gr

ha

it

DE

Distribution Will Be Bottle Neck If Hard Winter Comes in '51

In the past few weeks I have studied all available figures on supply and demand and talked with a number of people in the industry whom I consider well versed on the over-all picture. I have come up with one conclusion and that is there will be plenty of product but the big problem will be distribution.

In trying to guess what will happen this winter we must consider a number of things. I think all of us feel that we are in a better position to handle a peak winter load than we have ever been in the past but we must remember we have all grown considerably since we were last faced with a severe winter. You dealers have taken on lots of new business, and we suppliers have taken on new business. Of course, we don't know that we will have a severe winter this year but we do know we are due for one.

I suppose most of you remember the winter of 1947 and 1948. It was a rough one. At that time most bulk dealers embarked upon a much discussed big tank program. In some areas this program was quite successful and is still under way. In other areas the big tank program was short lived. Competition has been keen and we will all admit it is rather difficult to sell a big

By E. W. VOICE*

Liquefied Petroleum Gas Division, Warren Petroleum Corp., Tulsa, Okla.

tank when your competitor sells a small one and swears he can keep it full. I think Kansas is in pretty good shape as far as big tanks go but I mention this because it will have a decided effect on the supply situation in some areas and will also affect the over-all picture. Many of you dealers have increased your own storage facilities and many have not but I think that all in all you dealers are in better shape storagewise than you were in the winter of 1947 and 1948.

The Bureau of Mines Report on LP-Gas shows that a total of 2,-836,599,000 gallons of LP-Gas were sold in 1949. This total is broken down as follows:

- 57.4% Domestic Use
- 19.2 Chemical Use
- 6.3 Synthetic Rubber
- 5.7 Industrial Use
- 8.4 Gas Manufacturing 2.7 Internal Combustion
- Engines
- 0.3 Other Uses

100.0%

do

ke

eal

ce

th

gg

in

re

m-

SO

on

t's

WS

This year we can expect substantial increases in domestic use and use in internal combustion engines. The chemical industry and synthetic rubber have marked increases in their consumption and a large amount of LP-Gas is being used by refineries in the manufacture of high-octane gasoline for our armed forces. Industrial and gas manufacturing use will probably continue to decline percentagewise as they did in 1949. This of course is being brought about by the spreading of natural gas lines.

15% Increase This Year?

Based on the Liquefied Petroleum Gas Committee of the National Petroleum Council's estimate and available figures so far this year, it looks as if the sales for this year will increase some 15%. This will increase the over-all gallons sold to approximately 3¼ billion, which is roughly 10 times the volume sold just 10 years ago in 1940.

With the prospect of selling some 3½ billion gallons this year, let's take a look at the estimated production. From all available figures it appears that our LP-Gas production will run in the neighborhood of 3.5 billion gallons during 1950. This 3.5 billion gallons compared to our estimated sales of 3½ billion gallons makes our supply picture look good.

B. R. Carney, manager of the Gas Division of our company, has recently completed a rather extensive study of the nation's reserves and potential supply of natural gas liquids as compared with the potential supply of crude oil and natural gas. He shows that the total gas produced this year theoretically contains some 12 billion gallons of LP-Gas, a little over 3 times our estimated production. Of course, economically it would be impossible to recover all of this product but. I think most process engineers would agree that they could economically recover 70% of the propane and 90% of the butanes in this gas, which would amount to an additional 5.5 billion gallons. From these figures you can readily see our nation will certainly have an ample supply for years and years to come.

As]

natur

will l

and 6

subst

leum

Mo

Ar

when

ply

annu

unife

plant

same

whet

peak

over-

be o

dete

avai

ther

age

all l

more

befo

put

grou

incr

age

proc

is g

the

stor

in i

tion

tion

be

Tex

Kar

pro

are

plan

I

If

Huge Reserves Exist

In mentioning the years to come, I would like to quote some other figures from Mr. Carney's report. The known reserves as of Jan. 1, 1950, based on current production rates, would give us approximately 13 years supply of crude oil, 19 years supply of natural gas liquids and 29 years supply of natural gas. Of course, the term "years supply" is somewhat a misnomer as the present 24 billion barrels of crude could not possibly be produced at a rate of nearly 2 billion barrels per year for any protracted period. Consequently, America would begin to run short of crude oil within a year if no new fields were discovered. However, new fields are still being discovered so I don't think we have anything to worry about there. We should be concerned though with a better utilization of our petroleum products. As Mr. Carney mentioned, our natural gas liquids and natural gas will last a lot longer than our crude and every effort should be made to substitute LP-Gas for other petroleum products wherever possible.

he

nd

ne

0-

n

3

)f

be is

88

ye

of

11-

n

110

r-

or

e,

er

t.

1,

n

ly

19

ds

S.

7"

ne

le

at

ls

d.

in

a

S-

re

't

ry

n-

i-

S.

ws

More Gallons Stored Than Before

Another thing we must consider when estimating the potential supnly for this winter is that the annual supply figures are based on daily production. uniform plants actually produce about the same amount daily regardless of whether it is in July or during the peak demand winter months. The over-all storage capacity will still be one of the biggest factors in determining the amount of product available. As far as I can learn. there are no figures on total storage capacity in the U.S. but we all know that this year there are more gallons in storage than ever before. Some of the suppliers have put millions of gallons into underground storage and others have increased their aboveground storage substantially.

If we take the total potential production for this winter, which is greater than ever before, plus the total number of gallons in storage, we end up with a potential in figures that resembles our national debt. However, as I mentioned before, the big problem will be distribution.

In certain areas such as west Texas, New Mexico and western Kansas, there should be plenty of product, especially for those who are able to send their trucks to the plants for loading. In other areas, though, even those who load their trucks at the plants may run into occasional shortages, depending, of course, upon the weather.

Those dealers who are depending entirely upon railroad tank cars for receiving their product may not be able to enjoy this huge potential of product this winter. In the first place the Government-owned tank car fleet has been pulled away from domestic LP-Gas transportation to transport products required for aviation gasoline and synthetic rubber. As near as I can find out. our industry has increased its number of tank cars around 7% this year and this won't go very far toward moving the additional 15% of the industry's increase in volume.

Tank Cars In Short Supply

You may ask why haven't the suppliers expanded their tank car fleets along with the increased demand. The answer to that is very simple. The suppliers simply could not afford to invest in new cars when they were getting such a low return for their product. Also, the steel shortage has held up delivery on cars that were ordered for delivery this fall. No one is to blame for this car shortage but I do think all of you should be aware of it and make your plans accordingly. With another mild winter it is quite possible everyone will get along nicely but with a severe winter, there no doubt will be a transportation problem.

^{*} Delivered at the Oct. 30 meeting of the Kansas LP-Gas Assn.

Scenes From Industry Service Schools



Dick Harris, of Suburban Propane, at Berkeley.



cial vem kit leve tion Se paig appr

basi

enjo live seco and sma cial

in t

up f ance D radi licit chan mar then Gas chas pape They vert radio lease LI

son

indu

pron

deale

follo

DECE

Lloyd Ginn, Western Stove Co., at the Berkeley school.



Participants at the Central States school at Purdue University (left to right): J. H. Harreh, Pyrofax Gas Div., Joe Crowden, Indiana Bottled Gas Co., and Merle McClure, Purdue representative.



M. B. Gault, Robertshaw, at Central States school, Purdue.

BUTANE-PROPANE News

Promotion Program Starts 2nd Round

WITH the scheduling this fall of the second round of advertising in 45 publications reaching small town, farm, suburban and commercial prospects and the mailing in November of a second merchandising kit to help dealers tie in at the local level, the National LP-Gas Promotional Program is now in high gear.

Seven distinct advertising campaigns—each with a separate copy approach, each directed at a specific market—are in progress. The initial basic selling appeal that families can enjoy city conveniences wherever they live with LP-Gas is continued in the second round of ads in the national and sectional farm, suburban and small town magazines, but the special appliance promotion campaign in the state farm papers will point up the desirability of LP-Gas appliances as Christmas gifts.

Direct-mail pieces, newspaper ads, radio "spot" announcements and publicity releases contained in the merchandising kits mailed nearly 9000 marketers tie in with the Christmas theme. Members of the National LP-Gas Promotional Program may purchase the direct-mail items and newspaper ad mats at a 20% discount. They are produced by the Beals Advertising Co., Oklahoma City. The radio announcements and press releases are free.

LPGA President Peter A. Anderson recently released a letter to the industry to encourage support of the promotional campaign and to awaken dealers to industry needs. The letter follows:

President Anderson's Letter

"LP-Gas is no longer the stepchild of the petroleum industry.

"Each year LP-Gas chalks up new gains in gallonage. In recent years the public has become more and more aware of this growing industry. The producers have stepped up their investments in fractionating equipment, and they have moved into the distributing phase of the industry.

"Why? The only answer to these heavy investments in expansion can be that the producers are beginning to change their viewpoint; I believe that LP-Gas is coming out of the doghouse.

"Sales gained 1260% in the past 10 years. The rapid pace slowed abruptly last year. Why? Several factors were involved: A warm 1949-50 winter, expansion of natural gas pipelines and service, and increased electrical competition.

"But what are we doing to protect our expanding investments? Are we getting into the fight with electricity, a fight whose tempo increases daily? Are we doing anything to make the nation LP-Gas conscious?

"Deep in the woods of northern New England, miles from the nearest community over rugged tote roads, pulp and paper firms are feeding their woods crews from LP-Gas ranges. There's wood lying around everywhere, begging to be used as fuel, yet these paper companies prefer propane.

"Their purchasing agents are paid to get the most out of every penny, and they know that LP-Gas is cheaper for them than wood; despite the fact that gas cylinders must frequently be trucked a hundred miles or more from the nearest dealer. Nobody has to sell them on LP-Gas; they're used to figuring their own costs.

"But what about the purchasing agents in the domestic field—the biggest potential in the industry? What are we doing to get the LP-Gas message across to these wives and home-

owners?

"The need for a promotion campaign is amply proven in several surveys made by the agricultural publications. Pick up a farm magazine yourself. Notice the space devoted to advertising and publicity praising the all-electric home. Now look for LP-Gas advertising and publicity. Hard to find, isn't it?

"It's this lack of industry-wide promotion that's beginning to show in the LP-Gas-electricity competition. LP-Gas must be pushed, must be promoted, if it's going to continue the rapid strides made in the past decade. It must be pushed and promoted even if it's just going to main-

tain present levels.

"Somebody has to sell the housewife. Electrical trade associations are spending millions of dollars each year to put their message across to her.

"Now, the LP-Gas industry is embarking on a national campaign to show the lady of the house that LP-Gas is the fuel for her kitchen and home. The push, the continuity and the success of the campaign depend on the support of the industry.

"Without this support, LP-Gas will fail to put its story across to the housewife and the homeowner. With it, LP-Gas can and will continue to make giant strides into the future.

"Let's not forget this."

Sunray Will Operate Huge Gasoline Plant

Sunray Oil Corp. has announced purchase of 200 liquid propane cars as an addition to the company's trans-

portation facilities.

The new LP-Gas tankcars will be used principally at the new Scurry County, Texas, gasoline plant which will be operated by Sunray for some producers in the area, and at the company's two Oklahoma refineries.

The plant is now under construction and is expected to be in operation next spring. The new tankers, which have 11,000 gallons capacity, will be manufactured by the American Car

and Foundry Co.

The Scurry plant will be the largest gas conservation project yet announced for that district.

H. W. Manley Will Direct Project

Approximately 35,000 producing acres in the North Snyder, Kelley-Canyon, and Diamond "M" fields are involved in the construction and operating contract covering development of the project. The enterprise will be under the general supervision of H. W. Manley, recently named manager of Sunray's gas and gasoline department.

Mr. Manley headed these activities for the former Barnsdall Oil Co. since absorbed into the Sunray organization.

The operators propose to construct facilities to process approximately 67,000,000 cubic feet per day of lique-fied products, including propane, butane, natural gasoline and other allied products. The liquid hydrocarbon content of the gas is unusually high and engineering analyses indicate that the plant will extract between 7 and 8 gallons of liquid products per MCF of gas processed.

liqu

pra

hav

I ha

pro

you

with

shal

arti

am

que

the

por

we

the

ica

DEC

I

Unity, Sincerity of Dealers Determine Industry's Future

By T. G. TACKETT

President, National Butane Gas Co., Inc., Memphis, Tenn.

Mr. Tackett's remarks serve both as a powerful indictment and as new articles of faith for the industry. He says that what we do to strengthen ourselves is not as important as are our basic beliefs and attitudes. This address before the Arkansas Butane Dealers Assn. contains a message for every large and small operator.

URING the several years that I Dhave been associated with the liquefied petroleum gas industry, practically all the articles that I have read and all the speeches that I have heard with reference to the promotion of the industry in which you and I are engaged have dealt with the same question, "What shall we do?" and as I read these articles and hear these speeches I am again inclined to ask myself the question, are we asking ourselves the question that is of greatest importance when we say, "What shall we do?"

I am thoroughly convinced that the unity of the citizens of America and the freedom of the peoples of the world are not nearly so dependent upon what we shall do as they are dependent upon what shall we be; and I am likewise convinced that the success of any state or national liquefied petroleum gas association is dependent upon not what shall its members do, but what shall its members be.

In the first place, I believe we as liquefied petroleum gas operators should be vitally concerned about our own personal policies. I am inclined to think that far too many of us spend more time trying to analyze and explain the policies of our competitors than we do in trying to establish and promote

)e

n-

yre rnt

be

H.

er

rt-

es

ice

m.

ict

ely

1e-

u-

al-

on

gh

ate

en

per

ews

policies of our own that are applicable to our own personal operations and practical in our own individual territories.

I do not believe that any two dealers are equipped by virtue of their qualifications, their assets, their territories, or their personalities to operate exactly alike or utilize the same methods of operation. Since I am thoroughly and completely convinced that it would be impossible for me to operate my business on exactly the same methods and plans of my competitor, I see no necessity whatever of my wasting any time in trying to determine why my competitors will employ the policies and procedures which they do employ.

A Negative Philosophy

During the past several years I have had the most pleasant opportunity of visiting with all types and kinds of operators, both large and small, throughout the entire Southeastern section of the United States, and certainly without any idea of criticism. I have noticed that in a great number of cases a very substantial portion of my time on these visits has been spent in listening to a given operator discussing the demerits of his competitor, rather than discussing with me some of the merits of his own operation or outlining to me some of his own personal ideas and attitudes toward the establishment of additional and more profitable policies for the future.

To indicate to you the thought that I am trying to get across, I give you an experience of just a few weeks ago when one of our customers called and asked that an order for a certain type of equipment which he had placed some time previously be cancelled, due to the fact that he had heard that his competitor was establishing some revised sales policies, which made it necessary for him to abandon all of his previous plans and programs and try to establish other plans and programs simply because his competitor had done so.

sold

opel

that

can

pric

cost

who

our

mai

bus

1

dus

tial

vid

tive

me

sun

ope

ma

gre

cen

inv

try

mo

SOU

and

sev

rol

ilie

to

to

to

an

an

tu

se

me

wi

tu

68

ba

w)

DI

Certainly, I am convinced that it is going to be necessary for all of us to be competitive and meet competition in the most effective way, but to me there is sounded a note of defeat when a dealer sits back and waits for his competitor to initiate plans and programs. Yes, I am sure that our state and national associations will be more successful in promoting the liquefied petroleum gas industry if we as members will exert personal and individual initiative and be concerned about policies that will build our own business instead of trying to establish policies that will destroy our competitor's business.

A Definite Price Policy

In the second place, we should be concerned about our price policy. I do not propose to get into any entanglements as I present my thoughts this morning regarding prices for which our commodities should be sold. Indeed, it is entirely impossible for me to hazard a guess at the price that should be established in the various territories for any of the commodities

sold by liquefied petroleum gas operators. However, I am convinced that the only basis upon which we can intelligently establish a sales price is to first of all determine our costs; and certainly, we operators who are not qualified to determine our costs are not qualified to remain in the liquefied petroleum gas business.

our

hat

of

ced

led.

ard

sh-

ies,

nim

ous

es-

ms

nad

hat

all

eet

ive

da

its

tor

ms.

and

ore

ue-

we

ind

on-

ild

ng

de-

uld

cy.

ny

my

ng

ies

re-

a

be

ri-

ies

ws

The Initial Investment

The liquefied petroleum gas industry demands a tremendous initial investment, and as the individual operators grow, it is imperative that even additional investments amounting to tremendous sums be made. In most cases, the operators in this industry have made these large investments at great sacrifice. The greater percentage of our individual operators invested, upon entering the industry, their life savings—borrowing money from the banks or any other source and obligating themselves and their families for a period of several years and in all probability robbing the members of their families of at least some of the luxuries to which they are entitled, in order to make the investment.

This industry has already ceased to be a "peanut" business, and any and all operators in determining and establishing their price structure must of necessity take into serious consideration the investment which has been made. Again, with reference to the price structure, I insist that too many of us establish our prices not upon the basis of cost but upon the basis of what our competitors charge.

There has been a great deal of discussion regarding the policy of our sales—that is, if equipment should be furnished on a title-retaining basis, if it should be leased, or sold; and again I do not propose to tell you what to do regarding this policy but can only say to you what you should be, and that alone is that you should be vitally concerned about receiving a sufficient return in one way or another from whatever commodity you dispose of. Whether or not you retain title, lease, or sell outright, you alone are in a position to know which of these price structures are profitable in your own individual operation. I hope it shall always be the policy of my company to sell merchandise at a profit instead of being forced to sell it at a loss just because a competitor does so.

Fallacy of Small Operators

Most of us in the liquefied petroleum industry have concocted a most ridiculous idea. Those of us who are small, with limited capital, limited equipment and limited personnel, have assumed an attitude that because of our smallness, our low overhead and the fact that we do most of our own work, enables us to whip the larger competitor to death. We seem to think that if the bigger operators can sell gas at 10c a gallon, then we, on account of our low operating expense, can afford to sell it at 9c a gallon. Likewise, the larger operators who have unlimited capital and equipment, a tremendous plant, large organization, think that they can put the little fellow completely out of business, when the truth of the matter is, if either of these types of operators institutes such a procedure he is doing nothing but cutting his own throat without accomplishing the purpose of getting rid of the competitor.

Another responsibility that is ours as operators in the liquefied petroleum gas industry has to do with safety. You and I who have been interested in this industry over a period of years have read articles in pamphlets, advertising matter and magazines, and have heard speeches galore dealing with safety in handling of liquefied petroleum gas.

Not Safety Minded

I do not intend to minimize this question of safety. Certainly, we are handling a hazardous commodity and there is every necessity in the world of our doing everything within our power to promote safety for the lives and property of our customers and citizens of our state, but again I am convinced that we are not spending enough time being safety conscious.

The various institutions of our land such as the Underwriters' Laboratories, American Gas Association, inspection and insurance companies have promoted and taken very definite steps in the execution of certain safety measures demanding that equipment be built and installed in accordance with most rigid regulations, all of which is most commendable. We, too, as operators in the liquefied petroleum gas industry have fought with all the energies of our being to estab-

lish in the various states certain laws and regulations for the purpose of promoting safety.

be :

labe

AG

han

by

The

tho

the

try

gar

wil

-

wh

liqu

sho

cor

fac

and

fai

ind

ent

we

fai

ass

an

of

to

or

fo

th

tiv

lov

un

ca

tic

an

ur

tic

ar

W

pi

80

fu

DI

We have insisted that all equipment be inspected and then labeled. and inspected and labeled again. and again, and again. We have cried out with all the capacities of our lungs and pocketbooks for state departments and state inspection bureaus, all with the idea of doing something about safety, and I emphasize again that every action and everything that we have done as state organizations, national organizations, inspection and insurance companies are most commendable and absolutely necessary if our industry is to continue to grow, but the thing I am trying to get across is that even with all the inspection authorities that could be imagined and with every precaution in the world being taken for the sake of safety, there will be no safety until there is developed way down deep inside of you and me an attitude or a safety consciousness that will force us to promote safety to our own organizations.

The Cost of Accidents

An accident is of far less importance to insurance companies and to state authorities than to the dealer. The real cost, and it is tremendous, falls on the operator and the industry, and of course those who are directly involved in the accident, itself. Therefore, operators in the liquefied petroleum gas industry should be safety conscious not in order to comply with certain regulations, not simply to

be able to place the Underwriters' label or the ASME code or the AGA symbol on equipment they handle, not simply in order to get by with an inspection department. There will be no real safety until those of us who are engaged in the liquefied petroleum gas industry do the very best we can, regardless of whether any inspector will be by within a few days or not.

tain

pur-

uip-

eled.

ain,

nave

s of

tate

tion

oing

em-

and

as

or-

sur-

end-

if

ow,

get

the

ould

ore-

ken

will

vel-

you

ety

to

an-

m-

ies

the

is

tor

rse

in

op-

ım

n-

ith

to

ews.

Faith in the Industry

There is still another attitude which I think operators in the liquefied petroleum gas industry should have, regardless of their connection, whether it be manufacturer, wholesaler or retailer, and this is that we should have faith in the possibilities in the industry. It has been most apparent during the recent years that we first of all do not have proper faith in the people with whom we associate. There prevails an idea among all operators in each phase of the industry that our competitors are operating under the policy or by methods that are designed for our detriment only. We seem to think that every movement and activity on the part of the other fellow is with the idea of creating an unprofitable situation for us. There can be no real spirit of cooperation, there can be no real growth and development of an association until the members of that association practice the principles that are set forth in the Golden Rule, which, after all, is the fundamental principle upon which business association or friendship is successfully developed.

There is another phase of this idea of having faith in the industry, and that is, actually believing that the job can be done. For instance, all of us have been operating on the theory during the recent years that this is definitely a seasonal industry, and during my contacts with various members of the industry throughout the entire territory, including myself, there has been the argument that no equipment can be sold except during the late summer and early fall months, and that there is, therefore, no necessity in spending money, time and effort in promoting the sale of the equipment during the off-season. This idea has been knocked into a cocked hat, particularly during the early spring months. Most of the manufacturers of equipment have been busier during the past year than they have ever been during the same period since the origin of the industry. I have in mind one particular dealer who, during the month of May, installed 36 liquefied petroleum gas jobs, and only six of those jobs involved the cooking operation. In other words, this dealer sold 30 jobs for heating only and installed the tank and heating appliances during month of May. This is the first year that he has attempted a sales program during the spring months, and before has always sat idly by saying that it couldn't be done. I know of a number of instances that have come under my observation during the recent weeks that make me believe that it can be done if you and I exercise sufficient faith in the possibilities.

Still another idea or attitude that should be instilled in each of our hearts and minds is that of faith in an organization, such as the Arkansas Butane Dealers Assn. Time will not permit, neither will my qualifications allow me to explain in detail the advantages that can come to a liquefied petroleum gas operator through an association of this kind, but let it be sufficient to say, first of all, that the fellowship, alone, with men and women who are engaged in the same business is worth all of the money, effort and time that membership in the association involves.

Faith in Your Competitor

It is actually true that a number of years ago, when I first began traveling, I had an idea that all of my competitors were the "scum of the earth," that they were the most unreasonable, inefficient, unethical men that I had ever dreamed could exist; but meeting with those competitors on occasions such as this convinced me that they were just as intelligent (if not more intelligent), just as ethical (if not more ethical), just as reasonable (if not more reasonable) than I, and from that time on I have tried to exercise faith in the men with whom I have associated as members of the same industry.

Certainly, we could spend some time thinking about the faith and confidence that we ought to have in the possibilities of the educational program that is and can be sponsored by an association of this kind. Ours is a comparatively new industry, and on every hand there is a tremendous demand for men with experience, for men with the "know-how," servicemen, salesmen, installation men; and the fact that we are forced to spend time and money in the training of inexperienced men causes me to have faith in the educational program being advanced by the associations.

In view of these things, allow me to go back and say that the important question before us is not necessarily "what shall we do," but "what shall we be." What shall we be with reference to our own price schedule? What shall we be with reference to our own price schedule? What shall we be with reference to our attitude towards safety? and what shall we be with reference to our confidence or faith in the industry in which we are engaged?

How to Attain a Goal

pı

N

If our sales policy is one that takes into consideration only our own operations: if our price schedule is based upon a legitimate profit above our costs; if our safety program is one that keeps us on the alert regardless of any laws or inspection service; and if we have sufficient faith in the industry, then we as individual operators through our combined efforts can build an association that will promote not only our business but the business of our friends and competitors, without jeopardizing either.

Dealers Warned of Electric Tactics At Maine Service School-Convention

THE serviceman's problems were topmost at the 1950 Maingas service school and convention at Valle's

> Inn, Scarborough, Maine, Oct. 17-19.





this

nere men the

nen,

hat

and

pe-

ave

am

ns.

low

the

is

0,"

nall

wn

be

ice

ith

rds

ith

ith

re

at

ur

d-

te

ty

OΠ

VS

ve

8-

a-

ts

ill

ut

nd

g

WS

C. C. TURNER

principals in Maine Gas and Appliances, Inc., sponsors of the convention, outlined three principal messages to his hearers:

1. Stop being the stooges of the power interests. Throw electric appliances out of your places of business. Cease being "Cicero Sapp, the Gas Man."

2. Raise your sights. Stop thinking of the gas business in the terms of large profits on small volume. Think of it in its coming phase, the business of small profits on large volumes.

3. Overhaul your operating methods. Cut out inefficiency. Get ready for the deluge of heating and automotive business which is coming your way.

Mr. Turner related some astonishing facts having to do with infiltration of electric influence in key spots in the state of Maine, and urged his hearers not to take this sort of thing lying down.

By ED TITUS

"I cannot say that certain legislative bills are being sponsored by the electric industry," said Mr. Turner. "But I can say that our governor is an ex-electric company employe . . . and that some of those who are introducing bills have had or still do have electric company affiliation. The effort is being made to tax you, regulate you, restrict you out of existence."

The three-day program brought together Maingas dealers and servicemen. Representatives of manufacturers attended and put on demonstrations with their actual appliances and equipment on how to service. The third day was largely given over to sales.

M. B. Gault, Robertshaw Thermostat Division, discussed, "The Why and How of Thermostats"; George Black, of The John Wood Co., "Servicing and Installing Water Heaters"; and Adam Johnstone, of The Bastian-Blessing Co., "Keeping Away from Regulator Troubles." Joseph Falk of Gas-Kit Co., Glastonbury, Conn., discussed "Proper Tools for Your Service Man."

A live demonstration of how to sell gas ranges, including practical hints on how to show superiority of gas to electric was presented by Arthur M. Newman, sales manager of The Glenwood Range Co. Dewitt P. Sixbey, of Detroit-Michigan Stove Co., gave a practical talk on selling the commercial load; J. H. McPherson, owner of J. H. McPherson Co., discussed "Your Opportunity in Heating Sales."

Associations

Indiana

The first annual convention and trade exhibit of the Indiana LP-Gas Assn. is scheduled for Feb. 7-8 at the Antlers hotel, Indianapolis, according to Harold TenBrook, convention committee chairman.

Sub-committees and their chairmen include: entertainment, R. P. Hedback; trade show, J. P. Crowden; registration, T. K. Holden; welcome, C. W. Link. Mrs. T. M. Feely, wife of President Feely, is chairman of the ladies entertainment committee.

The latter day of the meeting has been designated as Kentucky day in recognition of industry members in that state who have assisted in the organization of the Indiana group.

tary-tre

More meeting view h talks b Co., "I William ing Co Voice,

Fuel

paper

ssue)

New

Guire,

Franc

terms

City;

Hettic

An

spons

follow

Bol tary which that short LP-G

Lioui Lid from endo their to a amer 26.

M the scril pres shat enfo agree cons

Nov

DEC

lan.

Kansas

At the annual fall meeting, Oct. 30, of the Kansas LP-Gas Assn. A. C. Ferrell, Atchison, was elected president to succeed G. M. McClellan, Salina. Other new officers are Rex Wheeler, LaCrosse, vice president;



Leaders of the Kansas association are (left to right, front row): G. M. McClellan, retiring president; A. C. Ferrell, new president; S. G. Darling, director. Back row: Robert Tanner, district secretary; Glen McGuire, director; and William Hettic, director.

64

and Harlan Tatge, Herrington, secretary-treasurer. Robert C. Tanner is

district secretary.

More than 100 persons attended the meeting which was held at the Broadview hotel in Wichita. They heard talks by Lee A. Brand, Empire Stove Co., "Future Appliance Production"; william A. Blees, Avco Manufacturing Co., "Retail Selling"; and E. W. Voice, Warren Petroleum Corp., "The Fuel Production Outlook." (This paper is reproduced elsewhere in this issue).

New directors named are Glen McGuire, Iola, and A. H. Clark, St. Francis. Directors serving unexpired terms are Frank Groves, Arkansas Gity; S. G. Darling, Pratt; William Hettic, Liberal, and George McClel-

lan.

has

in

the

·C.

esi-

Sa-

ex

nt:

A manufacturer-distributor-supplier sponsored "friendship hour" was held following the business sessions.

Bob Tanner, LPGA district secretary of the Central States District, which includes Kansas, announced that the Kansas state association has shortened its name to the "Kansas LP-Gas Assn."

Louisiana

Liquefied petroleum gas dealers from all part of Louisiana gave full endorsement to stricter regulation of their industry and urged the public to adopt a proposed constitutional amendment to accomplish it on Oct. 26.

Meeting in Alexandria, members of the Butane-Propane Institute subscribed to the statement of their president, Frank Roberson of Coushatta, that "good laws and strict enforcement are good business," and agreed to work for the passage of constitutional amendment No. 20 on Nov. 7.



KEITH JONES



C. W. GUY

Other speakers at the one-day meeting included C. A. Breen of New York City, manager of the liquefied petroleum gas division of Esso Standard Oil Co.'s marketing division; Keith E. Jones, director of the Louisiana liquefied petroleum gas commission, Baton Rouge, and Charles W. Guy, Baton Rouge, representing the General Gas Corp.

Mr. Roberson also introduced L. N. Semon, Shreveport, commission member, and George Jacobs, Alexandria, manager of the Louisiana Butane-

Propane Credit Assn.

Discussing the proposed constitutional amendment, passed during the last regular legislative session, the association president declared that it would benefit both the public and liquefied petroleum gas dealers by strengthening the power of the commission to enforce high safety standards.

Minnesota

Minnesota dealers met Nov. 6 at the Curtis hotel in Minneapolis for the annual meeting of the Minnesota Petroleum Gas Assn. Last year's president, L. H. Dow, presided. Other NEW MINNESOTA OFFICERS

President: Charles Bubar, Northwest Hydrogas Co., New Brighton.

Vice President: John L. Locke, Northwestern Blaugas Co., St. Paul.

Secretary-Treasurer: Hilder M. Hoaglund, Allied Gas, Inc., Minneapolis.

NEW MINNESOTA DIRECTORS

Charles Tenney, Willmar.

H. A. Andersen, Minneapolis.

L. H. Dow, Duluth.

A. D. Palcich, Austin.

H. L. Brownell, Hibbing.

George Mattaini, St. Peter.

outgoing officers include M. G. Ostgaard, vice president; A. W. Kyndberg, treasurer; and John L. Locke, secretary.

Speakers included B. A. Brokaw, chief, petroleum division, Dept. of Taxation, whose talk was entitled "LP-Gases and Taxation as Motor Fuel." M. A. Ennis, Cribben & Sexton Co., spoke on "There is Something Extra in a Flame."

Following afternoon business sessions and committee reports, an open forum was held covering safe practices, insurance, employe training, the heating load, electric competition, cooperation with state authorities, fair trade practice, and accounting.

Mississippi

T. R. Ewing, president, presided at the semi-annual meeting of the Mississippi LP-Gas Assn. held at the Heidelberg hotel in Jackson, Nov. 5-6

Ohio

Mee

Colum

held

cordin

Hig

includ

pan S

ance

Beals

cusse

eral

Berg

C. J

dent,

discu

Pr

Gas

ticip

hour

by t

socia

Tex

A

C. 1

But

gro

fou

1

and

88

sho

sho

the

fai

ex

an

on

on

M

L

ec vi

er

t

Dealers heard addresses by Ralph Townes, Rheem Manufacturing Co.; John Allen, director, liquefied compressed gas division, State of Mississippi; and Fielding Wright, governor of the state.

Open forum, business sessions, reports of committees, and election of officers were held prior to the open house and banquet at which Clayton Rand was speaker.

Nebraska

Carl A. Nelson of Omaha has been elected president of the Association of Nebraska Liquefied Petroleum Gas Dealers, succeeding Roy Pearson, of Holdrege. He was elected at the annual convention and trade show held at the Hotel Paxton in Omaha, Oct. 29-31, according to Fremont Meyers, who was re-elected executive secretary.

Other new officers are R. L. Warren, Crawford, first vice president; Veryl Storer, Ogallala, re-elected second vice president; Ralph Hawkins, Hebron, re-elected secretary; and Victor E. Anderson, re-elected treasurer.

Between 175 and 200 dealers, distributors, and manufacturers attended the convention which offered addresses by E. Q. Beckwith, Sid Richardson Gasoline Co., speaking on "LP-Gas-Supply Outlook"; C. A. Nelson, C. A. Anderson, Inc., "Business Possibilities of Motor Conversions"; and Dana F. Cole, professor of accounting, University of Nebraska, "LP-Gas Pricing and Accounting." A safety forum was held under the direction of Wendell Groth, Mid Century Insurance Co.

Ohio

ov. 5-6.

Ralph

g Co.:

com-

Missis-

vernor

ns, re-

ion of

open

layton

been

ation

1 Gas

n, of

e an-

held

Oct.

yers,

ecre-

War-

lent:

cted

wk-

and

eas-

dis-

end-

ad-

ich-

on

Vel-

ess s";

ac-

ka,

A

di-

en-

WS

Meeting at the Fort Hayes hotel in Columbus, the Ohio LP-Gas Assn. held its fall meeting Nov. 8-9, according to President George Gray.

Highlights of the 2-day meeting included talks by O. J. Haagan, Tappan Stove, on "LP-Gas and the Appliance Manufacturer" and Vernon Beals, Beals Advertising, who discussed advertising and promotion. Several films were presented by Karl Berquist, of Fisher Governor Co. T. C. Johnson, association vice president, was moderator of a round-table discussion of industry problems.

Presidents of neighboring state LP-Gas associations were invited to participate in the meeting and the social hour on Nov. 9 which was sponsored by the associate members of the as-

sociation.

Texas

Announcement has come through C. D. Ribble, president of the Texas Butane Dealers Assn., that the Texas group will expand its annual June trade show to include exhibits from four other states.

New Mexico, Colorado, Oklahoma, and Louisiana have been declared in as participants in all future trade shows. This will make the new trade show, to be known henceforward as the Southwest Butane Exposition, by far the largest LP-Gas regional trade exposition in the nation. Actually, the annual trade show put on for Texas only was already the largest regional one.

Plans for expansion, according to Mr. Ribble and trade show chairman L. D. Lowry Jr., came as a result of continuing demand by out-of-state visitors to the show, by manufacturers, and by distributors and refiners. The Texas show had always attracted

much interest in neighboring states, Mr. Lowry pointed out.

The 1951 event, which will be held in connection with the annual convention, and which will include participation of the neighboring states for the first time, will be housed in the entire top floor of the Hotel Texas in Fort Worth. A committee headed by Mr. Lowry and including Aaron Smith, M. W. Lawless, J. E. Persons, R. L. Moore, and Emory Kelley expects to have formal announcements of plans for the show ready for distribution soon. The dates will be June 13-15, inclusive.

American Petroleum Institute

More than 5000 oilman gathered in Los Angeles last month for the 30th annual meeting of the American Petroleum Institute. The meeting, Nov. 13-16, was split between the Ambassador and Biltmore hotels.

Leaders of finance, industry, and government addressed delegates to the meeting. Secretary of the Interior Oscar Chapman was on the speakers' roster, as were Benjamin F. Fairless, president of United States Steel Corp., and Colonel B. S. Mesick, U. S. Army, who discussed probable military requirements of petroleum and petroleum products.

Others who addressed conventioneers were API president Frank M. Porter; Reese H. Taylor, president of Union Oil Co. of California; Jake L. Hamon, president of Mid-Continent Oil & Gas Assn.; and Gustav Egloff,

Universal Oil Products.

CNGA

The Ambassador hotel, Los Angeles, was the scene of the silver anniversary meeting of the California Natural Gasoline Assn. Nov. 9-10. A program of technical forums and papers pertinent to the natural gaso-

line industry was presented, according to E. R. Millett, Jr., secretary of the CNGA.

R. S. Tulin, president, dedicated the 25th anniversary program to the 40-odd men who attended a general meeting held on Dec. 2, 1925, at Signal Hill to provide a common meeting ground where those interested might discuss mutual problems and cooperate in their solution, and out of which meeting developed the present California Natural Gasoline Assn.

Cumberland and York

Twenty-six members of the Cumberland and York Propane Assn. met last month in York, Maine, it was reported by Ray Stengel, president. It was a combination dinner - business meeting, at which President Stengel acted as chairman.

Speakers who appeared on the program included Elmer Ring (Yarmouth, Maine) and George Kelley (Portland, Maine), who spoke on new weights and measures regulations and on progress at the industry technical schools at Southern Technical Institute and the University Bridgeport; Jim Day (Kennebunk, Maine), who reported plans for dealer cooperation in the civil defense program; and Larry Holman (Portland), whose topic was the National Committee for LP-Gas Promotion.

Unanimous approval by the membership was given to a resolution that all space heating installations made in public places and overnight cabins, should be properly vented and have 100% safety shutoff.

Heating, Ventilating Engineers

Following are nominees for 1951 officers of the American Society of Heating & Ventilating Engineers:

Lauren E. Seeley, University of New Hampshire, president; Ernest Szekely, Bayley Blower Co., 1st vice president; Reg F. Taylor, consulting engineer, 2nd vice president; Howard S. Sproull, American Blower Corp, treasurer.

Officers will take office at the society's 57th annual meeting in Philadelphia, Jan. 22-25.

CALENDAR

1950

- Dec. 6-7-LPGA Board of Directors. Camel Back Inn, Phoenix, Ariz.
- Dec. 8—Liquid Gas Dealers Assn. of California Board of Directors. Stockton Hotel. Stockton.
- Dec. 8-NGAA Regional Meeting. Herring
 Hotel. Amarillo, Texas.

1951

- Jan. 17-18—National Butane-Propane Assn. District Meeting. Mayflower Hotel. Washington, D. C.
- Jan. 21-23—2nd Annual Kansas Engine Fuel Service School, Manhattan.
- Jan. 22—Arkansas Butane Dealers Assn. Mid-Year meeting. Little Rock.
- Jan. 22-25—American Society of Heating and Ventilating Engineers. Philadelphia.
- Feb. 7-8-Indiana Liquefied Petroleum Gas Assn. 1st Annual Convention and Trade
- Exhibit. Antlers Hotel. Indianapolis. Feb. 23—NGAA Regional Meeting. Settles Hotel. Big Springs, Texas.
- Mar. 26-28—LP-Gas Service School. University of Minnesota. Farm School. St. Paul.
- Mar. 29-30—New England LP-Gas Assn. Annual Meeting. Hotel Statler, Boston.
- April 16-18—Gas Appliance Manufacturers Assn. Annual Meeting. Drake Hotel. Chicago.
- April 25-27—NGAA. Mayo Hotel. Tulsa, Okla.
- May 7-10-LPGA Annual Convention & Trade Show. Stevens Hotel. Chicago.
- June 10-12 Arkansas Butane Dealers Assn. Annual Convention and Trade Show. Little Rock.
- June 13-15—Texas Butane Dealers Assn. Annual Convention & Trade Show. Hotel Texas, Fort Worth.
- Oct. 15-18-American Gas Assn. Annual Convention, St. Louis, Mo.

D

MR. LP-GAS DEALER: ARE YOU INTERESTED IN ...

A simplified plan for handling installment paper under Regulation "W"?



LPG CREDIT CORPORATION PROVIDES SIMPLIFIED PROCEDURE, FORMS AND COMPLETE INSTRUCTIONS FOR HANDLING INSTALLMENT SALES

Thorough study reveals that LP-Gas dealers can still make 1951 a big year. The complete financing plans offered by the LPG Credit Corporation can help make the difference between real success... as against a moderate year of business. We invite you to investigate our complete financing service which includes a field tested sales promotion program.

4 BASIC PLANS ARE OFFERED

- RETAIL INSTALLMENT FINANCING of appliances and gas systems.
- FLOOR PLAN for financing inventories of appliances and containers which are purchased by the dealer for resale to customers.
- § FINANCING OF CYLINDERS AND TANKS for dealers leasing systems to retail customers.
- 4 FINANCING OF BULK STORAGE TANKS AND DELIVERY EQUIPMENT.

LPG

Inquiry on your company letterhead is invited.

LPG CREDIT CORPORATION

312 EAST 131st STREET

CLEVELAND 8, OHIO

New

zekepresi-

engird S.

Soci-Phila-

ton

sh-

ne

n.

a.

NBPA District Meeting Set for Washington, D. C., Jan. 17-18

The January district meeting of the National Butane-Propane Assn., originally scheduled for New Orleans, has been changed to Washington, D. C., where discussions will be devoted to the setting up of the group's National Affairs committee. Meeting place will be the Mayflower hotel, Jan. 17-18.

Action of the committee, the result of resolutions passed at the September meeting in Cleveland (see November, BUTANE-PROPANE News), will center around the appointment of sub-committees, determination of programs, and plans of action. Forrest Fram has been appointed chairman.

According to Al Hadlick, executive vice president, prominent speakers are being lined up for the two-day meeting.

Texas Dealers Tell Story To State Fair Visitors

The Texas Butane Dealers Assn. went to the state fair this year—and members are still talking about the success of the association's exhibit there. An estimated 1,000,000 passed by the 30-foot exhibit.

The display was cooperatively financed by manufacturers, refiners, distributors, and association members. Texas dealers manned the booth throughout the fair's 16-day run.

"The Magic that Lives in the Tank" formed the theme of the display. A 16-foot replica of a butane tank was constructed with three windows in the tank's length. The magic in the tank told the butane story: each of the windows held colored slides and legends about the big uses of LP-Gas. The first window described butane's

uses as a domestic fuel; the second window explained the fuel's role in modern agriculture and breeding; the third showed the many industrial applications of butane.

Above the tank was a 20-foot sign that read: "BUTANE—The Modern Fuel Beyond the Gas Mains." On each side of the tank replica, panel maps were set up, ane showing the number and location of Texas Butane Assn. dealers; the other showing location of the more than 225 refineries that produce butane and propane in ample quantities to meet almost any demand.

Each person who stopped at the booth was asked to fill out a registration card with his name and address and pertinent information about his fuel problems: What kind of fuel do you use? Do you have a butane system? Would you like to know more about what butane can do for you?

Registrants were eligible for a drawing on the last night of the fair, when a complete set of Revere copper kitchenware was presented to the winner.

CNGA Issues Bulletin On Test Procedure

A new bulletin, "Tentative Standard Procedure for the Determination of Carbon Dioxide and Oxygen in Natural Gases," has been completed by the California Natural Gasoline Assn., according to A. C. Lyles, chairman of the technical committee.

Designated Bulletin TS-501, it is intended as an operating manual for the analyst—in the field and in the laboratory. It includes test procedures for laboratory and field determinations.

It is available from the CNGA at 510 W. 6th St., Los Angeles 14. Price for members is \$2; for non-members \$2.50.

GAUGE YOUR BUSINESS

with these VISIBLE products



econd le in

the ap-

sign dern each maps mber Assn. on of pro-

mple

and.

the stralress his

l do

sysnore

ou?

r a fair, copthe

indtion Naby

sn.,

man

is

for the res naat rice ers

ews

MASTER VISIBLE GAUGE

For LP-G and Anhydrous Ammonia Full 8-inch dial fuce. Positive operation in low specific gravity liquids.



SENIOR VISIBLE GAUGE

Top, Side, Angle or Ena Mounting For LP G above and below ground cylindrical and spherical tanks and applicable cylinders.



JUNIOR VISIBLE GAUGE

Top Mounting Only

For LP-G above and below ground cylindrical and spherical tanks and applicable cylinders.

ANHYDROUS AMMONIA GAUGES FOR SMALL TANKS ALSO AVAILABLE



We are also sectional Representatives of-

- * FISHER GOVERNOR COMPANY
 - Regulators, Assemblies and Manifolds
 - * SELWYN-LANDERS COMPANY

Valves, Fittings, Adapters and Accessories

SQUIBB



TAYLOR

N C O R P O R A-T E D

1213 SOUTH AKARD STREET, DALLAS 1, TEXAS

DECEMBER - 1950

Stock Tank Heaters Offer New Sales Possibilities

THE farmer's work load can be reduced considerably during freezing weather by the use of a gas stock tank heater. LP-Gas tank heaters have advanced through several stages of development and are now capable of doing a dependable and efficient job of replacing the home-made types of solid and liquid fuel burning heaters. Oil and wood burning heaters have been very unsatisfactory and some types have been fire hazards. Many farmers and ranchers, particularly in areas having few days during the year when running water will freeze, would rather chop through the ice than resort to troublesome types of tank heaters that leave oil and soot films on the water.

The sales possibilities of LP-Gas tank heaters are superior to any other type but since outdoor gas appliances are new it is important to educate both the serviceman and the user with several aspects that are not encountered with indoor appliances. Perhaps this can best be done by considering some of the unusual problems manufacturers have had to meet in the development of gas tank heaters.

Unlike an indoor heating appliance where the primary air is taken from an enclosed area of relatively constant pressure, the stock tank heater must draw air from an inlet that is exposed to the elements. Draft diverters normally used to protect vented appliances cannot be used outdoors because the diverter itself would become a high draft device or in some conditions would even result in backdraft.

By SHELDON MILLER President, Tesco, Inc., Tulsa, Oklahoma

Draft Control

tion)

high

omni

abov

build

curr

enco

air

diffe

air

pipe

each

pres

diff

stil

liqu

mo

wit

tha

It

tai

tu

su


tic

be

D

Controlling the effect of winds on the air source and vent stack has been a difficult obstacle since air velocity changes so rapidly, especially in gusty conditions. One approach to this condition has been to keep the areas of the air inlet and the vent nearly equal so as to get a pressure balancing effect. Because back drafts can cause burner failure, it is customary to use some type of draft device, usually of a high-draft type. Although back draft can be controlled in this manner, high draft devices cause draft to increase rapidly with increased wind velocities and reduce heater efficiency when it is needed most-when weather conditions are most severe. A draft cap of a type that will control or tend to cancel the effect of wind on draft can be applied to both the air inlet and the vent to eliminate this difficulty to a large degree.

The height of the vent pipe, the location of primary air source, and the relation of the stock tank to surrounding areas and nearby buildings must also be given attention to keep efficiency high and eliminate heater failure. By keeping vent stack height to a practical minimum, stack heat loss can be minimized. Because the tank itself as well as other nearby objects can cause peculiar air currents, it is well for the air intake (see illustra-



Cutaway drawing to show "Tesco" stock tank heater installation

tion) to be several inches above the highest part of the tank so as to be omni-directional to the wind and be above normal snow drifts. Nearby buildings can cause troublesome air currents and where this difficulty is encountered it is due to the vent and air intake, each being exposed to a different air pressure. The closer the air inlet is to the top of the vent pipe, the more insurance there is of each being exposed to the same air pressure.

ma

on

been city ustv

con-

s of

qual

ef-

use

use

of a

raft

igh

ase

ties

it

idi-

of

to

aft

let

ffi-

10-

he

ıd-

ıst

ffi-

il-

to

SS

nk

ts

is

a-

٧S

Burner and Heating Efficiency

The problem of attaining heating efficiency at a reasonable cost is quite different when transferring heat to a still liquid than is the case with rapidly moving air or a rapidly moving liquid. With the latter condition, a more rapid transfer of heat is had with a given temperature differential than is the case with a still liquid. It is therefore necessary in a stock tank heater to have a high temperature differential and/or large heating surface.

The blow torch type burner has a limited area of flame impingement but can be confined in a small cross section. The drilled port type burner can be designed to give a maximum of flame impingement but requires a

larger boiler or combustion chamber. Regardless of the type burner used, however, air and combustion gases should flow through the combustion chamber at reasonably low velocities because burners used in appliances generally are very sensitive to air velocities.

In this regard it is well to have the burner in a relatively large cross section which reduces the velocity of air which enters through a relatively smaller cross section. Of course, as indicated above, this velocity is further controlled by the use of suitable draft caps.

Heat Loss

Because the heat loss from the stock tank is a transfer of heat from the water surface or the tank sides to moving air, it is well to consider the degree of heat loss by noting typical losses* for conditions similar to that encountered with a stock tank. With a 50° temperature difference between the water surface and the outside air, there would be a loss of 100 Btu per hour per sq. ft. with zero wind velocity; this increases to 200 Btu/hr./sq. ft. when the wind veloc-

^{*}Mechanical Engineer's Handbook, L. S. Mark

ity reaches about 10 miles per hour and to 300 Btu/hr./sq. ft. at a 25 mile per hour wind velocity. Average wind velocity, according to United States Weather Bureau records, is about 10 miles per hour in most areas of the country.

With an 8-ft. diameter tank this would mean a possible heat loss of 20,000 Btu's/hr., asuming an exposed area of nearly 100 sq. ft., a 10 mph wind velocity, and a 50° temperature differential. With a 30° temperature differential, this loss would be near 14,000 Btu/hr. with a 10 mph wind velocity.

Although these losses would be much higher with severe weather conditions, it is not necessary to have a heater capacity far in excess of this because in actual application in a stock tank, the heat distribution in the tank is not even, and the heat loss is highest in the portion of the tank nearest the heater. Where merely sufficient heat is desired to maintain a limited ice-free drinking area, the heating load is very much reduced.

Also to be considered is heater efficiency which is usually under 80% at best, and is reduced considerably where draft is not sufficiently controlled. From these considerations a reasonable understanding of the heating load and many of the influencing factors can be had.

Heat loss can and should be kept to a minimum by the use of a stock tank cover which can readily be constructed of wood, through which the stock tank vent and air source can protrude. With such a cover, the air velocity on the water surface can be reduced to zero, thus saving much heat that is otherwise lost. The cover can have removable sections or hinged sections which provide open water areas for access by the stock during the day and can be closed at night. A tank cover can also serve as a guard against the stock "nosing" the

heater itself which should be prevented by a guard in any case.

The foregoing information, though not all inclusive, can be helpful in the selling, installation and servicing of stock tank heaters. With but reasonable attention given to the installation itself, stock tank heating can be greatly simplified and accomplished at reasonable cost using an LP-Gas stock tank heater.

War-Time Controls For LP-Gas Men

Government orders which affect the LP-Gas industry are beginning to appear. Here are some of recent issue. They are extracted from a recent LPGA bulletin.

Financing Controls (Regulation W):

By an amendment effective Oct. 16 the Federal Reserve Board has tightened the restrictions on consumer credit. The regulations covering appliances, including ranges, refrigerators and clothes dryers, have been amended to require a 25% downpayment and 15 months maximum maturity. The regulation has also been amended to cover all items costing more than \$50.

Defense Transportation Administration:

The Defense Transportation Administration was established by an order of Oct. 4, issued by ICC Commissioner James K. Knudson, Emergency Transport Director. This administration will consist of a small number of transport experts who will formulate emergency policy decisions. The various ICC Bureaus will be utilized for issuing orders to industries

SPECIFY

preough

n the

ason-

n he

ed at

stock

the ap-

sue.

ent

V): 16 thtner ap-

raeen

ay-

naen

ng

an mdd-

ill s.

1-

86

18

REGO SAFETY RELIEF VALVES

You get sure safety and maximum capacity with RegO Safety Rollef Valves. They are designed to safeguard your LP-Gas containers by giving positive, two-way protection.

- Valve opens slightly to relieve moderately excessive pressure.
- If the pressure continues to increase and reaches a predstermined point, the valve "pops" wise open to the full discharge capacity: thereby reducing the excessive pressure quickly and safety.

When you install RegO Safety Relief Valves you get dependable and proven protection against the hazardous conditions which are created when...

- ... Hydrostatic pressures are caused by overfilling
- ... High pressures are developed due to the use of incorrect fuel
- ... High pressures result from exposure of the container to external heat.

The RegO line of "pop-action" Safety Relief Valves is truly complete—there are ten types, available in a full range of standard settings for ASME containers of all types and sizes, as well as standard settings for use on ICC cylinders. See table at left for other applications.



Piping Dischurge Away from Relief Vulves is provided by RegO adapters. These are used to connect piping to the safety relief valve, and are available as

tain Cops and Extension tubes provide: (1) added protection against rain and dirt, and, (2) short discharge tubes. These are available as standard accessories.



Cutaway illustration of a typical RegO "pop-action" Safety Relief Valve. Restrictionfree outer passage provides full discharge. Bodies are heavy forged brass. Seat disca are special composition which fully resists the action of LP-Gas, and are resilient to assure leaktight closures. Springs are stainless steel, except on No. 3134 series where spring is not exposed to atmosphere after valve is installed.



LIP GAS EQUIPMENT

Stocked by Those Distributors
GAS EQUIPMENT CO.
Dallas, Texas
GAS EQUIPMENT SUPPLY CO.
Atlanta, Ga.
GAS EQUIPMENT CO.

Allanta, Ga.

GAS EQUIPMENT CO.
of DENVER — Denour, Cala.
A. C. FINE, S. A., Mexico, D. F.
EMPIRE BRASS MFG. CO., LTD.
Lendon, Canada

No. 3134

BASTIAN-BLESSING

PIONEER AND LEADER IN THE DESIGN AND MANUFACTURE OF PRECISION EQUIPMENT FOR USING AND CONTROLLING LP-GASES

RegO is the registered trade mark of the Basilan-Blussiag Co.

under its control. An industry consultant division will be established to act on emergency recommendations from various voluntary industry advisory groups. Divisions will also be formed on the subject of manpower, equipment and materials, domestic transport, storage and ports.

Military Specifications for Valves, Gas Cylinders:

Specifications have been approved by the Departments of the Army, Navy, and Air Force for use of procurement services of the respective departments covering valves, gas cylinders. This specification, known as MIL-V-2, dated June 15, 1950, supersedes Navy Specification 45 V13f.

Attention is called to the fact that valves furnished to the Military under this specification shall be of a brand which has been tested and found to pass the qualification tests successfully as specified in the specification.

Manufacturers of valves who are interested in providing valves for the Military Services should communicate with the Office of Chief of Engineers, and arrange to have their products tested for qualification in order that they may be eligible to be awarded contracts or orders for the products covered by this specification.

Copies of the specification, as well as information pertaining to qualification of products may be obtained from the office of the Chief of Engineers, Department of the Army, Washington 25, D. C.

Defense Deferment Policies:

The LPGA has been advised by the Department of Commerce that it considers this industry's activities covered in the Department of Commerce's list of essential activities under major groups 13, 29, 49, 51, 57 and 59.

A joint board from the Department of Commerce and the Department of Labor have completed revision of the Department of Labor's list of essential skills with little modification. The Department of Commerce's list of essential activities is presently undergoing study by this same committée.

R. W. Dorst Named Secretary For LPGA West Coast Office

Appointment of Richard W. Dorst as West Coast secretary of the Liquefied Petroleum Gas Assn. is announced

by Howard D. White, executive vice president. He succeeds K. B. Jacobsen, who has resigned to accept a position as secretarymanager of the California Retail Hardware Assn.

A 1945 mechanical engineering graduate of the University of California, Mr.



R. W. DORST

Dorst received a master's degree at Harvard Business School in 1948. Later that year, he entered the employ of Dewey and Almy Chemical Co., Cambridge, Mass., as sales engineer and he subsequently became assistant to the overseas vice president. During World War II he was an officer in the U.S. Navy.



The 25,000 cu. ft./hr. "Gasair" unit storage tank at Colusa, Calif. This unit, in operation since 1945, is owned and operated by Pacific Gas & Electric Co.



ce orst ueced

18. m-

al

ri-

8-

ıt.

f-

Here's the PROPANE CYLINDER for You!

Compare feature for feature and you'll decide to use PREST-O-LITE cylinders for liquefied petroleum gases—they are unquestionably the No. 1 quality cylinder. They lead the field because of their longer service life, light weight, uniformity of wall thickness, and superior design. You get the greatest overall saving. Sturdy PREST-O-LITE cylinders are backed by over 35 years of experience and skill in the development, manufacture and use of compressed gas cylinders.

Available in 20-lb. to 100-lb. sizes, with or without valves, and with any color finish. Other sizes or styles can be quickly made to your specifications. The ventilated foot ring practically eliminates corrosion around the bottom of the cylinder. Prest-O-Lite cylinders undergo many rigid tests far beyond I.C.C. requirements, such as testing for leaks with dry air after the hydrostatic tests. Mail the coupon today.

Prest O Lite

L-P GAS CYLINDERS ARE YOUR BEST BUY

THE LINDE AIR PRODUCTS COMPANY

Unit of Union Carbide and Carbon Corporation 30 East 42nd Street Tee New York 17, N. Y. Offices in Other Principal Cities in Canada:

Dominion Oxygen Company, Limited, Toronto

The term "Prest-O-Lite" is a registered trademark of The Linde Air Products Company.

Service, Safety, Sales

Part 5. Conclusion

Periodic Surveys

DARTICULARLY is the followup important in the LP-Gas distribution business. It is of added value for the reason that the first few years of growth of this business took place during a period when real selling was hardly necessary; when thousands of customers bought the gas and equipment and appliances necessary to the service without too much thought about what it all meant except that they wanted it and had the money to pay for it. By the same token, thousands of services were installed without too much regard for safety, service or durability.

For these and other reasons every salesman of LP-Gas and the equipment and appliances necessary to a completely satisfactory service, whether it be the expressed policy of his firm or not, should make it his policy, even on his own time, to make a regular canvass of his territory inspecting equipment and appliances, servicing them where too much time is not required, making notes and keeping a record of the kind, number and condition of all equipment, as well as additional

appliances he thinks the customer should have or be interested in having. with for made ice,

thos

stale

2580

able

even

sion

sias

at a

the

D

In any event, it seems agreed by leaders in all lines of industry and business, large and small, that selling is no longer merely a matter of having the goods, as it has been in the past few years. It now requires a greater degree of mental and physical alertness, stamina, enthusiasm, "know-how" plus "knowwhy," and careful adherence to all the known rules and experiences of selling and salesmen to accomplish anything approaching the same progress in the LP-Gas distribution business than it has at any time in its past history. For this reason, if no other, the value and the necessity of the follow-up cannot be stressed too much. It may mean the difference between success and failure in many instances, and, always remembering that "no sales argument is as effective as a satisfied customer."

Sincere enthusiasm is a prime requisite of successful selling. Enthusiasm for one's product and the service it can render, but above all, enthusiasm for the firm you represent. Lacking this enthusiasm, you are but a mere representative, not the salesman you must be if both your employer and you are to profit from your efforts.

By KEITH CLEVENGER

Many a salesman has been faced with a situation where enthusiasm for his firm "saved the day," and made the sale. The product or service, the price and the terms of his competitor were on an equality with those of his firm, but the sale was stalemated. His enthusiasm for his associates and superiors, alone, enabled him to hold the attention and eventually secure the buying decision.

mer

in

by

and

sell-

r of

een

re-

ntal

en-

ow-

all

ces

m-

the

lis-

at

or

lue
up
ay
uces,
no
as

ne

he ill, pm, if So carry a good stock of enthusiasm for your firm and its service at all times. It pays real dividends.

"You're Right, Mr.

You have met, and will meet in the future, many people who pride themselves on being "original thinkers"—good folks who are hard to sell except on their own ideas. The problem in such an instance is how to direct the sales presentation along lines that will lead such a prospect to feel that he is thinking the matter through in his own way.

Answering an objection, even though you have heard it many times, with the expression, "You're right, Mr. ——. I never thought of it in just that way, but there is surely some way we can work it out in line with your ideas. After all, our firm wants to do business with you the way you want it done."

This might be called "retrieving" a presentation. From here, if your prospect is properly impressed, you can start all over again and reason the matter out in his vein of thinking. This procedure will make it so evident that you are following his reasoning—that he has "shown you



the light"—that he will agree to your proposition with the impression he has really "told you something" about your own business.

No Failure in Selling

Remember, there is no such thing as failure in selling. Somebody wins. Either you sell your prospect on the idea that he needs your product or service, or he sells you that he does not. Or, possibly your competitor profits from your failure.

Be Clear

Be certain that your presentation is so simply and clearly made that there is no opportunity for misunderstanding, Plain Anglo-Saxon words will do it—extra flourishes only serve to confuse and cause suspicion.

Be sure to be accurate. Use your prospect's correct name, and, if you have occasion to write it, write it as he does, exactly. It is his name, and he is just as proud of it and particular about its proper use and spelling as you are about your name.

Be Observing

Many a profitable sale has been picked up because of the ability to be observing.

We recall an instance of an LP-Gas truck driver-salesman who missed the opportunity of making as much in commission on one call as his entire day's pay for delivery work, as the result of not being alert and observing.

In the first place, he over-filled the customer's storage tank, which was a violation of delivery rules. This necessitated a 54-mile round-trip by the firm's safety-service man. While the latter was correcting the error of the truck driver he learned through conversation with the customer that she was in the market for a furnace installation. He made a survey of the house, recommended a certain type and make of equipment and received the order.

SELL SERVICE!

"Price," alone, is the poorest sales argument in the world. It opens the door to the sale of inferior merchandise and the salesman who relies on it falls short of his own possibilities, reduces his opportunities, and, in the final analysis, loses the respect of the "price" buyer.

Selling at prices that assure quality production, proper deliveries, and dependable service to all customers at all times is the only selling that will increase the business of your firm and assure your customer of a continuing and trustworthy source of more such products and service. If the buyer is not interested in these advantages his business is not worth having.

You would'nt earry your watch to a Blacksmith ...



Give your BUTANE GAS INSURANCE the same special care—Enjoy the specialized service of PAN AMERICAN CASUALTY CO.,—specialist in complete LP GAS INSURANCE at Normal Rates*

Butane Gos Insurance Specialists in 7 States Have your local insurance agent write for information about our . . .

- Complete and comprehensive coverage . . . for
- · adequate limits of liability . . . at
- o normal rates ... with
- specialized safety engineering and claim service.



* RATES ESTABLISHED BY YOUR OWN STATE INSURANCE DEPARTMENT

PAN AMERICAN CASUALTY COMPANY

ARIZONA - ARKANSAS - KANSAS - LOUISIANA - NEW MEXICO - OKLAHOMA - TEXAS

HOME OFFICE 4001 TRAVIS STREET, HOUSTON, TEXAS

DECEMBER - 1950

LP.

who ing call ery ing lled ich les. ndice ectver ion in lahe pe re-

les ns or

ho

vn

ni-

es

re

v-

all

ly i-

ır t-

dis

es g.

vs.

87

Bottled Gas Ends Wood Chopping For Canadian Farmers

FOLKS living back of the town line and summer cottagers holidaying far from gas mains and hydro lines are throwing away their axes and allowing their woodpiles to rot, thanks to new developments in the Canadian oil business. Fuel now is being delivered to many of them in bottles, easily hooked up to stove, boiler or refrigerator.

This emancipation from a traditional rural chore stems from the expansion in Canada of an industry which in the United States has multiplied almost 50-fold over the past 15 years—the manufacture of liquefied

petroleum gas.

It's not hard to see why demand for this baby of the Canadian petroleum industry is growing by leaps and bounds in areas beyond the end of the big gas mains. From almost zero in 1945, the number of rural domestic customers has jumped to over 35,000 in Canada. This is just a drop in the bucket, officials say. Many times that number would be users if the gas and distribution facilities were available. Consumption rate in Canada is expected to parallel that in the United States, where number of domestic consumers leaped from 5000 to 6.5 millions in 20 years. A market research made recently by a Hamilton company indicates over 600,000 potential family users in Ontario, alone, beyond the gas mains.

Although bottled and introduced for the first time to the domestic market just before the war, scarcity of steel cylinders and gas ranges during the war deferred its full-scale exploitation in Canada until 1947. By PHIL GLANZER

a cor

produ

recen been Up

sion

alrea

gas a

local

very

the b

0

Th

cove

West

Valle

acity

It h

1948

gas

field.

ducti

out

reco

Dom

Onta

spri

tabli

Toro

Shel

activ

dust

U

has

Stat

1942

65 r

indu

A

leun

mak

grea

rura

wiel

pan esti

Sas

DEC

An average family will consume about four or five of the 100 lb. cylinders of gas a year for cooking alone. If water heating, refrigeration, or even space heating is added, consumption may double or even treble, but costs do not increase proportionately since gas rates are often on a sliding scale according to volume. Average cost to the average rural family user in Ontario works out around \$9 a cylinder; or about \$3-\$3.75 a month for cooking purposes.

Cost to the large-scale industrial user—and this is still the biggest market in Canada—is much lower.

Though officials see the great, virtually untapped rural areas of Canada as affording almost unlimited market potential in the years ahead, the biggest selling stress at the moment is on those areas not served by, but adjacent to, gas pipelines—suburban, merging-into-country areas. Residents of these areas are acquainted with what gas can do and are easiest to sell. The distribution problem isn't as difficult either.

This is one big reason why officials aren't too worried by the indicated large-scale construction of natural gas pipelines in Ontario and Western Canada over the next few years. These lines will tap urban markets and at the same time help to stimulate sale of propane in rural areas, they think. Although increasing rural electrification programs pose a big competitive threat, propane salesmen find

a continuing high demand for their product for cooking in electrified areas, as well. Most of Imperial Oil's recent propane market in Ontario has been in electrified areas.

Up to 1947 biggest market expansion had been in Alberta where there already existed some familiarity with gas as a fuel because of the adequate local supplies and also because of very heavy usage of the product in the border states of the United States.

ume

cyllone.

or mp-

but

tely

ding

rage

user

9 a

onth

rial

gest

vir-

Can-

ited

ead.

mo-

by,

sub-

eas.

int-

asi-

lem

ials

ted

ıral

est-

ars.

cets

late

hey

el-

om-

find

ews

One Plant Has Big Production

The first and largest propane recovering plant in Canada—that of Western Propane Limited, in Turner Valley-has a daily production capacity of about 20,000 imperial gallons. It has been in operation only since 1948. Imperial Oil's new \$6-million gas conservation plant in the Leduc field, Alberta, was scheduled for production in August and will turn out both propane and butane gases recovered from producing oil wells. Domestic market expansion in the Ontario area has been rapid since spring, 1947, when Imperial Oil established propane service in Toronto and surrounding areas. Both Shell and British-American Oil are active mainly in the utility and industrial market.

Up to this year most of the propane has been imported from the United States—from 3.7 million gallons in 1942 this had risen to an estimated 65 million gallons in 1948, mostly for industrial and utility markets.

A new Imperial Oil liquefied petroleum plant at Sarnia is expected to make available larger quantities and greater development in the Ontario rural market. Quebec and New Brunswick both report rapid strides in expansion of propane sales in the domestic market. In predominantly rural Saskatchewan one company aloneHugh Gas Ltd.—has 200 dealers established throughout the province. The company reports sales expanding steadily and outlook is bright.

Industry is an increasingly important user of propane. It is estimated that industrial and utility applications account for about 75% of the total consumption in Canada. One baking plant on the outskirts of Toronto is using as much as would supply a town of 15,000 to 20,000 people annually. Here absolute uniformity of heat is an all-important factor. In glass works, steel mills, ceramic plants, and textile mills, use of propane gas is expanding rapidly. National Propane Co., Hamilton, Ont., and its subsidiary, McLean Gas Products Ltd., is one of the largest suppliers in bottled form to the industrial market.

A growing number of gas utility companies in Canada are using propane gas to supplement their own inadequate supplies of manufactured gas. In these cases the high burning quality propane gas is usually mixed with air, then in turn mixed with manufactured gas and distributed through existing gas mains. Union Gas Co. of Canada has been using propane for several years to help satisfy high customer demand in winter months. This past winter, Consumers Gas of Toronto installed 16 storage tanks with capacity of 400,000 gallons of propane. This, mixed with the company's own gas, will bring daily peak load to 35 billion cubic feet.

The use of propane as an automotive fuel is creating considerable interest among commercial vehicle users in Western Canada. Already, more than a score of trucks in Alberta have been converted to this type of combustion, and a bus of the Edmonton Transit System has been operating on propane for several months.



Making Collections
Without Making Enemies

By ERNEST W. FAIR

THERE was once a standard collection practice of scaring the lagging debtor to the point of near apoplexy, recognized as the best and surest method of collecting slow accounts. Threats of violence and of turning loose the long-fanged hounds of the law were commonplace.

Today the LP-Gas dealer who tries such collection methods will lose the good will that is the bedrock of his business. A sound collection policy, It was once standard collection procedure to scare the lagging debtor to a point of near apoplexy.

on the other hand, is the side-kick of good selling and will create satisfied customers, new friends, and increased sales.

Collections are once again a problem and they may get tougher in the days ahead. Dealers throughout the country have devised methods to handle this problem and from these methods now being used successfully, have been selected 12 points on "how to collect without getting tough."

Both the dealer and his salesmen should have a knowledge of these procedures. Together they should discuss each account and determine the course of action.

1. Understand the account first. This is the advice offered in every instance. There are many reasons why people fail to pay their accounts. Good collection procedure calls for first finding out the reason for the failure to pay and then taking steps

adapted to that reason.

2. Convert open accounts to installment contracts. Customers who have been large buyers on open accounts and who have always met their bills may suddenly find themselves with reduced incomes and unable to meet a large accumulated debt. Whenever possible, depending upon the nature of the goods sold, a suggestion should be made that an installment contract (which can be sold at a bank or finance company) would be the way out of the current difficulty. The customers are usually agreeable.

3. Refinance high-payment contracts. Defaulted installment contracts calling for large monthly payments can be refinanced. The balance

DI



oven-heat control that automatically signals when the oven is ready for use.

It's the hottest news in the range business!

With the development of Wilcolator's exclusive new "Oven-Reddy", gas ranges can provide the important preheat indication that proves a boon to busy cooks, veteran or novice . . . the feature that has hitherto been available only on electric ranges.

There's no longer any need to guess, reckon or "have a hunch" about a gas oven being sufficiently preheated. When oven heat reaches the cooking temperature called for by the dial setting, the Wilcolator

"Oven-Reddy" signals by lighting a pilot lamp. The result is easier operation for the cook, time saving and fuel saving too.

Here's a revolutionary gas range improvement that will appeal tremendously to every one of your prospects...a salesclincher that will speed turnover.

Lighten your selling effort, and brighten your profit picture, by making sure your manufacturing sources supply you with ranges that are equipped with the new Wilcolator "Oven-Reddy" . . . the control that does a complete job.



The Wilcolator Company

ELIZABETH, NEW JERSEY

pro-

k of

sfied ased

the the

hese

how t." men hese disthe irst.

why

nts.

for

the

teps

all-

ave

ints

ills

vith

leet

ver

ure

uld

or vay

us-

on-

n-

iy-

ws

due on such contracts can be cut down to small monthly payments over a longer period. This method keeps the customer happy, preserves his self-respect, and leaves the door wide open for future sales when the customer is in a better financial position.



When collecting, assume a friendly attitude—be personal.

- 4. Be personal in collecting. Form letters have many virtues and should not be discarded, but they have become so standardized that in many cases they mean nothing to the person who receives them. Taking the same collection letters and turning them into personal letters will increase their effectiveness.
- 5. Don't be afraid to ask for your money. Far too often it is felt that customers will be angered by personal requests for payment of slow

It is amazing how many people don't know the answers to the simplest credit problems. accounts. Friendly requests for payment of bills seldom lose customers.

- 6. Help customers with their financial problems. It is amazing how many persons have no understanding of the simplest methods of getting themselves out of financial straits. Often the dealer or salesman can explain to such an individual how he can pool his, bills in one bank or finance company loan on a monthly reduced payment basis. A little friendly discussion with a customer and a proposal of plans can win his good will and result in the eventual collection of his lagging account.
- 7. Attempt to forestall the "can't pay" time. This should be a definite part of every firm's credit program. If a customer can be kept from accumulating too large a load he will not be lost as a customer and a friend. Most salesmen know a good deal about their customers. Dealers have their own sources of information. When total obligations are out of proportion to ability to pay, it is time to adopt ways and means of handling that particular case.
- 8. Avoid half-way measures. The most fruitless of all collection methods is the half-way procedure. If a collection policy is decided upon for





BRILLIANT FIRE Catalog No. 50 Lists The Complete Line... Winter Air Conditioners, Forced Air Circulators, 3-Way Circulators, Lowboy Circulators, Little Giant Circulators, Radiant and Utility Heaters, Heat-Lite and Radiant Logs, Wall Heaters and the deluxe Gas-Coal Basket. Get your copy Now.



payners, nanhow

ding ting aits. can he or


thly ttle mer his ual m't nite am. acvill 8 ood ers laout is of he

h-

a

or

If a collection policy is decided upon—follow through!



certain individuals it should be followed through. Good collection procedures are firm and determined, never wishy-washy, and must always be designed to convince the customer that a statement, decision, or policy will always be backed up.

9. Appeal to the sense of fair-play in the debtor. Most Americans have an inborn sense of "fair play" and are loathe to take advantage of anyone else. A lot of slow-pay customers fall into this classification. The trouble is they never stop to think of how unfair their position is. Sometimes a personal appeal or letter playing up this point and bringing out the position in which the store is placed when accounts remain unpaid, will bring about a speedy settlement where other methods fail.

10. Use after-hours for collections. Difficult collections can be made in the evening when the problem can be discussed with both husband and wife in their own home. In some cases, "the boss" can collect more effectively than any member of his staff. Some people prefer to handle such things with the head of the firm.

11. Look for swap-out possibilities. One dealer collected an account from a customer who was an amateur man-

ufacturer of novelties in wood by displaying and selling some of his creations in the store until the account was settled. Another collected from a plumber by having him do a friend's job, collecting from the friend and crediting it to the plumber's account. Such an opportunity may exist where customers who are willing to pay, are unable to do so.

12. When legal collections are necessary, use the right agent. A friendly and understanding lawyer can collect much more successfully and is more likely to hold customers than the type who marshals all of the fearsome threats of the law. Some lawyers are gifted with the ability to collect accounts without making enemies. Search out that man in the community and let him do the collecting!



As a last resort, look for swap-out possibilities.

All of the foregoing suggestions are designed to speed collections and hold customers. The dead-beat of today can be the good-pay customer of tomorrow. Experience proves that it very rarely pays to "get tough" at collection time.

Experience also shows that an intelligent collection policy not only holds profitable customers but increases sales!

REZNOR

Hung from coiling or mainted on floor

his the colhim the imbnity

so.

A yer ully

ers

of ome lity

ing the

col-

j.

ns

nd

of

er

an ly n-

VS

the World's Sargest Selling Gas Unit Heater



Name_

You'll have less sales resistance because IT'S BUILT RIGHT AND PRICED RIGHT

Give customers what they want, and you make sales. Reznor gas unit heaters do just that with graceful design, attractive finish, full automatic safety features, and easy serviceability. If you're not selling Reznor heaters today, write at once, or see your Reznor Distributor.

REZNOR MANUFACTURING CO.

4 UNION ST. . MERCER, PENNA.

Send me 20-page catalog in full color

Firm ____

Address —

City _____ Zone__ State___

Propane-Burning Tractor Performs For Iowa Crowd of 50,000

NE of the largest crowds ever to watch LP-Gas-fired farm and construction equipment in action attended the national soil conservation field day at Zearing. Iowa, in September. An estimated 50,000 persons attended the event, at which a propane-burning Allis Chalmers WK track-laying type tractor assisted in the building of a dam on the Dakins farm, near Zearing.

Biggest feature of the day-long field day was the replacement of an old, errosive drainage system on the big farm by a new dam that will conserve soil, aid irrigation of crops, and provide a lake and recreation area for Zearing citizens. The "Iowa Farm and Home Register" sponsored the field day, which annually receives national attention.

This year's show carried on the program's general aim to point up the economies of soil conservation, but greatest interest centered in the use of LP-Gas for power in the heavy duty tractor. The illustrations this year threw the spot-

light

larg

wer farr abo fron The inc

DE



Still exhibit of LP-Gas-burning tractors and farm equipment at the Iowa show which pulled 50,000 visitors.



A 2-cylinder installation on a track-laying tractor pulling heavy grading equipment.

light on the Dakins farm, where ditch filling and seeding, terracing, tilling of soil, and building of new waterways and a dam were carried out in one day. In addition to the practical demonstration, a large display of new machinery and demonstrations of the latest harvesting and storage methods were held.

The face-lifting of the Dakins farm, including the construction of the 340-foot dam, regained about seven acres of tillable soil from what had been wasteland. The farm's annual income will be increased by an estimated \$1000 annually by the conservation measures taken.

Much of the work was accomplished by the Allis Chalmers tractor, owned and operated by John Knudsen, a contractor of Albion, Iowa, which is powered by propane furnished by Superior Supertane Co., Marshalltown. Valley Industries, Mt. Pleasant, Iowa, through Sales Manager Floyd A. Woollis, installed a Garretson carburetion system on Mr. Knudsen's tractor. Using propane, Mr. Knudsen has reported a saving of about 50 cents an hour in operating his tractor on LP-Gas.

ower

in lusnot-



Mr. LP-Gas Dealer!

\$5 Buys What at DIX?

Write for full details, it's to your advantage.

Dix Manufacturing Co.

3447 E. Pico Blvd., Los Angeles 23, Calif. Export: 301 Clay St., San Francisco

Santa Fe "Custom-Built"

LP-Gas

Tractor & Truck Tanks



Santa Fe "Custom-Built"
LP-Gas Tanks are available
for any Tractor or Truck
requirement. Designed for
fast, simple and inexpensive
installation. Many stock models available,
including brackets—others fabricated to specifications. Licensed and bonded in states where
required. Tanks comply with N.B.F.U. requirements. U. L. approved valves—excess flow
protection. Highest standards of engineering,
materials, and workmanship.

Write for specifications and counsel,

Santa Fe Engineering & Equipment Co.

3814 Fruitland Ave. . Maywood, Calif.

Valley Industries has recently added a new line of permanent tank-type installations using either vapor or liquid withdrawal for farm tractors, and Mr. Woollis sees the power market as one of the company's biggest LP-Gas sales potentials. The company is the distributor of the Garretson carburetor in 10 upper Mississippi states.

Power Notes

From many cities and districts over the country come reports of increasing interest in the use of LP-Gas for motor passenger buses.

The Kansas City (Mo.) Public Service Co. has announced it will convert about half of its fleet of motor buses to propane. Albert H. Wood, company representative, states that in the next few weeks 114 of the company's 288 buses will be changed over and that 30 new coaches, burning propane, will be added.

The San Antonio (Texas) Transit Co. has ordered 30 propane buses for delivery yet this year. In addition, 62 of its present buses will be converted.

The Kerrville and Continental bus lines are trying out propane for fuel on intercity Texas schedules.

Propane conversion of bus engines was a major topic at the Texas Motor Bus Assn.'s convention in Austin, Nov. 6-7.

The Hyde Hub City Lines, long time operators of LP-Gas buses in Aberdeen, S.D., report a savings on

D





that

the

nged

ourn-

ansit for 1, 62

rted.

bus fuel

ines

otor

stin.

ong

in

on

lews

Carburetion Conversion Equipment

Stand-By Plants — Bulk Storage Plants—Carburetion and Conversion Equipment For All Internal Combustion Engines.

AMERICAN LIQUID GAS CORPORATION

1109 Santa Fe Avenue Los Angeles 21, Calif.



Make every conversion a better installation by using an Ellis Manifold designed especially for LP-Gas. Your customers will find they get more power and mileage . . . and you will get more customers.

Ellis "Bu-Power" Manifolds have been tested and proven by hundreds of successful installations.

ELLIS MANIFOLD CO.

1708 S. Soto St., Los Angeles 23, Calif.

fuel costs of from 30 to 40% for operations during the last five years. There were also maintenance cost reductions totaling 15%. Number of buses used: 20.

The Capital Transportation Co., operator of the city bus system in Little Rock and North Little Rock, Ark., will put propane-operated buses on some of its routes. The company has ordered 15 propane motor coaches from the Twin Coach Co. and probably will convert 25 of the present fletof gasoline buses to propane fuel. The new coaches will cost \$15,380 each.

Company engineers estimate that propane-operated buses will save approximately \$920 per coach annually in fuel costs in comparison to present gasoline-operated buses. The company will construct a 30,000 - gallon bulk propane station at a cost of

\$15,000.



INVESTIGATE! New CYCLONE conversion kit for LP-Gas or Gasoline. Can be used on any LP-Gas earburstion unit. Change is made by a flip of the switch from the dash.

Cyclone Equip. Corp. 10600 Prairte Av.

The Transit Co., of Atlanta, Ga., announces that it has started a series of tests with a bus using propane.

The propane-propelled unit has already gone in regular service and will remain in use for a month.

If the test comes out like company officials expect, most of Atlanta's 136 gasoline buses will be converted to use the new fuel, John Gerson, vice president of the company, states.

Even S. C. McIntosh, Texas Railroad Commission director, is planning to convert his private car to LP-Gas.

Dr. Leonard Raymond, of the research and development department of Socony-Vacuum laboratories, told members of the Society of Automotive Engineers recently that rising operating costs in the bus industry, the availability of engines with higher compression ratios, and a ready supply of LP-Gas are all instrumental in arousing interest in the current trend toward conversions.

Chicago has installed 100,000 gallons of bulk storage for its new propane-powered buses. Other cities which have installed storage are San Antonio and Galveston, Texas; Omaha, Neb.; Wichita, Kan.; and Fargo, N. D.

The Boyton Cab Co. in Milwaukee is starting to convert 279 of its Yellow taxis to propane (see story in last issue), and the Green Bay, Wis., Public Service Corp. has made the first changeover on a fleet of 60 buses.

The Galveston Transportation Co., Galveston, Texas, has recently installed propane gas systems in four of its city passenger buses. If these operate to the satisfaction of company officials, 16 more will be converted.

Deluxe Model Twin Barrel Truck Unit



These units are built on a production line basis and have satisfactorily met the needs of dealers in most states. Numerous companies have disposed of heavier equipment and have replaced entire fleets with this lighter weight unit.

As an additional service we are able to furnish most types of new truck chassis, usually at a saving. This enables a dealer to select a truck and tanks of his choice, completely equipped and ready to drive away. Two to three days is necessary for mounting tanks when truck chassis is furnished by the customer.

Production Built
Production Priced
Two Recessed Relief
Valves in Each Tank
Exceptionally Well
Balanced

No Frame Reinforcing Necessary

Motor Fuel Tank in Rear Well Protected

Minimum Weight

Maximum Pay Load 1250 to 1800 Gal.

Prices and Complete Specifications on Request

TRACTOR TANKS

Oliver 88 Tractor Picture shows custom built tractor tank replacing gasoline tank, Tractor Custom tanks are complete with brackets and fittings. Write for tank prices covering all popular models of tractor and motor fuel equipment.





e

North Texas Tank Co.

Manufacturers of Fine LP-Gas Equipment
P. O. Box 519 • Denton, Texas • Phone 146-1323

Motor Fuel Tanks . Domestic Tanks . Spheres . Truck Tanks . Tractor Motor Fuel Tanks



Filling Station

Owners of LP-Gas filling stations all over the United States, Canada, and Mexico are urged to send information concerning their locations and services to BUTANE-PROPANE News, 198 S. Alvarado St., Los Angeles 4, Calif.

These names will be compiled later in

book form and distributed to trucking firms and individuals who wish to patronize such filling stations. There is no charge for such listings.

Information furnished should include station name, street address or highway number, nearest town, owner's name, and kind of services offered.

NEW YORK

Peekskill

Burnwell Gas Corp. Lower South St.-1 blk. S. Hwy. 9 K. Katzowitz, treasurer

NORTH CAROLINA

Favetteville

N. C. Butane Gas Co. 15 A South Open 8 a.m. to 5 p.m.

Graham

Green's Fuel Gas Service W. Elm St. Conversions; service Open 24 hrs. Night phone: 63777 James C. Swanner, owner

Sanford

Fenstamacher's Gemgas Co. Hwy. 60-3 mi. N. of city

OHIO

Kent

Servagas Co. E. Howe Rd.-RD No. 4 Conversions W. H. Heasley, owner

PENNSYLVANIA

Harrisburg

Suburban Gas Service Hershey Hwy.-Route 422 Phone: 4-1067 & 3-2823 B. B. Stroud

SOUTH CAROLINA

Estill

Estill Gas Co. 216 E./S. Railroad Ave. Conversions J. L. Peeples, owner

Sumter

James F. Burns Station Hwy, 76 James F. Burns, owner

TENNESSEE

Chattanooga

Butane Propane Gas Co. 1930 Dayton Blvd.—Hwy. 27 R. W. Williams, owner Natural Gas Service Co. Compress St. off Manufacturers Rd. Conversions; service W. H. Cheney, mgr.

Cookville

Upper Cumberland Gas Co. W. Spring St.—Hwy. U.S. 70N Conversions: service Open 24 hrs. Paul G. Clark, mgr.

Goodlettsville

Trojan LP-Gas Co. Hwy. 31E & 41 Cecil B. Nellessen, owner

Humboldt

American Gas Corp. U.S. Hwy. 78 Conversions

WALL HEATER VENTING

New double assures convert when the stible we listed by U.

QC Metal quickly instituted in the stibute of the s

NOW

- SAFE
- · EASY
- SURE

with UNDERWRITERS' LISTED

QC METALBESTOS
WALL-VENT

New double-wall, all-aluminum wall-vent assures cool walls and positive safety even when installed 3/8 inch from combustible walls — a provision specifically listed by Underwriters' Laboratories, Inc.

GC Metalbestos Wall-Vent is easily.

QC Metalbestos Wall-Vent is easily, quickly installed in 2" x 4" walls without the expense of furring, metal sheathing or thicker studding.

Write today to Dept. M

METALBESTOS DIVISION

WILLIAM WALLACE CO.

BELMONT, CALIFORNIA



Gains Power with High Compression

THE increasing interest in the use of butane and propane for internal combustion engine use is evidenced by many inquiries regarding problems of higher compression and changeover requirements which are received every month by BUTANE-PROPANE News.

The following letter is typical of one kind of inquiry and the information given in the answer will be of interest to many facing similar situations.

The Question

Gentlemen:

We would like to know how much can be milled off a set of heads on a

1947 Ford V-8 100-h.p. motor. The present compression ratio is 6.75:1, and we would like to raise it as high as possible without running into trouble with it from overheating by using the original east iron heads.

which itake to heads,

metal 1

side W

block.

thick,

much.

one w

ably p

which

regula

gasket

Turn niston

probal

if so.

cutter

piston

each o cleara take o clear After heads adequ which on bu Th into ing 1 the o press sure Ra ed a form mile more ice i that Afte rule by a on DOSS

DEC


Afte

This motor is already changed over to butane with standard equipment and at present the gas mileage has not been very satisfactory. We would like to know how much this would increase the horsepower and gas mileage.

Illinois

The Answer

Milling 1/16" off the heads of the 1947 Ford engine will give a com-



This Minneapolis-Moline tractor is factory-equipped to burn propane.

106

pression ratio slightly over 7.5:1, which is as high as you should undertake to make it. Before cutting the heads, measure the thickness of the metal through the water holes on the side which goes down next to the block. If the metal is less than 3/16th" thick, the head will be weakened too much, and it should be exchanged for one which is thicker. You can probably pick one up at a wrecking yard which will be satisfactory.

The

:1.

gh

)U-

ng

er

nt

ot

ke

86

After milling, lay the heads in their regular position on the blocks without gaskets, and without bolting down. Turn the engine over to see if the pistons strike the heads. They will probably raise the heads slightly, and if so, you will need to make a curved cutter, with the same contour as the piston tops, and cut out a spot above each cylinder to provide the necessary clearance. Make them all alike, and take out only the amount necessary to clear the pistons without a gasket. After gaskets are installed and the heads are bolted down, you will have adequate clearance for any deposits which form as the result of operation on butane.

There is no possibility of running into overheating as the result of raising the compression. Actually, it is the other way around. The high compression engine runs cooler. Just be sure not to cut the heads too thin.

Raising the compression as indicated above should show a gain in performance of about 10%. The gain in miles per gallon should be a little more than that. In some types of service it might be above 20%. Be sure that the ignition timing is correct. After raising the compression, the old rule will not apply. Set it on the road by adjusting the external adjustment on the distributor to give the best possible acceleration.

Unless the compression is raised,


some loss of miles per gallon is to be expected when changing to butane. It contains about 25% less heating value per gallon than gasoline, and it takes heat to make power. Careful adjustment of the carburetor and ignition timing, and the raise in compression, will generally make a very creditable showing, besides improving the performance. It has been the general experience that if you give a man more power, he is much less critical about miles per gallon, and the steps which give the extra power raise the mileage to an ecceptable figure.



Gas Heat, Inc., northwestern dealer, is making hundreds of engine conversions under direction of C. E. Asheline.

Twelve Dispensers Go to Italy

Twelve filling station dispensing units for transferring LP-Gas are being shipped to Italy. They were made by Parkhill-Wade, Los Angeles.



A new transport truck, built by Butler Manufacturing Co., and recently put on the road by Collins & Ryan, Millsboro, Del. The dual tanks carry 4800 gals. water capacity or 3970 net gals. of propane. Tank truck is used to haul fuel from the refinery to the company's bulk plant at Millsboro. It operates day and night.

More Bulk Storage Added By Collins & Ryan in Delaware

Already one of the largest plants and service departments on the Eastern Shore, Collins & Ryan, Millsboro, Del., recently added a 3970-gal. propane transport truck to haul fuel from the refinery to the bulk plant. The company plant, designed, engineered, and built by the Sun Oil Co., has a private railroad siding which can hold 11 cars at one time. The storage plant has a capacity of 100,000 lbs. of gas.

The main retail store of the company is a three-story building offering both appliances and furniture. A separate service department is maintained for each type of gas and electric appliance handled by the company.

According to Charlie W. Coulbourn, plant manager, the new bottled gas plant refills eight tanks of gas at one time and has an operating average of a tank a minute. After filling, the tanks move on a turatable for painting and stenciling. Periodically all tanks pass through the company's cylinder testing equipment, recording the test outcome on each tank.

Delivery Truck Specially Fitted for Cylinder Filling

The accompanying picture shows a bottled gas service truck recently put into operation by Blue Flame Butane Gas, of Dallas, Texas, of which James E. O. White and W. D. Ables are the owners.

The truck, a one-ton Chevrolet, is especially designed to serve bottled gas to tourist courts and trailer camps. A desirable feature of the

truck is
Krug I
into the
also a
gal we
down a
pulled
and slie
when i
These
be fille
right b
Dalwootruck

Cust trailer Worth driver pictur lollype him o

DE

truck is that it is equipped with a Krug pump which pumps propane into the cash-and-carry cylinders and also a Fairbanks-Morse, folding, legal weight scale. The scale folds down and slides on a track. It can be pulled out and unfolded when needed and slid back into permanent position when the truck is ready to depart. These features permit a cylinder to be filled from the tank and weighed right before the eyes of the customer. Dalworth Tank Co. constructed the truck body and fabricated the tank.

Customers in 40 tourist courts and trailer camps in Dallas and 30 in Fort Worth are serviced by the truck. The driver (D. M. Young is shown in the picture) makes a practice of taking lollypops and all-day suckers with him on his route. Kids in the tourist

courts and trailer camps flock to the truck whenever it arrives.

James E. O. White says that he personally drove the truck one day over the route. But he forgot the lollypops. At the first trailer camp the kids began to gather in anticipation. Mr. White didn't discover what they were murmuring about until he heard one kid tell another, "This is the right truck all right, but it has a new driver." Sensing difficulty, Mr. White walked quickly to the nearest highway grocery, tucked a box of lollypops under his arm and returned to greet the smiling kids. From that day until now, Mr. White buys lollypops in quantity and has made them as much a part of the truck as the tank.



Truck driver operating Krug hand pump for filling small bottles,

Propane, Anhydrous Ammonia Relief Valves Compared

IQUEFIED petroleum gas dealers handling anhydrous ammonia will be interested in a paper prepared by Phillips Petroleum Co., Bartlesville, Okla., which discusses the relative capacities of propane and anhydrous ammonia relief valves.

Space permits use of only the following introductory statement to the technicalities that are set out in the article. Those interested in further details may address inquiries to the above named company.

Relative Capacities of Propane and Anhydrous Ammonia Relief Valves For Storage Tanks in Which the Pressure Build-Up Must Not Exceed 300 Psi Gauge

By H. R. ZEIGLER and E. E. RUSH Chemical Engineering Dept., Phillips Petroleum Co., Bartlesville, Okla.

Comparison of propane and anhydrous ammonia relief valve capacity requirements has been worked out by three methods.

One method, based on differences in latent heats and specific volumes, shows ammonia valves need to have 41.1% of the capacity of propane valves, other things being equal.

Another method uses Fetterley's formula as a vehicle to compare relief valves, and in addition to the above property differences, it takes into account the slightly different liquid temperatures at discharge This method conditions. indicates that the ammonia valve discharge requirement is 42.5% of the propane valve requirement.

The third method of comparison utilizes the formula which is the hasis for relief valve capacities as published in the current edition of

NBFU Pamphlet No. 58. This method indicates that the ammonia valve discharge requirement is 39.2% of the propane valve requirement.

The writers believe that the third method of comparing valves is the most reliable method and that the first and second methods support it. suitable ammonia tank relief valve can be selected by referring to the table, Appendix A, NBFU Pamphlet No. 58, Edition of 1947, under the column headed "Container Type 200." The necessary ammonia valves would have 40% of the capacities shown in this column for corresponding "D" times "U" valves.

AGA Laboratories Celebrate 25th Year

Twenty-five years ago, the American Gas Assn. Laboratories were founded in a small building rented from the East Ohio Gas Co. in Cleveland, to assure gas utility customers appliances that would be safe, durable and efficient. Approval requirements that became American Standards were drawn up and adopted governing ranges, space heaters and flexible hose. Within two years the Laboratories' National Safety Code had become an American Standard and in five years the Approval Requirements committee had become a sectional committee of the American Standards Assn.

Since that date Laboratories Approval Requirements committees have coordinated with almost every established national organization devoted to the protection and furtherance of the well-being of the public.

STAR PERFORMERS



of

rd

he

it.

to

n-

e

No. 2A Furnace:

Bench type for plumbers, can be used in shop or field. Recommended by craftsmen for all-around use, it is lightweight, easy to handle. Will produce approximately 2350° of heat. * In the SHOP

* In the FIELD

* On the FARM

VERSATILITY is the big selling point of MUTUAL LP-Gas Plumbers' Furnaces and Torches. Designed for a wide range of uses by MUTUAL engineers, they have become standard equipment with Metal Workers, Contractors, Utility Crews, Farmers, Etc. Many craftsmen depend on Butane and Propane for fast, efficient heat. These include: Painters, Tinsmiths, Jewelers and many others.

MUTUAL'S easy-to-sell, easy-to-service furnaces and torches provide substantial year-round profits for YOU. Investigate NOW by sending for our complete catalog.



No. 4B Torch:

High speed torch designed for use in copper sweating. Excellent for field use, Lights instantly, Wheel-handle needle valve offers immediate control of flame. Develops 2450°F.

All workmanship and

materials fully guaranteed!



LIQUID GAS EQUIPMENT CO., Inc.

3600 WEST IMPERIAL HIGHWAY, INGLEWOOD, CALIF.

Products

Wall Heater Vent



WALLACE VENT

William Wallace Co., Belmont, Calif.

Model: QC Metalbestos Wallvent.

Description: Listed by Underwriters' Laboratories as a Type B gas vent without restrictions. the vent can be installed safely within 3/8 in. of combustible walls. The new rectangular design permits the vent to be placed within standard 2 x 4 - in. walls without the expense of thicker

pense of thicker studding, furring out, or providing metal sheathing

The inner flue pipe carries off hot combustion gases; insulating air between the double walls confines heat to the inner pipe and keeps outer aluminum casing and adjacent building walls cool. Circulation is also created through air entering the ventilating holes, providing an additional cooling effect on surrounding wall surfaces.

Furnished in 3-, 4-, and 5-ft. lengths, the Wallvent fits over the wall heater's fuel nipple and extends

through the ceiling where the round adapter connects to standard Metalbestos round pipe to make up the rest of the vent unit. for str

full up load ar riggers allow to Capa from to

ft. Tl

of spa

install

with a

Hoe

Mo

Ap

he

for n

St., N

Mobile Truck Crane

Pitman Manufacturing Co., 300 W. 79th Terrace, Kansas City 2, Mo.

Model: Hydra-Lift.

Application: Suitable for handling tanks and cylinders and for setting underground tanks.

Description: Smooth, positive hydraulic action enables operator to pick up and set down loads exactly where he wants them without slipping or over-swing. The boom swings in 180° arc and speed of swing can be regulated by driver from the cab. The boom (which can be telescoped from 11 to 16 or 20 ft.) can be used



PITMAN TRUCK CRANE

BUTANE-PROPANE News

for straight line pull, and when in full upright position, can be used to load and unload off truck bed. Outriggers are adjustable in height to allow for uneven terrain.

Capacity of Hydra-Lift varies from 6000 lb. with the boom at 11 ft. to 2500 lb. with the boom at 20 ft. The crane requires only 35 in. of space behind the cab and can be installed on any type truck frame with a few bolts.

Gas-Fired Boiler

Hook & Ackerman, Inc., 18 E. 41st St., New York 17, N. Y.

Model: Midget Hydrotherm.

Application: Particularly suitable for modern convector and panel heat-




HOOK & ACKERMAN BOILER

ing systems. May be used in banks to heat multiple family dwellings and apartments of 3 to 6 rooms.

Description: The line has a Btu in-

put rating of from 45,000 up to 250,000 (single unit) and is AGA-approved for all gases, including LP-Gas. The Hydrotherm can also be used as a direct hot water heater to supply large storage tanks for residential, commercial, and industrial uses.



WOOD BROODER

Flash-Tube Brooder

A. R. Wood Manufacturing Co., Luverne, Minn., & Santa Cruz, Calif.

Model: Flash Tube System.

Description: Flash tubes are a new safety feature of the Wood radiant gas brooders. Each of the multi-burners is connected to all the others by flash tubes which guarantee all burners flashing into action from one pilot, should other pilots go out. The flash-tube system can be in-

"Impakdriver"

stalled on older Wood brooders.

H. K. Porter, Inc., Somerville, Mass. Model: Impakdriver.

Application: For tightening or loosening screws, bolts, or nuts.

Description: The Impakdriver util-

izes a cam principle that transfers the impact from a hammer's blow into torque strength. Particularly useful for starting stubborn nuts, bolts, etc., that are rusted or frozen, the tool is also useful for working in hard-toget-at places.

Impakdriver is sold by itself or in



PORTER IMPAKDRIVER

sets with different combinations of bits and sockets for various sizes of screws, nuts, and bolts.


Tube Bender

Holsclaw Bros., Inc., 408 N. Willow Rd., Evansville, Ind.

Model: Heavy Duty Handy Tube Bender.

Application: Designed primarily for bending hard-temper tubing, steel and iron pipe for such industries as radiant heating, refrigeration, instrument control lines, chemical installations, plumbing, production, etc.

Description: A practical portable



HOLSCLAW TUBE BENDER

tool for pipe and tube bending, it can be used bolted to a bench or pipe vise. The tool is light and durable with a dequate reinforcements wherever strength is required. It is cadmium plated to resist rust.

Made to fit to outside diameters of tubing in sizes 1/2, 5/4, 3/4, and 7/8 in.

Safety Valve & Pilot Burner

General Controls Co., 801 Allen Ave., Glendale 1, Calif.

Models: MR-5, ¾-in. Gas Cock Safety Valve and 260 Series Pilot Burner.

Description: Designed with the consumer's pocketbook in mind, the new products are precision-made to accommodate the requirements of adequate heating control, while providing the means for absolute safety and low fuel consumption, it is reported.

The pilot burner, designed on a smaller scale than other models, incorporates a removable filter screen that assists in eliminating lint plugging. The special mounting bracket (for various types of appliance installations) holds both the burner and the thermocouple in secure operating relation to each other.

The %-in. MR-5 gas cock safety











ean ise.

ith

ver

um

of

in.

en

ck

ot

ne

to

of

)-

y

a

-

n









9 Reasons why it pays to keep your Butane-Propane Catalog handy!

- It's easier to use than a filing system of separate manufacturer's catalogs. A file in itself, it classifies and indexes each manufacturer's product for quick reference.
- 2. Get faster deliveries by placing orders direct.
 Complete specifications eliminate the necessity of writing for further information.
- To locate a local source of supply, the Geographic Index lists manufacturer's branch offices and distributors by state and city.
- 4. Dealers in out-of-the-way places, frequently overlooked by a manufacturer's salesman, use the catalog to demonstrate products they find hard to stock.
- A dependable buying guide because it lists quality products made by reliable manufacturers.
- Always up-to-date because it is revised every year to include the latest figures on new products and changes in the old.
- 7. Helps to sell a customer who insists on buying a product you do not have in stock, by demonstrating the merits of the product with the illustrations and descriptions in each catalog.
- 8. Helps to explain features and operating principles to your customers by referring to the cut-aways and diagrams in the catalog.
- Helps you to choose wisely by comparing the merits of each product when you plan to expand your plant facilities or line of appliances and equipment.

YES! it's always handy

To Specify—To Buy—To Choose—When You Use

The Butane-Propane Catalog

RELIANCE REGULATORS

ARE DESIGNED AND TESTED TO MAKE L-P GAS BEHAVE



A Reliance Regulator will make gas behave in every conceivable regulating application in the liquid petroleum industry. The wide range of sizes with many variations of Reliance Regulators provide positive and uniform control for all pressure conditions in L-P gas lines.

Since the birth of the L-P gas industry, Reliance Regulators have been preferred for their originality of design, by which positive lock-up and absolute control of steady outlet pressure are assured under variable loads and inlet pressures.

off f set l pose floor

DE


Simplicity reduces installation costs, minimizes maintenance service, reduces size and weight for convenient handling. To make your L-P gas system behave, install Reliance Regulators.

BULLETINS ARE AVAILABLE ON THE COMPLETE LINE OF APPROVED RELIANCE REGULATORS.

AMERICAN



1000 MERIDIAN AVENUE, ALHAMBRA, CALIFORNIA



GENERAL CONTROLS VALVE & BURNER

valve includes the 100% safety shutoff feature. The plastic manual reset handle may be removed to expose a rod fitting device for use with floor furnace installations.

Wall Heater



HOLLY WALL HEATER

Holly Manufacturing Co., 875 S. Arroyo Parkway, Pasadena, Calif.

Model: Narro-Wall.

Description: This recessed wall heater line features a secondary heat exchanger which saves heat otherwise lost through the flue. The new heaters extend from floor to ceiling and are AGA tested and approved for use within 2 x 4 - in. walls covered with lath and plaster, wood panels, wall board, or other combustible material.

Sizes available: single or dual models with 25,000 and 35,000 Btu input; dual model with 45,000 Btu input. All models are approved for LP-Gas, natural and manufactured.

House-Heating Catalog

A 19-page catalog describing Coleman home heating equipment—blend-air central heat, forced air furnaces, floor furnaces, wall heaters, and water heaters—has been issued by the Coleman Co., Inc., Wichita, Kan.

The catalog is illustrated with cutaway drawings of the many types of heaters and various installations, detailing the specifications of each unit. It is available upon request.

Kansas Firm Issues New Publication for Customers

News of the industry, of interest to fuel users as well as suppliers, is being presented to the customers of Hettic Gas Co., Liberal, Kan., in a new monthly publication entitled "The Gas Tank."

The first issue, in September, told readers about the LP-Gas carburetion forum sponsored by Hettic, presented facts about LP-Gas of interest to users, and carried ads of appliances, equipment, etc., available through the company.

Columns on household hints and how to buy and save were presented for the women readers. In the household hint department, readers are invited to submit recipes, work-saving ideas, etc.—with cash prizes for the favorite recipes.

"Fight For Business, But Fight Clean," Is Slogan of Successful Dealer

CAN fair, hard competition and friendly cooperation between competitors make business profitable and free the butane industry from monopoly by dominating groups?

The Tri-County Gas & Appliance Co., Inc., of Russellville, Pope county, Ark., says that friendly cooperation is the salvation of the butane industry. It cooperates with its competitors; but gives them a clean fight for customers, and never gives them an underhanded deal. This policy is the foundation of a prosperous business.

Hard Work Pays Off

President of the corporation is William C. Murphy, an Irishman with energy enough to run three corporations. He says it takes honesty, hard work, and guts to succeed in any legitimate undertaking. L. I. Van Landingham is secretary and treasurer, a quiet-spoken man with initiative and an eye for opportunity. They make a finely balanced team for running a successful business.

Tri-County officials began an independent business in 1945 by convincing the Peoples Exchange Bank of Russellville, and Phillips Petroleum Co., Bartlesville, that they were a good risk. They invested \$20,000 in storage tanks, \$12,000 in transport trucks and went to work. Now, they are beginning to see the end of their indebtedness.

Mr. Murphy knows the butane business from its beginning in Arkansas. Before going into the business, he was supervising engineer of Hartford Steam Boiler Inspection & By ZOE JOHNSON

Insurance Co., and had a thorough knowledge of installations.

At the birth of the industry, he was on the Boiler Advisory Board and in cooperation with J. D. Newcomb, Jr., was instrumental in setting up the laws, rules and regulations of the industry. He wrote the first examination questions under the state law for qualification of men installing butane systems.

Russellville has a population of over 7,000. The principal money crops are peaches and cattle. The poultry business is beginning to grow and a few miles from the town is the Thompson turkey ranch, claimed to be the largest turkey farm in the world. From this famous farm, turkeys roasted ready for the table are shipped all over the United States.

The growth of the poultry industry will give new outlets for butane installations.

Tri-County does business in Pope, Johnson, and Yell counties. There is a branch office at Clarksville in Johnson county and storage tanks over the distribution area that keep hauls within 25 miles. Mr. Van Landingham says any haul over that distance is unprofitable.

Their combined storage capacity is 40,000 gallons with 5500 gallons at Clarksville and 6000 gallons in Yell county. Most of their gas is hauled in their own transports from Okmulgee, Okla.

One angle of their friendly coop-

DE

IF you're looking for highest quality—

get everything

from TANKS



DOMESTIC SYSTEMS

Butane Systems — U-69 construction — 101 lbs. working pressure — above or underground.

Because Systems — 11-69 construction — 200 lbs.

Propane Systems — U-69 construction — 200 lbs. working pressure — above or underground.



"

gh

rd

W-

t-

ane ne

f

S

y

a

e

0

100# I.C.C. CYLINDERS

200# CAPACITY PROPANE CYLINDERS 200# W.P.

200# W.P. U-69 A.S.M.E. 57 Water Gallon Capacity





20-LB. I. C. C. CYLINDERS



We can fill your order for sizes ranging from 20" through 36" in sections 30' to 311/2' long.





AT MASTER!

TANK & WEIDING

P. O. Box 5146

PRospect 2441

DALLAS, TEXAS

DECEMBER -- 1950

123

eration with competitors is hauling gas for three other dealers. They thus keep their transports busy in the off-season and give their neighbor dealers a cheaper haul.

Their greatest worry is unfair price cutting by some dealers. They meet this kind of competition by going out and selling year round service; convince the customer that saving 50c on 50 gallons of gas does not count very much when he gets in a pinch in cold weather and is left without gas.

Tri-County has never been without gas to serve customers in the coldest weather. It has even gone to the rescue of Independence county dealers sevral counties away when their storage tanks were empty—another service of friendly cooperation.

They are the only dealers in the area that handle propane bottles. But it is the combination offer of a 115-

gallon tank with a choice of ranges for a fair price that brings in the most new customers. A larger tank and the gradual addition of other butane appliances follow as the customer can afford them.

The chief advertising medium is the local newspapers. Satisfied customers are the best recommendation. Most installations have been for homes, but schools, churches, and two cotton gins are on the list. Also, truck and tractor fuel installations.

pressu

runnii

such :

upon.

in th

PANE

show

diam

giver

hour

mati

heat

Tem

Th

In

Mu

The company contemplates installing many new systems during the rest of the year. Mr. Murphy says that in his estimation, only about 20% of his area has been serviced with butane and the remaining 80% will become customers in after years He sees plenty of business for all honest dealers who will practice friendly cooperation.



John Souza, LP-Gas dealer of Turlock, Calif., flies his "Ryan Navion" for business as well as pleasure, Serving a widespread area, he often needs quick transportation for servicing appliances and equipment, delivering parts, or consulting with customers in outlying areas when emergency situations arise.

Pipe Line Capacities in Cubic Feet Of Propane For Medium Pressure

MANY LP-Gas dealers have encountered difficulties in figuring pressure drop and pipe sizing when running long lines to service outlets, such as in auto courts.

the

nk ou-

is

g-

n.

or

70

0,

8.

1-

P

ıt

Much enlightenment was thrown upon this subject by the publication in the March issue of BUTANE-PROPANE News of a pipe sizing table. It showed pressure drop, pipe length and diameter, and gas flow in Btu's.

In the accompanying table are given pipe capacities in cubic feet per hour at various pressures.

This is of particular value in estimating requirements when large heating loads are added to a line. Temperatures are also covered. Table 1 shows pipe capacities in cubic feet per hour of propane at medium pressure. All flows are for 100 lineal feet of straight pipe or tubing.

If it is desired to obtain the capacity of the lines for other lengths, then multiply the flow capacity at 100 ft. by factor 10, divide the square root of the length of pipe in feet. For example, it is desired to know the quantity of propane that will pass through 225 ft. of ½-in. Type K tubing with 2 lbs. drop in pressure and 10 lb. at the discharge of the regulator. Refer to ½ in. K tubing under 10 lb. pressure — 2 lb. drop and read 420 cu. ft. per hour. Then

TABLE 1								
Regulator I	Pressure	5 lb.	10 lb.	10 lb.	10 lb.			
Pressure Le	oss							
Through L	ine	1 lb.	1 lb.	2 lb.	3 lb.			
Standard	½ in.	320	360	510	610			
Steel	3/4 in.	690	770	1100	1300			
Pipe	1 in.	1300	1430	2050	2425			
Size	11/4 in.	2650	3000	4100	5000			
	1½ in.	4000	4250	6150	7400			
Type K ·	% in.	135	150	210	255			
O.D.	½ in.	265	295	420	500			
Copper	% in.	450	500	690	850			
Tube	34 in.	630	710	1000	1200			
	1 in.	1310	1470	2075	2450			
Type L	% in.	160	180	250	300			
O.D.	½ in.	290	325	450	550			
Copper	% in.	490	540	750	900			
Tube	34 in.	720	800	1130	1360			
	1 in.	1400	1590	2225	2650			

$$\frac{420 \times 10}{\sqrt{225}} = \frac{420 \times 10}{\frac{1}{15}} = 280 \text{ cu. ft.}$$

of propane per hour.

When calculating the length of pipe add additional footage for tees, valves, elbows, etc., which may be included in the lines.

Following are dew-point temperatures of propane at various pressures:

	Pre	ssure	Dew Point						
	Gauge	Absolute	Temperature						
-	5	19.7	−31° F						
	10	24.7	21° F						
	15	29.7	-11.1° F						
	20	34.7	− 3.0° F						

See Figure 4 "Vapor pressure of ethane, propane, isobutane, normal butane, isopentane and normal pentane," Page 45; or Figure 7, "Dew

points of propane, normal butane, and isobutane carburetted with air," Page 38 of Handbook Butane-Propane Gases.

Note in Figure 4 that the pressures used are absolute. To convert gauge pressures to absolute pressures, add 14.7 lbs. to them,

New LP-Gas Dealer Organizes in New York

The Utica Gas Co., Inc., of Utica, N. Y., opened for business recently. The company will feature bottled gas, but will also sell other petroleum products.

Directors of the new company are Walter A. Roberts, Alfred L. Jones, and Walter C. Rabenstein.

name

stree

nam




Sales of both liquefied petroleum gas and appliances have been increased by DeLong's Propane Service Co., Riviera Beach, Fla., through door-to-door demonstrations in this new type delivery truck. A wide selection of kitchen stoves, refrigerators, water heaters, and other appliances is carried in a Dodge route-van truck with 462 cu. ft. of cargo space. The truck is specially adapted to frequent-stop delivery of bottled gas and on-the-road demonstrations of appliances.

Holiday Gift Order Form X

FOR BUTANE-PROPANE NEWS

Please enter the following gift subscriptions and send gift cards as indicated below . . .

\$2.00 for 1 Year • \$5.00 for 3 Years Foreign Rate \$3.00 for 1 Year



ind ge

ine res

dd

18, m

re

8.

The Trade

Harry A. Busten has been appointed general traffic manager for Warren Petroleum Corp. to fill the vacancy created by the recent death of N. A. Lindsay, according to an announcement by President W. K. Warren.

Mr. Busten assumes his new duties after serving as assistant general traffic manager for the Warren or ganization for several years. He has announced the appointment of Oscar W. Utz to be assistant traffic manager in charge of rates; Ray E. Cramberg, assistant in charge of LP Gas transportation; Douglas A. Collins, assistant in charge of natural

gasoline transportation and H. G. Cosley, assistant in charge of the Houston, Texas, district.

Dearborn Stove Co., of Chicago and Dallas, is "wheeling" its line of products all over the country in a fleet of five new, custom-built, specially designed, display-demonstration coaches to show dealers Dearborn products in operation. Announcement of the new service is made by C. N. Hinds, general sales manager.


Each coach is equipped with a model of every Dearborn product-

ve

f€



The traveling demonstration car of Dearborn Stove Co.



These Buehler Tank & Welding Works (Los Angeles) 287 water capacity propane plants are readied for testing prior to cleaning and painting. As many as 10 carloads of one size of tank have been scheduled through the shop at one time. One feature of this product is the fittings are placed under an extra large guard box to insure safety in handling.

vented, unvented and radiant gas heaters, evaporative coolers and the Sifon-Aire window exhaust fan. Special LP-Gas tanks provide fuel to demonstrate the heating and engineering features of the Dearborn space heaters.

The Chicago quarters of Shand & Jurs Co., Berkeley, Calif., manufacturers of petroleum equipment, have been moved to 10409 S. Western Ave. The new quarters are complete with their own warehouse and storage facilities.

Bill Burkett has joined the sales force of Mutual Liquid Gas Equipment Co., of Inglewood, Calif., according to announcement by J. S. Fagan, president of the company.

Mr. Burkett will act as a field rep-

resentative for Mutual and will be active in the sale of fuel for commercial and industrial users. His territory will include all of southern California.

Previous to his joining Mutual, Mr. Burkett worked as assistant to Bob Cole in the Long Beach office of Anchor Petroleum Co. He has had many years' experience in the petroleum industry, and has specialized in the LP-Gas field during the past few years.

D. D. Couch, vice president and general manager of sales of the American Radiator & Standard Sanitary Corp., was elected to the board of directors of the Producers' Council for 1951 and 1952.

Mr. Couch has been associated with American-Standard since 1925.

Howard L. Spindler, who has been manager of advertising and sales

the

nd of a

r-

n-

is

a





Who ISN'T Price Conscious?

In these days of keen competition, price plays an important part in selling. The "buy-first" . . . "price-later" days are gone forever!

Select the HELCO 50-A . . . the regulator designed to meet your price requirements.

CHECK THESE FEATURES:

- √ Simplicity
- ∨ Dependability
- √ Rugged Construction

Dealers along the Atlantic, Gulf and Pacific Coasts have made HELCO regulators standard equipment.

-SPECIFICATIONS -

Capacity Rating						50) c	u. ft.
Delivery Pressure					. 1	1	in	. W.C
Inlet Connections					1/	. 1	n.	pipe
Outlet Connection	n	ŝ			3/	1	in.	pipe

Helco Products Corp.

2041 Colorado Ave., Santa Monica, Cal.

promotion, has been named director of public relations, according to an announcement by Mr. Couch.

Robert W. Lear was promoted to the position of manager of advertising and sales promotion. Mr. Lear was formerly assistant manager of this department.

J. N. Crawford, director of sales, Bryant Heater Division, A.G.E., Inc., Cleveland, recently announced the



J. N. CRAWFORD

opening of a branch office in Detroit. J. H. (Hes) Swallow, formerly Southern district sales manager, has been appointed manager of the new branch, located at 617 Central Detroit Warehouse, 10th and W. Fort Streets.

Mr. Swallow.

the t

Marc

charge

Co. a

of th

merci

aging Gas

C.

vice

Serv

com

ing

Amb Mr.

mos

with

ploy

ice

T

Mr.

formerly with the Detroit Gas Company, will confine his Bryant operations to St. Clair, Macomb, Oakland, Wayne and Menroe counties.

Charlie Lockhart, formerly assistant to Mr. Swallow, now becomes Southern district sales manager with headquarters in Dallas. Texas.

L. L. "Pete" Peters has been named LP-Gas sales manager in a realignment of American Stove Co. sales activities. He succeeds B. R. Tritton, who was recently appointed assistant secretary, and whose function as general credit manager has been transferred from the sales department to

BUTANE-PROPANE News

the treasurer's office, according to Marc W. Pender, vice president in charge of sales.

Mr. Peters joined American Stove Co. as a salesman in 1940. In March of this year he was appointed commercial sales manager, a responsibility he will retain in addition to managing the company's nation-wide LP-Gas sales.

C. E. Murray, of Bartlesville, Okla., vice president and secretary of Cities Service Oil Co. (Del.) and affiliated companies, will retire Jan. 1, according to an announcement by A. W. Ambrose, president. Upon retirement Mr. Murray will have completed almost half a century of active service with the company.

This is one of the longest employment records of any Cities Service employe.

C. O. Relephord has been appointed to the position of Los Angeles branch manager for the pump division of Byron Jackson Co., according to Lynn Sawyer, general manager of the division and vice president of the company. The Los



C. O. RELEPHORD

Angeles territory will cover several western states, Mexico and the Far East.

After graduation from the University of Oklahoma in 1932, Mr. Relephord was employed in a sales engineering capacity, dealing with technical equipment and applications





Immediate
SHIPMENTS FROM
PLANTS IN ...

ARKANSAS CALIFORNIA KANSAS LOUISIANA OKLAHOMA TEXAS

WRITE, WIRE OR TELEPHONE

SUNRAY OIL
CORPORATION
GENERAL OFFICES
Tulsa, Oklahoma

for the oil industry throughout the Mid-Continent area and after the last war (in 1946) became affiliated with Byron Jackson, locating in the Houston, Texas, office of the company, where he has been active in the analysis of the technical applications of pumps for the oil industry.

Metalbestos Division, William Wallace Co., Belmont, Calif., announces the opening of a Los Angeles branch office at 612 South Flower St. Manager of the new office is Robert A. McHugh.

A. L. Hawley, Jr., is vice presidentsales manager of the company.

L. A. Dixon, vice president of Rockwell Manufacturing Co., has announced the appointment of H. Gott-

wald as assistant vice president of the company's meter and valve division. For the past year he has been assistant sales manager of Nordstrom valve division of the company.

Prior to the move into Pittsburgh, Mr. Gottwald was assistant vice presi-



pro

COL

Th

H. GOTTWALD

dent of the Rockwell International Corp., and in that capacity traveled extensively throughout all of the Western Hemisphere, handling all products of the Rockwell Manufacturing Company.

Mr. Gottwald started with the company in 1928 as a sales engineer in the New York district office.

Wm. A. Marsteller has resigned, effective Jan. 1, as vice president of the Rockwell Manufacturing Co. and as

Sell This Brand New GAS BURNING TANK HEATER

Here's a low-cost, efficient, gas burning stock tank heater you can sell at a good profit. This self-sinking heater is easily installed in any stock tank. Simple manual control. Patented flame spreading spiral baffle in radiator assures maximum heat output.

The peak of the sales season is here. See your jobber or write for literature and price lists today.

· EASY TO SELL

EASY TO

• EASY TO SERVICE



Model SGMH Illustrated

SIEBRING

120 Main Street

the

ast

ouny, ly-

of

al.

es

ch

t-

George, Iowa

HASN'T LEAKED YET

INTERNATIONAL SUPER-GRIP RE-ATTACHABLE COUPLINGS

Designed for use on Commercial Hose, Propane, Butane and other extremely. **High Pressure applications**

Frankly, we don't know how much pressure SUPER-GRIP will hold. On every test high-pressure hose burst before the coupling showed signs of leakage.

The 3-piece Super-Grip design grasps the hose firmly but gently, effectively sealing hose and coupling over a broad area. Assembling and tightening the coupling automatically contracts flat spiral grip. Simple to assemble, no special tools are needed.

Wherever rubber hose is used in the handling of liquid petroleum products, Super-Grip couplings give safe assurance against leakage and save costs.

Write today for catalog and prices.



The INTERNATIONAL METAL HOSE Co. A Division of The Gabriel Co.

CLEVELAND 3, OHIO



ONE OF THE BIG THREE STANDARDIZATIONS -WELDIT TORCHES

Weldit Torches have been accepted as standard by one of the divisions of the Big 3 automobile manufacturing group. Such recognition hallmarks Weldit Torches as tops in quality and performance. Shown above is the initial shipment of rugged Weldimatic No. C-47 Lightweight, Blow Pipes and No. W-46-F Heavy Duty Weldimatic Welding Torches.

Write today for technical information that will save you money in your welding operations.

Weldit

994 OAKMAN BLVD

DETROIT 6, MICH.

vice president and director of Edward Valves, Inc., East Chicago, Ind., to establish The Marsteller Co., consultants in marketing and advertising. The new firm will be located at 612 N. Michigan Ave., Chicago, after the first of the year.

Mr. Marsteller has been responsible for advertising, market research and sales promotion for the Rockwell Manufacturing Co. and its 14 divisions. Recently in an executive advisory capacity with Edward Valves, he was formerly in charge of sales, advertising and employe relations for this company.

Donald Dailey, veteran appliance designer and holder of 25 patents for his industrial designs, has joined Servel Inc. as product manager, according to president W. Paul Jones. Mr. Dailey's career in industrial design connotes executive associa-



DONALD DAILEY

tion with such widely recognized firms as Tappan Stove Co., Proctor Electric Co., Philoo, Fairbanks-Morse, and General Electric. Before joining Servel, Mr. Dailey operated an industrial design organization in Philadelphia.

Pan American Casualty Co., Houston, Texas, pioneer in butane gas insurance, has just extended Arkansas butane dealers its specialized facilities for writing insurance at regular, normal rates on their operations. T. E. Gammage, Sr., president of the Pan American Co., announced that the company would do business in Arkansas through the



CITIES FUEL CORPORATION

A Good Franchise Hauler



Dependable Service

to ltng. 312 the

ell vid-

CITIES FUEL CORPORATION • P.O. Box 365 • Fresno, California



SIZES
115-250-387-500 GAL.
(W.C.)
ABOYEGROUND AND
BELOWGROUND
MODELS

Burnham PRODUCT FOR THE LP-GAS INDUSTRY . . .

For Off-the-Main Gas Service Burnham Systems Are Best in Design, Quality, Service



Burnham Corporation

2 Main Street

BOILER DIVISION

Irvington, N. Y.



This one non-hardening Compound is the answer to all your sealing problems.



managing general agency of W. M. Apple & Co., of Little Rock, which, in turn, is represented by leading local agents located throughout the state.

Arkansas is the seventh state in which Pan American Casualty Co. is writing complete casualty insurance coverages for the LP-Gas dealer. Other general agents recently appointed by Pan American to serve the LP-Gas dealers are: C. G. Blakely and Co., Topeka, Kan.; Louisiana Bettes Co., Inc., Alexandria, La.; George E. Fears and Co., Oklahoma City. Cliff Kealey, of Albuquerque, has been appointed state agent to serve New Mexico and Arthur E. Petersen in Phoenix, Ariz.

Ca

American Meter Co. announces the election of J. H. Satterwhite as president of the Westcott & Greis, Inc., Division of American Meter Co., with headquarters in Tulsa, Okla.

J. W. Greene has been appointed to the newly created position of assistant manager of the valve and fitting department of Crane Co., Chicago.

F. J. Rudolph, a 31-year employe of Perfection Stove Co., has been named assistant manager of the company's Kansas City, Mo., district. For the past year he has held the same post in the Jersey City, N.J., district.

All of Mr. Rudolph's business career has been associated with the distribution and sale of Perfection Stove products.


W. J. Bruce is manager of Perfection's district offices in Kansas City.

Perfection has a new export manager, too, replacing 14-year veteran L.

VIKING LP-GAS PUMPS

e n

For BULK PLANT
FARM TRANSFER
TRUCK MOUNTING
HAND DISPENSING





Viking LP-Gas Pumps in 5 and 10 gpm sizes are direct connected to 1200 rpm motors. Those in sizes of 20, 30 and 55 gpm are direct connected to geared head motors (illustrated). See the complete Viking line. Ask for free bulletin 2303B today.

VIKING PUMP CO. CEDAR FALLS

MR. WHOLESALER —

YOU should know!

Yes! You SHOULD know why pure Panoma L-P gases give complete consumer satisfaction. And here's why—they are: I. uniform in quality and free of moisture, sulfur and residue. 2. straight from OUR wells. 3. processed in OUR two automatically controlled plants. 4. tested by sales-wise wholesalers from North Dakota to Georgia. 5. tried and proven since '38. So for dependable butane and propane contact Panoma—wholesale only.

For information write or telephone TODAY!

PHONE 3-8353 PANOMA CORPORATION

AMARILLO, TEXAS



Liquefied Petroleum Gas Cities Service Oil Co.

A DEPENDABLE SOURCE
UNIFORM PRODUCTS
A CAPABLE SUPPLIER
TWENTY YEARS' EXPERIENCE

IN LP GAS ALSO

CITIES SERVICE
MEANS
GOOD SERVICE

OIL CO. (Del.)

BARTLESVILLE, OKLA. CHICAGO, ILL.

Other Sales Offices

Cleveland St. Paul Kansas City Toronto B. Tuttle, who retired recently. The new man is Donald W. Milestone, who joined Perfection 3½ years ago. Most of the Perfection export operation is concerned with Latin American markets.

Replacing Mr. Milestone as Perfection's service manager of the cook stove and heater division is Robert K. Guy, former AGA tester and Detroit Brass & Malleable Works enginer. Another Perfection appointee is Harry Cramer, who joins the Oakland (Calif.) district sales staff.

Waldorf Heater Co., Philadeiphia, has announced the appointment of the Webster Corp., 2300 Colley Ave., Norfolk, Va., as its sales representative in the states of Virginia, North Carolina and South Carolina, for Waldorf and Sterling LP-Gas water heaters.


The Eclipse Fuel Engineering Co., Rockford, Ill., has named A. C. Perks president and general manager.

Mr. Perks was formerly executive vice president in charge of production. H. P. Howell, formerly president, is now chairman of the board of directors.

James L. Whitcomb, formerly sales manager, has been made general manager of Kelley Manufacturing Co., Houston, Texas, and J. Keith Davis, formerly sales representative, has been named sales manager, it is announced by Mrs. Edward W. Kelley, president of the corporation.

Mr. Whitcomb has been with the company for over five years and Mr. Davis for over 12 years.

Kelley Manufacturing Co. was founded in 1938 when the late Colonel Edward W. Kelley bought out the old Tennison Manufacturing Co. Since that time it has become an important



The

who lost l in ar.

ecook

er. ar-

nd

ia.

of ė.,

th or

er

8

e

TESCO

Model 900-B STOCK TANK HEATER

- Expressly designed for liquefied Petroleum gases.
- · Fully quaranteed to give excellent performance.
- · Can be adjusted to keep your stock drinking water at a suitable temperature in any weather conditions.

FEATURES

- 17,500 BTU input capacity
 60 lb. weight insures sub-
- mersion
- . Drilled port, cast iron
- burner . Will not leave film on water

Also manufactures Blue-Blaze Space Heaters, Blu-Blaze Draft Caps, and Gas Plates.

TESCO Incorporated

110 S. NORFOLK . TULSA, OKLA.

Butane & Propane

Carter

Producers of high quality Liquefied Petroleum Gases Since 1931 Wholesale Only

ARTER OIL COMPANY



supplier of steel products to industry of the Southwest. The company manufactures steel stampings, punchings and assemblies for the petroleum and chemical industries, and tank heads for butane and propane tank builders.

The Florence Stove Co. has appointed the Electric Supply Corp., of Chicago, as distributor of all Florence products, it was announced recently by F. B. Jeremia, sales manager of Florence's Midwest division.

Canadian Kellogg, Ltd., has started operations in a new pipe fabricating shop in Edmonton, Alberta, it is announced by the parent company, The M. W. Kellogg Co., engineers and fabricators of New York and Jersey City. The shop was opened to service the rapidly expanding requirements for power and process piping in western Canada.

The appointment of Walter F. Garlow as sales promotion manager of The Howe Scale Co., Rutland, Vermont, was announced recently by Richard F. Straw, vice president in charge of sales.

In order to accept this position, Mr. Garlow resigned as advertising manager of the Hewitt Rubber Division and the Hewitt Restfoam Division, Hewitt-Robins, Inc., Buffalo, N. Y.

American Stove Co. has named J. J. (Joe) Edwards manager of its Pacific sales division, effective Dec. 1. J. Knotek, Pacific sales manager for the past year, will receive a new assignment to be announced soon.

The Pacific sales division, covering most of six western states, has its headquarters at 4494 East 49th St., Los Angeles.

First See

stry

nan-

and

ads

ар-Ъ.,

or-

re-

n-

he

e

d

GRIFFITHS

for

Conversion Parts

We can supply a wide assortment of spuds, orifices and other parts for converting domestic and commercial equipment to any type gas. Also, a complete line of repair parts for all types of gas meters.

Write for catalog.

E. F. GRIFFITHS

350 E. Walnut Lane, Philadelphia 44, Pa.

Serving the Gas Industries

For Over 40 Years

Greetings A from A

your Quality L-P GAS



GAS EQUIPMENT SUPPLY CO.

EQUIPMENT DEALER

127 ELLIS ST. N. E.

ATLANTA, GA



We are offering a limited quantity of HANDY L P GAS

REFERENCE BOOKS

for a LIMITED TIME only

for \$25.00 material as contained in our

Same material as contained in our 60chapter Home Study training course, completely indexed.

A Dependable Reference Book prepared by practical men for practical men.

ORDER NOW

While they are available.

National L-P Gas Institute

1105 S. Main Tulsa, Okla. Your Safety Insurance

MEXIHOT makes Triends-Sales-Profits for YOU



Barbecue HAMBURGER

Thousands of installations in drug stores, tap rooms, roadside stands, cafes and other places that serve lunches have brought big repeat business. Low price means quick sale. Write for distributorship at once.

Copyright 1947

Department B-10

DICKERSON MANUFACTURING CO. SPRINGFIELD, MO.



TRUCK TANKS


Twin or single barrel-Light weight-Low in cost-Full or semi streamlined—ASME

Built to Your Specification and Size

BAGWELL-GENERAL STEEL CO., INC. Sapulpa, Okla.

THE 1950 LINE

eatbath CONVERSION BURNERS



LPD-30 for Propane Gas • 30,000 B.T.U.'s A burner for straight Butane or Propane gases for kitchen heating. Capacity up to 36,000 B.T.U.'s per hour. Designed for coal, combination and bungalow ranges. Quickly installed and guaranteed

fool-proof.

Few territories open. Write for descriptive literature and prices.

HEATBATH APPLIANCES, INC. P. O. Box 78 Springfield I, Mass.

Code of Safe Practices Published by LPGA


Distinctive reproductions of the "Code of Safe Practices" recently adopted by the Liquefied Petroleum Gas Assn., which can be signed, framed and displayed in their places of business by complying industry companies, have been mailed to a long list of LP-Gas concerns throughout the nation, Howard D. White, executive vice president, has announced.

Drafted by LPGA's safety committee, headed by H. Emerson Thomas, after a long period of study, the code covers all phases of the industry's responsibilities to customers, the public, the community and the nation. Its signers pledge the following:

Personnel: Provide competent emploves to install safely and service promptly LP-Gas systems and appliances; and conduct adequate training programs to insure the highest standards of safety and service.

Equipment and Installation: Observe the standards in Pamphlet No. 58 (issued by National Fire Protection Assn.) or the regulations of the regulatory authority having jurisdiction and conform fully with such standards or regulations in the selection and use of pressure vessels, regulating and safety equipment; and fill only those systems that are constructed and installed in accordance with such standards or regulations and are in proper and safe working condition.

Appliances: Provide new gas burning appliances, accessories, and equipment that comply with the requirements of the American Gas Assn. or other competent authority; and service only appliances or equipment so constructed for liquefied petroleum gas; and before connecting to any appliance that was originally manufactured for operation with a gaseous fuel other than liquefied petroleum



the

tly

um

ed.

ces

ng

ut

u-

8,

e



SAFE - 100% Shut-Off Valve

100% Shut Off Valve (Robertshaw) makes the Brower Brooder the safest on the market. Thermostar maintains even temperature. Automatic pilot light operation. Baffle plate and radiants spread heat evenly. Heat-saving insulated steel canopy with curtains, 60° x 60°. Draft-proof ventilation. Adjustable legs. Thermometer. Three models including economy model with 56° canopy.

Write for casalog and low dealer prices.

430 No. 3rd BROWER MFG. CO.
Quiney, III.
World's Largest Line of Poultry Supplies





Manufacturers of Automatic Pressure, Comperature, Level and How Controls

FACTORY BRANCHES: Baltimore 5, Birmingham 3, Boston 16, Buffalo 3, Chicago 5, Cincinnati 2, Cleveland 15, Dallas 2, Denver 4, Detroit 21, Glendale 1, Hoyston 6, Kanasa City 2, Minneapolis 2, Newark 6, New York 17, Philadelphia 23, Pittsburgh 22, St. Louis 3, San Francisco 7, Seattle 1, Tulsa 6, Washington 6. DISTRIBUTORS IN PRINCIPAL CITIES



- The accepted standard odorant for natural or liquefied petroleum gas gives sure but harmless warning.
- Purified Moisture-free PROTECTS
 FIXTURES. Meets all 15 qualifications of
 National Bureau of Standards.

MALLINCKRODT CHEMICAL WORKS

Mallinckrodt St., St. Louis 7, Mo. 72 Gold St., New York 8, New York



New and improved finishes are the finest in our history. Heavy backwall throws effective heat radiation. Quality and top performance in Adams products since 1898.

Write today for full information.

ADAMS BROS. MFG. CO., INC.

gas, check to see that it is in good condition and that it is properly converted, adapted, and tested for performance with liquefied petroleum gas. FOR

IMME

cylind

propar

Weat

1947.

5000

quan' Natu

1, Oh

FOR

new

pane

ing.

tion

Bott

FOI

pan

Bak

E

BU

sal

14

bu

Pu

Automotive: Maintain automotive equipment in first class condition; inspect tank truck accessories with adequate frequency to insure proper operation of safety equipment and otherwise conform with the regulations established by the local authority having jurisdiction.

Tools: Maintain bulk plant equipment in first class condition and at all times provide proper and adequate tools to install and service LP-Gas systems and appliances.

Regulations: Carefully observe the safety standards of the National Fire Protection Assn., American Gas Assn., Underwriters Laboratories, Inc., and the safety regulations of local authorities having jurisdiction.

Copies of the certificate may be obtained by writing to Liquefied Petroleum Gas Assn., 11 S. LaSalle St., Chicago. They are provided free as a service to the industry.

Second Kansas Engine Fuel School Scheduled for Jan. 21-23

The Liquefied Petroleum Gas Assn. will sponsor a second LP-Gas engine fuel service school at Kansas State College, Manhattan, Jan. 21-23. The school will be conducted by the college under the direction of Professor George Larson.

All phases of internal combustion engine operation will be covered by lectures and demonstrations.

Enrollment is limited to 200 students so early registration is urged. The \$10 fee includes registration fee and three meals.

FOR SALE-TANKS AND CYLINDERS

boo

er-

ım

nep-

d

IMMEDIATE DELIVERY ON ICC 4B 240 cylinders manufactured to carry 100 lbs. of propane. These cylinders weigh from 135 to 410 lbs. each and were manufactured by the Weatherhead Co., Cleveland, Ohio, in August 1947. They are equipped with Bastian-Blessing valve and cap painted aluminum. We have 5000 such cylinders for sale. \$10 each in an augustity. F.O.B. Cincinnati, Ohio. Rural Natural Gas Co., P. O. Box 867, Cincinnati, 1, Ohio.

FOR SALE—IMMEDIATE DELIVERY ON new ICC-4B240 20, 25, 40, and 100 lb. propane cylinders. One or a carload. Copper tubing, Bastian-Blessing "Rego" regulators, nationally advertised gas ranges. Northern Ohio Bottled Gas Supply. Phone 228. Clarksfield, Ohio. Mailing address: Wakeman, Ohio.

FOR SALE—PACIFIC 50 GALLON PROpane cylinders. Complete with valves \$25.00. Baker's, Malone, N. Y.

FOR SALE - TRUCKS & TRAILERS

BUTANE DELIVERY TRUCK & TANK FOR sale. 1946 Reo. 2½ ton, good condition, with 1447 W.G. single 119 lb. butane tank, skirted built 2 years ago by Nat. Butane Gas Co. Pump, meter, hose, nearly new, all ready to go. \$1995 for whole rig. Also have twin propane delivery truck, 1 year old. Do you need ranges, bottles? We have them. Call Preston Grace—White River Distributors, Phone 570, Batesville, Ark.

PROPANE DELIVERY TRUCK FOR SALE.
1250 gallon twin propane truck tank, U69250 lb. wp. with Smith pump, Pittsburgh
meter, 150' hose. Tank and all equipment purchased new in 1950, mounted on 2-ton Chevrolet, 1950 model with 15,000 miles, Algas
carburetor, priced at \$600 under new cost.
Preston Grace, Phone 570. Batesville. Ark.

FOR SALE - MISCELLANEOUS

FOR SALE, SUBJECT TO PRIOR SALE, f.o.b. Minneapolls, Minnesota, factory reconditioned, one 40,000 CFH McKee Cone Type diluter, Cat. No. 18621-7½, diluting valve 325 mixture outlet eight inches, delivery pressure 16 ozs., complete with 7½ hp. explosion proof Class I, Group D motor, also air filter and zero governor. Price \$1500. Also one 80B Metric iron case meter, 100 psi working pressure, capacity 2500 CFH at 2" differential at 70% present list price. Write United Petroleum Gas Company, 806 Andrus Bldg., Minneapolis 2, Minn.

"LEAK DETECTO BRUSH" \$3.50 EACH. Quantity discounts on request. "Detecto Solution" 5-gal. \$6.75. 1-gal. \$1.75. Visit our Booth 829 in Atlantic City Oct. 2-6. Gas Appliance Stores, Inc., 706 Harden St., Columbia, S. C.

MISCELLANEOUS-Continued

FOR SALE—BAKER METHANOL PUMPS. When a freeze-up occurs, instead of changing tank and regulator, take your Baker pump and insert 3 cents worth of methanol (available anywhere) into the moisture contaminated tank and the job is done. A Baker pump will pay for itself on several calls. Saves time, labor and product. Only pump of its kind on the market and hailed by LP-Gas dealers throughout the U. S. and Canada as the real solution to the moisture problem. Eliminates costly driers and gadgets. Many dealers equipeach truck with a methanol pump. Baker pumps carry a one month supply of methanol and are hydraulically designed to pump methanol into any size cylinder against any pressure. Send \$39.50 for pump complete with fittings to Baker Engineering, Malone, N. Y.

FOR SALE — IMMEDIATE DELIVERY — Eureka smokehouse burner assemblies. For meat smokehouse using bottled gas. Completely automatic. Clean, filtered smoke. Distributes heat uniformly. Low gas consumption. Automatic temperature and pilot control. Less product shrinkage. Easily installed. Write for descriptive pamphlet. Eureka Equipment Co., P. O. Box 396, Beloit, Wis.

EQUIPMENT WANTED

WE DESIRE 1000- to 1500-GALLON PROpane fill truck tank. We have for exchange one 1948 Dalworth 1800-gallon twin tank trailer, total 3600 gallons. Key West Gas Co., Key West, Fla.

PROFESSIONAL SERVICES

INSURANCE: FIRE—THEFT—COLLISION—Public liability—property damage—butane-propane dealers and distributors. C. O. Jones & Son Insurance Agency, Inc., 711 Bryant Building, Kansas City 6, Missouri. Phone Victor 5744.

BUILDING A BULK PLANT? LET US serve you as we have so many others. H. Emerson Thomas & Associates, Westfield N. J. Telephone 2-2800.

LET ME INCREASE YOUR PROFITS—Floyd F. Campbell, management and sales consultant. 1495 I'orest View Drive, St. Louis 22, Missouri.

Business Expansion Brings Move to New Quarters

A move necessitated by increased business was made recently by A. J. Ramroth, LP-Gas dealer in Troy, N. Y. New and larger quarters are located at 31 Hoocick St.

BUTANE-PROPANE News

Index to Volume XII

January Through December, 1950 Jenkins Publications, Inc., Publisher 198 South Alvarado St., Los Angeles 4, Calif.

AGA Testing Laboratories	Page	Authors—Continued	age
AGA's Approval Seal Builds Customer		Both Profit from Crop Drying Oper-	
Confidence, by Edwin L. HallJuly		ationsOct.	52
AGA Laboratories Save Time for Ap-		Bone, A. E., Ten-Year ForecastJan.	37
pliance ManufacturersFeb.	63	Buzzard, Eathel, Formula for Success	01
Agricultural Uses	00	Cary, Robert N., What's the Matter	33
Another Summer Load Builder Lies in		With the Liquefied Petroleum Gas	
Portable Crop Dryer, by Charles F.		Business?Feb.	58
BishopJune		Clevenger, Keith, Service, Safety, Sales,	90
Butane Heats Molasses for Stock Feed-	01	Part 1Aug.	44
ingJuly	194	Part 2Sept.	70
Dairy Sterilizer Builds Good Will. Feb.	46	Part 3Oct.	61
Dealers and Farmers Both Profit from	40	Part 4Nov.	89
Crop Drying Operations, by Charles		Part 5 Dec	84
F. BishopOct.		Part 5Dec. Cook, W. D., How to Reduce Distribu-	0.8
Drying Cotton Before Ginning Raises		tion CostsNov.	64
Quality and Price, by Zoe John-		Creighton, Gene, Dealer's Customer	
sonJune		"Dead File" Is Source of Pre-	
Gas Corn Dryer Opens New Field May		Christmas SaleDec.	42
Heat Radiation in Brooder Houses, by		Creighton, Gene. Gas Water Heaters Get	
Craig EspyFeb.	72	"Top Billing"Nov.	45
Iowa Poultryman Has Tried Them All,		Creighton, Gene, Paving Employee	
by Richard FinchamOct.	51	Bonuses Brings Dealer Bigger Profits	
Authors		Dematthew, Joe, New England Dealers	
Abell, Carl, Hard Starting Made Easy		Take Initial Steps for Association	
July	108	Mar.	86
Abell, Carl, First Overhaul at 250,000		Eaton, T. D., Virginians Given 10 Rules	
MilesFeb.	102	to FollowJan.	76
Abell, Carl, Hard Starting Made Easy		Ellis, S. W., Don't Bargain: Demon-	
April	98	strate!June	33
Abell, Carl, Raise Compression Ratio		Ellis, S. W., Whipping the Trade-In	
to Raise Engine EfficiencyJune	96	Form Coming Wantington Nov.	46
Abell, Carl, Selling Conversions in Mid-	100	Espy, Craig, Vacationland Promotes May Bring Group Insurance for Deal-	
west TerritoryMar.	120		85
Abell, Carl, Should Gas Dealers "Sell Power"?Oct.	100	ers	99
Ashe, Harold J., How to Save Money on	100	Given Sales PointersJuly	150
Your Tax ReturnsFeb.		Espy, Craig, Heat Radiation in Brooder	100
Baer, Joe, Display Appliances to Make	99	HousesFeb.	72
SalesFeb.	110	Espy, Craig, LP-Gas was Important	12
Baer, Joe, Nets 37,000 Prospects from	110	Topic at NGAA Annual Meeting. July	128
FairApril	33	Espy, Craig, Vacationland Promotes	
Baer, Joe, Features Appliance Sales to	00	Wide Advertising PlanAug.	111
Keep Cash Coming InOct.		Espy, Craig, Vacationland Promotes	
Baer, Joe, Get New Prospects Through		the FuelNov.	62
Old CustomersFeb.	130	Fair, Ernest W., Making Collections	
Bartlett, C. E., Performance Rating of		Without Making EnemiesDec.	92
Automatic Water Heaters Dec.	43	Fetherston, F. R., Relation of Fuel	
Birnbaum, Morris, Dealer "Sells 'Em Comfort" to Build Commercial Load		Density to Appliance LocationMay	92
		Tried Them AllOct.	51
July	51	Fincham, Richard, Iowa Poultryman Has	01
Bishop, Charles F., Another Summer		Flotcher D W Installation and Country	
Load Builder Lies in Portable Crop		Fletcher, D. W., Installation and Serv-	
DryerJune	37	icing of Consumer Systems, Part	00

Page

..... Sept. 106

..June 112

.....Sept.

.....Jan.

.....July 118

Authors—Continued Page	Bulk Plants—Continued Page
Tacket, T. G., Unity, Sincerity Deter-	Nova Scotia Firm Installing Bulk Plant to Serve Wide AreaJan. 118
Thomas, C., Service Formula Pays Off	Storing Propane-Air Gas Underground
Thomas, H. R., and W. R. Thorne, A	To Build or Not to Build a Bulk Filling
Glimpse of the FutureNov. 51 Thompson, H. F., New Refinery Produc- tion Will Serve Northeast Dealers	Plant, by Victor A. Schlich Mar. 64
tion Will Serve Northeast Dealers Sept. 80	Central Plants and Standby Plant
Thompson, J. Arthur, Propane Standby for Ceramics Industry	Bremerton Housing Authority Converts Two Projects, by Edwin E. HawleyOct. 84
Thompson, Paul K., Safeguarding the Future Through World War II Ex- periences	Florida Town Plans Changeover from Manufactured Gas
Thorne, W. R. and H. R. Thomas, A Glimpse of the FutureNov. 51	Heating Will Be Heavy Load for Neligh, Neb., Town Plant
Tiley, Harold, Stress Economy, Effici- ency, Dependability to Sell the Gas	Nelson, B. C., Changes Town Plant from Coal Gas to Propane-Air. Nov. 114
Range	Standby at Eureka, Calif., Solves Increased Demand, by Ernest W. Snow-
Titus, Ed. Beyond the MainsMonthly Titus, Ed. Cooking Is Principal Load	bergerFeb. 108 Twenty Northwest Town Plants in Path
Titus, Ed, Cooking Is Principal Load for LP-Gas in DenmarkAug. 52 Titus, Ed, Dealers Warned off Electric	of Canadian-U. S. Gas Pipeline Aug. 56
Tactics	Commercial Installations
Titus, Ed., Gas Is Getting Firm Foot- hold for Heating in Northeast. July 55	Cotton Ginning Is a Load Builder, by James JosephJan. 33
Titus, Ed, Outgunning the Electric Range	Gas Torches Replace Early Branding
Titus, Ed, Peter Anderson Elected	IronsOct. 77 Georgia Tobacco Experiments Uncover Huge Potential Markets, by I. Shyke
Titus, Ed. How to Plan Deliveries for	Huge Potential Markets, by I. Shyke
Greater Profit	Large Capacity Ransome Burners Aid
Victor, Stephen A., Free Cylinder De- livery Doubles Production Aug. 49	Industrial Needs
Victor, Stephen A., Why Poland Spring House Chooses Gas	a Better Porcelain Enameling Job, by E. A. JamisonFeb. 89
Voice, E. W. Distribution Will Be Bottled Neck If Hard Winter Comes	Sell Safe Practices to Small Industry,
Bottled Neck If Hard Winter Comes in '51Dec. 51	Part 1, by Lester L. LuxonJan. 56 Sell Safe Practices to Small Industry.
in '51	Sell Safe Practices to Small Industry, Part 2, by Lester L. LuxonFeb. 47
Dealer	There's a Commercial Cooking Load in Every TownSept. 60
Warren, Minnette Lake, Establish Customer Confidence! June 57	Why Poland Spring House Chooses Gas,
Welch, Robert F., "Don't Fight the Gas	by Stephen A. VictorDec. 38 Will Use Propane as Solvent for Indus-
Wiless J. H. Use of Special Couplings	trial Products, by H. H. Slawson. Feb. 128
in Town Plant Distribution System	Fire Prevention
Willis, Carroll, Short Cuts to Selling	(See Safety, Regulations) Foreign Operation
July 42	Brazil Firm Signs Up 1500 New Cus-
Winton, Irene B., Salesmen Can Be MadeAug. 58	tomers per Month
Woodring. F. K., Selling More Fuel at Lower Rates Will Net Dealer Larger	California Propane Skid Tanks Bound for Puerto RicoOct. 57
ProfitsJuly 102	Cooking Is Principal Load for LP-Gas
Bulk Plant, Filling Plant	in Denmark, by Ed TitusAug. 52 Gas Sales Spreading on Honduras North
Canada's Imperial Oil Will Install On-	CoastSept. 148
tario Propane PlantApril 148 Denver Storage for LP-Gas Planned by	Italians Will Utilize Home-Made Pro- paneNov. 49
Phillips PetroleumJune 54	LP-Gas Is Economic Necessity to Cen- tral American Countries, by Jay
Free Cylinder Delivery Doubles Produc- tion, by Stephen A. VictorAug. 49	Jenkins
Georgia Gas & Appliance Installs 18,000-	Mexican Firm Capitalizes Upon To- morrow's Market Today, by Don B.
gal. Bulk Plant	SmithOct. 42
Kansas Dealer Expands with New Store	Heating
and Filling Plant	Build Heating Load Slowly !July 64
Bulk PlantsOct. 122	Careful Sizing of Heating Equipment

Heat

De Ga

In

Heating—Continued Pa	nge	Measurement—Continued P	age
Essential to Satisfactory Installation,	50	Tentative Standards Adopted for LP-	0.0
by E. G. JohnsonJuly Dealer "Sells 'Em Comfort' to Build Commercial Load, by Morris Birn-	72	Gas Weights, MeasuresNov. Weighing Ways to Measure LP-Gas	96
Commercial Load, by Morris Birn-	51	Oct	88
baumJuly Coal: Boost Your Batting Average. July	49	Anti-Trust Suits Filed Against Two	
Gas Is Getting Firm Foothold for Heat-	55	Miscellaneous Anti-Trust Suits Filed Against Two Arizona Firms July Arguments to Combat Electric Sales Nov.	106
Oil: You Hold a Strong HandJuly	50	Arguments to Combat Electric Sales	58
Gas is Getting Firm Foothold for Heat- ing in Northeast, by Ed Titus, July Oil: You Hold a Strong Hand. July Sell Tim Comfort July Sell the House Heating Market. July	40 39	Bigger and Better Accounts Replace Customers Lost to Natural Gas Along	
Selling More Fuel at Lower Rates Will Net Dealer Larger Profits, by F. K.	00	New Mains, by Earl HoarNov. Bottled Gas to Be Sold by Florida	117
Net Dealer Larger Profits, by F. K. WoodringJuly	102	Bottled Gas to Be Sold by Florida	41
Selling Through Service, by L. E. Salis-		Power CoFeb. Bottled Gas Ends Wood Chopping for Canadian Farmers, by Phil Glanzer	41
bury Sells Gas Against Oil for Heating—And	94	Canadian Farmers, by Phil Glanzer	88
on a Cylinder Basis Only, by Law-		Butane-Propane News Receives Award	
rence HendelJuly Short Cuts to Selling, by Carroll Willis	84	for 1949 Safety IssueJuly California Suburban Gas Co. Buys Big	122
July	42	Bear Lake UnitJune	54
Wood: You Can Knock Him Out July You Can Outpoint ElectricityJuly	48	"Cookgas Time" Every Day, by Grier	31
	41	Lowry Dec. Customer Reads the Meter Feb.	44
Insurance From an Insurance Standpoint—What's		Dealers Warned of Electric Tactics, by Ed Titus	63
the Matter with the Liquefied Petro- leum Gas Business? by Robert N.		Delivery Records Show Way to Future	
leum Gas Business? by Robert N. CaryFeb.	58	Profits, by L. M. GibbsOct. Distribution Will Be Bottle Neck If	45
	00	Hard Winter Comes in '51, by E. W.	
LPGA & Sections Anderson, Peter, Elected LPGA Presi-		VoiceDec. Distributor Nets 37,000 Prospects from	51
dent, by Ed TitusJune	74	Exhibit at Fair, by Joe Baer April	33
Atlantic Coast Districts Draw Convention Crowd	74	"Don't Fight the Gas Utility!" by Robert F. WelchSept.	102
Brand, Lee, Named Chairman LPGA	1.4	Farthest North LP-Gas Transport Sets	100
National Promotion	94	Pattern for Canadians, by W. F.	106
Canadian Western Division, LPGA, Appoints CommitteesOct.	76	MacalisterSept. Former Gas Users Demand Propane in	100
Central States Dealers Given Sales Pointers, by Craig EspyJuly	450	AlaskaMay	67
Central States District Plans June Con-	158	Fuelane Dealer Convention Hears Sales and Service TalksJune	128
vention May	105	Gas is Best Fuel for Fighting Frost,	
Crawford, J. C., Named District Secretary of New LPGA GroupSept.	93	by Bret PliskeJune Gas vs. Gas—Bottled Gas Wins!May	164
Exhibitors at LPGA Trade ShowMay	79	Gas Water Heaters Get "Top Billing,"	
Fields, Thos. G., Named LPGA Secretary for S. E. DistrictNov.	84	by Gene CreightonNov. High Standards—The Best Competitive	46
Industry Lapel Pin Available to LP-	0.4	WeaponJan.	40
GasmenMar.	90	Home Service Program Promised by	152
LPGA Directors Meet in TulsaApril LPGA Explains Integration Plan for	78	GAMAApril How Many Dealers Know Their Cost of	102
State AssociationsApril	128	Doing BusinessOct.	71
LP-Gas in Key Position to Aid National Emergency	39	How to Save Money on Your Tax Re- turnsFeb.	39
Money for Advertising Fund Starts	-	Huge LP-Gas Storage Acquired by D. E.	
Pouring In	133	Buchanan InterestsJune It's a %-Billion Dollar GiantMar.	154
Gas Gets Under WayMar.	92	Katz, Dr. Donald L., Given Hanlon	
Northwest Dealers Turn Out to Port- land LPGA MeetingMar.	150	AwardJune LP-Gas Smash Hit in WalesOct.	132
Prominent Speakers and Trade Show	100	Luxon, L. L., Named Technical Editor,	40
Will Feature May 8-11 Convention	107	Butane-Propane NewsJan.	118
South Pacific Dealers Hear Safety Talks.		Make Clean Fight for Business, by Zoe JohnsonDec.	122
hy Poul Lady Man	101	Making Collections Without Making Ene-	
Tanner, Robert, Is Secretary, Central States District, LPGAMay Western Dealers Turn-Out Strong. July	112	mies, by Ernest W. FairDec. Oberfell, G. G., Gas Authority, Retires	92
Western Dealers Turn-Out Strong. July	154	from PhillipsSept.	113
Measurement of LP-Gas Pennsylvania Group Working for Meas-		Paying Employes Big Bonuses Brings Dealer Bigger Profits, by Gene Creigh-	
urement AgreementJan	. 71	ton	68

Miscellaneous—Continued F	age	Obituaries
Performance Rating of Automatic Water		Boyd, E. M., Kentucky Dealer, Passed
Heaters, by C. E. BartlettDec.	43	Away in MayAug. 91 Brumder, H. O., President, Pressed Steel
Phillips Petroleum Takes Over Synthetic	71	Tank. Died Jan. 4
Rubber PlantOct. Pipe Line Capacities in Cubic Feet	• • •	French, Jerry, Passes AwayJune 135 Hood, Francis James, President of Ansul
	127	Hood, Francis James, President of Ansul
Portable Dictating Machine Glamorizes Field Reports, by C. Dale Mericle.Jan.	115	Chemical Co., Died Suddenly Nov. 10
Pottergas Service, New York, Sold to	110	Honsberger, H. A., Suburban Propane,
Suburban PropaneJune	95	Died in AugustSept. 146
Propane, Anhydrous Ammonia Valves		Kapnek, Sam, Pioneer Gasman, Passed Away Aug. 46 . Oct. 78 McCord, E. M., El Dorado, Ark. Killed in Auto Accident Nov. 127
ComparedDec. Propane Standby for Ceramics Industry,	114	McCord, E. M., El Dorado, Ark., Killed
by J. Arthur ThompsonApril	38	in Auto AccidentNov. 127
Rainmaker Experiments with Propane	95	O'Hagan, J. E., Former Grayson Execu- tive. Passes Away
Recovery Methods Give Dealers New	35	Phillips Petroleum Founder, Frank Phil-
Viewpoint	93	
Safeguarding the Future Through World		Schaller, William, California Dealer, Passes Away Suddenly Oct. 76 Tooke, Casper, Propane Dealer, Dies in Shreveport, La. July 106 Wood, Norman B., Hamilton Manufac-
War II Experiences, by Paul K. ThompsonNov.	41	Tooke, Casper, Propane Dealer, Dies in
Sawmill and Dairy Users Increase Prof-	41	Shreveport, LaJuly 106
its Through Butane Use, by Zoe		Wood, Norman B., Hamilton Manufac-
JohnsonApril	51	turing, Passes AwayNov. 138
Servel Denies Charges of Price-Fixing		Power
Servel Distributors Win Anti-Trust Test	104	Baker, of Plainview, Texas, Enters
CaseNov.	127	Tractor Field
Serving Customer Interests Promotes Best Gas Business, by O. D. Hall.Feb.		Propane UnitsJune 126
Sinclair Oil Purchases Half Trib.	78	Canadian Municipal Buses Will Try Pro-
Sinclair Oil Purchases Half Interest of Lisbon GasJune	126	pane for Fuel, by W. P. Kilfoil. April 63
South Dakota Firm Buys 36 R.R. Cars		with LP-Gas Now Available for Use
of Storage TanksAug.	136	Case Tractors Now Available for Use with LP-Gas
Stock Tank Heaters, by Sheldon Miller		Throat CarburetorApril 117 Chicago Orders 500 Propane Buses, by
		Chicago Orders 500 Propane Buses, by
Ten Years AgoMar.	46	Carole D. LindgrenSept. 116 Cold Manifolds Available from Nicson
Tennessee Dealer Prospers in Electric StrongholdApril	84	EngineeringNov. 108
Unity. Sincerity Determine Future by	04	Conversion Kits Simplify Field Installa-
Unity. Sincerity Determine Future, by T. G. TackettDec.	57	tionsOct. 106
vacationland Promotes the Fuel, by		Conversions Pay Off Big for Kansas Dealer
Craig EspyNov. Vaporizer Will Generate Fuel Gas from	62	Converting Bus Engines to Burn Butane
Crude OilFeb.	127	or Propane, by Carl AbellJuly 108
"Veteran" Dredge Goes LP-GasFeb.	43	Dealers Waking Up to Field for Power
You Can't "Snow" Norcal Gas Co., April	42	InstallationsJuly 114 Factory-Built Engines Help Conversion
National Butane-Propane Association		Dealers to Meet Tractor Demands, by
NBPA Becomes Co-Sponsor of National	1	O. D. Hall
Promotional PlanNov.	. 115	Many Power Applications, by Harry L.
NBPA Issues Booklet Covering Pipe Sizing StandardsJuly	9	Spooner
NBPA Pledges Help to Government	93	Fire Marshals Endorse LP-Gas Safety by
NBPA Pledges Help to Government— Charles Grau Is New President, Nov	. 56	
NBPA Selects Cleveland for 1950 Con-	-	Using it in Their Own Cars, 69 C. D. Hall
vention City	. 83	First Overhaul at 250,000 Miles, by Carl
NBPA Substitutes Three District Meet ings for Regular Annual Convention		Hard Starting Made Easy, by Carl
July	154	AbellApril 98
Natural Gasoline Plants		How to Win Power and Influence Economy, by H. P. GossJan. 102
Imperial Oil Builds Plant to Process	В	Hughes Carburgtion System Enters LP-
Alberta OilAug	. 64	Gas Field, by O. D. HallMay 134 Le Roi Returns to Truck Field with LP Cos Expense 108
Mid-Continent Joint Processing Plan Will Extract LP-Gas from Rich Fiel	t	Le Roi Returns to Truck Field with LP-Gas Engine
Will Extract LP-Gas from Rich Field	54	LP-Gas—A Better Fuel for Power, by
New Company Will Manufacture, Dis	-	C. L. ParkhillJune 112
tribute LP-Gas in HawaiiOct	. 94	LP-Gas Filling Station Directory
New Refinery Production Will Serv	e	Planned
Northeast Dealers, by H. F. Thompson	. 80	Demonstration

Power-Los Gir Low in July Moo I Nee Ok

8 8

Power—Continued P	age	Products—Continued Pa	age
Los Angeles Truck Show Features LP- Gas Equipment	92	Circulator, Radiant, Armstrong Products CorpJuly Circulator, Vented, Perfection Stove Co.	133
in Engine Conversion, by James	190	Compound, Sealing, Crane Packing Co.	124
May Motor Bus Manufacturer Thinks Pro-	115	Compound, Sealing, I. H. Grancell.Nov. Compressor, Ingersoll-Rand CoJune	119
pane Best	132	Compressor, Ingersoll-Rand CoJune	122
New Carburetor Company Enters LP-		Control, Commercial Cooking, Robert- shaw Thermostat Div Sept. Control, Space Heater, Grayson Controls	144
Gas Field	101	Controller Electric McDonnell & Miller	138
Hall Oregon Distributor Will Feature Engine	128	Inc	130
Raise Compression Ratio to Raise En-	130	Cooler, Evaporative, Dearborn Stove Co.	
gine Efficiency, by Carl AbellJune Saves \$11,500 per Year by Using Butane,	96	Counter Equipment, Anetsberger Bros.	
by Harry L. SpoonerSept.	120	Counter Unit, Dickerson Mfg. Co. Sept.	126
Selling Conversions in Midwest Territory, by Carl Abell	120	Coupling, Hose, International Metal	
Should Gas Dealers "Sell Power?" by Carl Abell	100	Hose Co	122
"Spud-In Guides" Are Made to Simplify	110	Foundry	120
Vapor ConversionsJuly Technical Men Study Standards for		ing & Fabricating CoApril	121
Motor Coach Safety Sept. Texas Transit Company Tries Propane	123	Detector, Gas, Atlas Exploration Co. Oct. Detector, Gas, Davis Emergency Equip-	100
in Four BusesSept.	122	Detector, Gas, Davis Emergency Equip-	120
in Four BusesSept. Two Hundred Seventy-nine Milwaukee	106	Drier Automatic Clothes Hamilton	130
Taxis Will Burn PropaneNov. Wildcatting with Converted Engines. by James JosephAug.	100	Mfg. CoAug.	119
	94	Mfg. Co	128
Products Air Conditioner, Winter, Bryant Heater		Fire Extinguisher, Portable, Safety First	121
DivisionOct.	126	Co	124
Co. July Air Conditioner, Winter, Norge Heat	147	Fittings, Swivel, Rasmussen Mfg. Co. May Flaring Tool, Imperial Brass Mfg. Co.	162
DivisionJuly	142	Friering 1001, Imperial Brass Mig. Co. Jan. Fryer, Deep Fat, Super Chef Mfg. Co. Mar.	122
Baseboard Radiant Panels, American Radiator & Standard Sanitary Corp.	100	Fryer, Deep Pat, Super Cher Mrg. Co.	106
Boiler, Gas-Fired, Hook & Ackerman	132	Furnace, Floor, American Radiator & Standard Sanitary Corp	
Boiler, Gas-Fired, Bastian-Morley Co. July Boiler, Gas-Fired, A. O. Smith Corp.	117	Furnace, Floor, Bryant Heater Div. July	133
Boller, Gas-Fired, Bastian-Morley Co.	132	Furnace, Floor, Coleman CoJuly Furnace, Floor, Empire Stove CoOct.	135
Boiler, Gas-Fired, A. O. Smith Corp.	147	Furnace, Floor, Lawson Mfg. CoJuly	
Boiler, Steam, Eclipse Fuel Engr. Co.	2.44	Furnace, Floor, Surface Combustion	140
Broiler Commercial Detroit-Michigan	. 112	CorpJuly Furnace, Forced Air, Coleman Co. Jan.	128
Boiler, Steam, Eclipse Fuel Engr. Co. Mar. Broiler, Commercial, Detroit-Michigan Stove Co. Nov. Brooder, Flash-Tube, A. R. Wood Mfg. Co. Dec.	122	Furnace, Forced Air, Lennox Furnace	
Co	117	CoJan. Furnace, Forced Air, Norman Products	133
Co	122	CoJuly Furnace, Gas, Economy Gas Furnace	144
Burner, Conversion, Harvey-Whipple	121	Mfg. CoOct.	135
Inc	112	Furnace, Gas, Perfection Stove CoJuly Furnace, Gas, Security Mfg. CoJuly	144
Inc	127	Furnace, Gas-Fired, Borg-Warner Corp.	
Co	100	Furnace Register Ward Heater Co.	129
KelseyJan. Camp Stove, Hansen Burner Products	. 130	Furnace, Register, Ward Heater Co. July	152
	162	Gauge, Draft, Bacharach Industrial In- strument Co	121
Carbonic Gas Cylinder, Fine Products	. 124	Generator, Hot Air, Southwest Industrial	
Chase for Name Plates, M. E. Cunning-		Heating Engineers	
ham Co Aug Circuit Switch, Rochester Mfg. Co Feb	. 123	, Co Oct.	130
& Mfg. CoJuly	144	Heater, Cabinet, Chattanooga Implement & Mfg. Co Oct.	132

roducts—Continued Page	
Heater, Cone Circulator, United States	Range, Commercial, Malleable Steel
Stove CoJuly 152 Heater, Duct, Reznor Mfg. CoMar. 105	Range Mfg. Co
Heater, Duct, Reznor Mfg. CoMar. 105	Range, Domestic, A-B Stove Div Sept. 132
Heater, Gas, Adams Bros. Mfg. CoJuly 133	Range, Domestic, A-B Stove Div., De-
Heater, Gas, Armstrong Products Corp.	Range, Domestic, A-B Stove Div., Detroit-Michigan Stove Co Mar. 110 Range, Domestic, Brown Stove Works,
Heater, Gas, Estate Stove CoJuly 136 Heater, Gas, Stiglitz Furnace & Foundry	Inc. Sent 129
Heater, Gas. Stiglitz Furnace & Foundry	Range, Domestic, Caloric Stove Corp.
CoFeb. 124	Sept. 132
Heater, Gas, Temco, IncMar. 109	Range, Domestic, Caloric Stove Corp.
Heater, Panel, Bryant Heater Div. May 154	
Heater, Radiant Gas, Temco, IncJuly 151	Range, Domestic, Chambers Corp Sept. 133
Co. Feb. 124 Heater, Gas, Temco, Inc. Mar. 109 Heater, Panel, Bryant Heater Div. May 154 Heater, Radiant Gas, Temco, Inc. July 151 Heater, Radiant - Circulator, Florence	Range, Domestic, Brown Stove Works, Inc Sept. 132 Range, Domestic, Caloric Stove Corp Sept. 132 Range, Domestic, Caloric Stove Corp May 160 Range, Domestic, Chambers Corp. Sept. 133 Range, Domestic, Detroit-Michigan Stove
Heater Pediant Cas Tomes Inc. July 151	CoSept. 133 Range, Domestic, Detroit-Vapor Stove
Stove Co	Div
Co. July 141 Heater, Space, Locke Stove CoJuly 141 Heater, Stock Tank, Johnson Gas Ap-	
Heater, Space, Locke Stove CoJuly 141	Sept. 134
Heater, Stock Tank, Johnson Gas Ap-	Range, Domestic, Empire Stove Co Sept. 134 Range, Domestic, Empire Stove Co May 151
pliance Co	Range, Domestic, Empire Stove Co May 151
Heater, Suspended, Reznor Mfg. Co. July 147	Range, Domestic, Estate Stove CoSept. 184 Range, Domestic, Estate Stove CoFeb. 128
Heater, Unit. Reznor Mfg. Co Nov. 125 Heater, Unvented Space, Thermax Mfg.	Range, Domestic, Florence Stove Co.
Co	Sept. 136
CoNov. 123 Heater, Vented, Dearborn Stove Co.	Range, Domestic, Hardwick Stove Co.
Heater, Wall, Holly Mig. Co Nov. 122 Heating System, South Wind Div., Stewart-Warner Corp. Jan. 124 Heating System, Recessed, Empire Stove	Range, Domestic, Perfection Stove Co.
Heater, Wall, Holly Mfg. CoNov. 122	Range, Domestic, Perfection Stove Co.
Stewart Warner Corn Wind Div.,	Range, Domestic, Perfection Stove Co.
Heating System Resessed Empire Stave	Feb 194
CoJuly 136	Range, Domestic, Phillips & Buttorff
CoJuly 136 Heating Unit, L. J. Mueller Furnace	Mfg. CoSept. 138
Co	Range, Domestic, Perfection Stove Co. Range, Domestic, Phillips & Buttorff Mfg. Co. Sept. 138 Range, Domestic, Premier Stove Co. Mar. 109 Range, Domestic, Prentiss Wabers Prod. Sept. 141
Heating Unit, Zone, Stewart-Warner	
Wood Culinday Divis Mfg Co May 149	Co. Sont 141
Impakdriver H K Porter Inc. Dec 117	Range, Domestic, J. Rose & Co., Sept. 136
Corp. July 151 Hood. Cylinder. Dixie Mig. Co May 148 Impakdriver, H. K. Porter. Inc Dec. 117 Incinerator, Gas-Fired, Bowser. Inc.	Co
	Feb. 122
	Range, Domestic, Tappan Stove Co. Range, Domestic, Tappan Stove Co. May 154
Co	Range, Domestic, Tappan Stove Co. May 154 Range, Domestic, Welbit Stove Co. Mar. 106 Range, High Oven, Hardwick Stove Co. Jan 123
Tighten Dock Prown & Pigglew Aug 124	Range, Domestic, Weiblit Stove Co.
Lighter, Pocket, Stratford Pen Corp.	Range, High Oven, Hardwick Stove Co.
Oct. 130	Jan. 123
Log. Gas. Glo-Fire. IncJuly 138	Range, Luncheonette, Malleable Steel
Meter, Truck, Neptune Meter Co Aug. 118	Range Mfg. Co
	Regulator, LP-Gas, C. A. Norgren Co.
Multivalve Outfit, Bastian-Blessing Co. Multivalve Outfit, Bastian-Blessing Co. Aug. 125 Multivalve Outfit, Bastian-Blessing Co. May 146 POL with Seal Ring, Selwyn-Landers Co. May 147	Safety Valve & Pilot Burner, General
Aug 195	Controls Co Dec. 118
Multivalve Outfit, Bastian-Blessing Co.	Controls Co Dec. 118 Safety Valve System, Shand & Jurs Co.
	System Guard Box, Buehler Tank and
POL with Seal Ring, Selwyn-Landers	System Guard Box, Buehler Tank and
Co	Welding WorksJan. 130 Tailgate, Hydraulic, Marion Metal Prod-
Co Tune 191	ucts Co. June 120
Co	ucts Co
Oct. 182	Tool Kit, Gas Kit Co
Pump, Centrifugal, Peerless Pump Div.	Torch, LP-Gas, Otto Bernz Co., Inc.
	The Land May 148
Valve, Filler, Bastian-Blessing Co Oct. 128	Cas & Equipment Co Aug 126
Pump, Hand, D. H. Krug CoApril 125	Tube Bender, Holsclaw Bros., Inc., Dec. 118
Pump, LP-Gas, Corken's, Inc May 160	Valve, Control, L. C. Roney, Inc Feb. 122
Pump, Small Filling, Smith Precision	Valve, Cylindrical, Minneapolis-Honey-
Pump, Hydraulic, Baker's Jan 12- Pump, LP-Gas, Corken's, Inc May 16- Pump, Small Filling, Smith Precision Products May 15- Range, Apartment-Size, Perfection Stove	Tube Bender, Holsclaw Bros., Inc. Dec. 128 Valve, Control, L. C. Roney, Inc. Feb. 122 Valve, Cylindrical, Minneapolis-Honey- well Regulator Co. April 121 Valve, Electric Fuel, Cyclone Equip.
Range, Apartment-Size, Perfection Stove	Valve, Electric Fuel, Cyclone Equip. Corp
CoJune 120 Range, Commercial, Detroit - Michigan	Valve, Filler, Selwyn-Landers Co May 152
Stove Co Sept. 141	Valves, LP-Gas, Crane CoJune 121
Stove Co	Valves, LP-Gas, Crane CoJune 121 Valve, Safety Relief, L. C. Roney,
Michigan Stove	Valve, Safety Shutoff, North American
Range, Commercial, Madsen Range Co.	Valve, Safety Shutoff, North American
Sept. 14	Mfg. CoJan. 133

Ve Ve Wa Wa Wa Wa

Products—Continued Page	Sales Promotion—Continued P	age
W. 11 W	Service, Safety, Sales, by Keith Clevenger, Part 1	
Co	enger, Part 1Aug.	44
Water Heater, Rund Mfg. Co April 120	Part 2Sept.	70
Water Heater, A. O. Smith Corp., Aug. 126	Part 3Oct.	61
Water Heater A O. Smith Corp., Mar. 105	Part 4 Nov.	89
Water Heater Table Ton Jud White-	Part 5 Dec. Stress Economy, Efficiency, Dependabil-	84
hand Co Ang 180	Stress Economy, Efficiency, Dependabil-	
Wrongh Internal Pine Roddick Tool		
Vent, Wall Heater, William Wallace Co	TileySept.	64
00.	"Super Service" Builds Business on	
Regulations, Safety	Tiley	
Alabama LP-Gas Dealers Free of State	Utilities and Fringe Area Dealers Work	44
TaxationNov. 57	Utilities and Fringe Area Dealers Work	
Arkansas Legislation RevisedAug. 91	Together Like Brothers, by H. M.	
Inspect Georgia Gas Plants Under New	O'HaverJan.	69
1950 Law	Whipping the Trade-In, by S. W. Ellis	
Kentucky Has New Law	Nov.	46
NFPA Approves Pamphlet 58Aug. 55	Service	
NFPA Approves Pamphlet 58Aug. 55 New Edition of Pamphlet 58 Published		
by NFPAOct. 122	How to Figure Pressure Drop in Gas	42
New NBFU Bulletin Covers Relief Valve	Pipelines, by P. E. GrayMar. Installation and Servicing of Consumer	44
and Tank DesignOct. 98	Installation and Servicing of Consumer	
New Through Tariffs Published for LP-	Systems, Part 1, by D. W. Fletcher	88
Gas Industry	Installation and Servicing of Consumer	00
Relation of Fuel Density to Appliance	Contained and Servicing of Consumer	
Location, by F. R. Fetherston May 92	Systems, Part 2, by D. W. Fletcher	190
Two States Adopt LP-Gas LawsAug. 156	Reducing Service Problems with Prop-	100
Use Fuel Permits Required in Oregon	and Installed Populators Part 1 by	
for LP-Gas VehiclesApril 118	erly Installed Regulators, Part 1, by	64
Safe Handling of LP-Gases, Part 2, by	Ralph E. MeederApril	0.4
E. O. MattocksJan. 63	Reducing Service Problems with Prop- erly Installed Regulators, Part 2, by	
War-Time ControlsDec. 78	Polah F Moodes May	96
	Pagulator France-IIn Wass Whinned	30
Sales Promotion, Advertising, Demonstrations	Ralph E. MeederMay Regulator Freeze-Up Woes Whipped, by Reader's Own Alcohol Injector, by	
Dealer's Customer "Dead File" Is Source of Pre-Christmas Sales, by Gene	W C Sides Jan	61
of Pre-Christmas Sales, by Gene	W. C. SidesJan. Use of Special Couplings in Town Plant	0.4
Creighton	Distribution System, by J. H. Wilcox	
Demonstrations Best Way to Sales, Says	Jan.	137
Florida Gas Dealer, by Minnette L.		
WarrenFeb. 67	Statistics	
Display Appliances to Make Sales, by	(Production, National & State Sales)	
Joe BaerFeb. 110	A Glimpse of the Future, by H. R. Thomas and W. R. ThorneNov.	
Don't Bargain: Demonstrate, by S. W.	Thomas and W. R. ThorneNov.	51
EllisJune 33	Appliance Sales to Soar in 1950, Says	
Don't Worry About Competition—Fight It, by John W. KellyFeb. 94 Establish Customer Confidence, by Min-	GAMA Demand for Gas Heating Shows Big In-	133
It, by John W. KellyFeb. 94	Demand for Gas Heating Shows Big In-	
Establish Customer Confidence, by Min-	crease	66
nette Lake WarrenJune 57 Farm Papers Will Carry LP-Gas Ad-	Domestic Sales Gain All Over the World	
Farm Papers Will Carry LP-Gas Ad-	Aug.	39
vertisingAug. 134	Gas Users Increase 57.1% Since 1940	
Features Appliance Sales to Keep Cash	Milwaukee Consumer Survey Shows	59
Coming In, by Joe BaerOct. 58	Milwaukee Consumer Survey Shows	
Flame Symbol Builds FriendshipOct. 118	Preference for GasAug.	55
Formula for Success, by Eathel Buzzard	Natural Gasoline Production in 1949 Up	100
Get New Prospects Through Old Cus- tomers, by Joe Baer Feb. 180 Goose Gets Good Gallery, by Myra Hil- derbreak	7.5% Over 1948April Ten-Year Forecast, by A. E. Pone. Jan. Total LP-Gas Sold is Two-Thirds of Natural Gas Volume, by K. W. Rugh	130
Get New Prospects Through Old Cus-	Ten-Year Forecast, by A. E. Fone. Jan.	37
Comers, by Joe Baer	Total LP-Gas Sold is Two-Thirds of	
Goose Gets Good Gallery, by Myra Hil-	Natural Gas Volume, by A. W. Kugh	00
derbrand Sept. 86 Live Advertising Ideas Help Illinois Dealer Build Business, by Harry L.	Unit Shipments Reach New Levels for	66
Donlar Build Business by Horney I	Unit Snipments Reach New Levels for	91
Spooner June 60	5-Month PeriodAug. What Happened in 1949, by K. W. Rugh	91
Never Told a Customer "No"Feb. 70		35
Old Stone Pound IIn by H Vinton	and E. O. MattocksFeb.	90
Spooner June 60 Never Told a Customer "No" Feb. 70 Old Stove Round Up, by H. Vinton Potter Sept. 48	Transportation, Distribution	
Outgunning the Electric Range by Ed	Dealer Revamps Deliveries to Save Time	
Outgunning the Electric Range, by Ed Titus Sept. 52 Overflow Crowds Attend Two-Day Cook-	and Money, by L. M. Gibbs May	72
Overflow Crowds Attend Two-Day Cook-	and Money, by L. M. GibbsMay Four-Year Management Course Offered	
ing School, by H. J. HelmerJan. 52	Texas DealersJune	41
Sales Slants: The Lost Art of Sales-	How to Plan Deliveries for Greater	
ing School, by H. J. HelmerJan. 52 Sales Slants: The Lost Art of Salesmanship, by Henri H. Jennings. Feb. 85	Texas Dealers June How to Plan Deliveries for Greater Profit, by Ed Titus Mar.	50
	How to Reduce Distribution Costs, by 'W. D. Cook	
Winton	'W. D. Cook	6.
WintonAug. 58 Service Formula Pays Off, by C. Thomas	Warren Pioneers with LP-Gas Barge	
Oet. 87	,Oct.	90

ADVERTISERS

* Admerican Car & Foundry Co. — * American Car & Foundry Co. — * American Meter Co. — * American Meter Co. — * American Radiator & Standard Sanitary Corp	ADVEKTISEKS	* McNamar Boiler & Minneapolis-Honey Mutual Liquid Ga
* Anchor Petroleum Co Third Cover Anco Manufacturing & Supply Co. 3 Bagwell-General Steel Co., Inc 146 * Bastian-Blessing Co., The 80, 81 * Beacon Petroleum Co 26 * Black, Sivalls & Bryson, Inc 10, 16 * Bowser, Inc., Incinerator Div — Brower Manufacturing Co 147 * Brunner Manufacturing Co 147 * Buehler Tank & Welding Works — Burham Corp 139 Butler Manufacturing Co 149 * Caloric Stove Corp 143 * Century Gas Equipment Co 143 * Century Gas Equipment Co 142 * Columbian Steel Tank Co — Carner Packing Co 140 Cyclone Equipment Corp 16 * Detroit-Michigan Stove Co 129 Dickerson Manufacturing Co 145 Dix Manufacturing Co 146 * Cas Equipment Co 146 * Cas Equipment Co 147 * General Controls Gas-Kit Co 147 * General Gas Light Co 147 General Gas Light Co 149 * Harper-Wyman Co 149 * Harpten Wyman Co 149 * Heatbath Appliances, Inc 146 Helco Products Corp 141 Hartwell Co 149 * Heatbath Appliances, Inc 146 Helco Products Corp 141 * Linde Air Products Co 147 * Linde Air Product	* Adams Bros. Manufacturing Co., Inc. 148 * American Car & Foundry Co * American Liquid Gas Corp	Inc National Committee
Bagwell-General Steel Co., Inc. 146		National L-P Gas * Neptune Meter Co
**Black, Sivalls & Bryson, Inc. 10, 11, 29 Blodgett Co., Inc., The G. S. 107 Bowser, Inc., Incinerator Div. — Brower Manufacturing Co. — **Brunner Manufacturing Co. — Burnham Corp. —— Calor Gas Co. —— Carter Oil Co., The. —— Cities Fuel Corp. —— Cities Fuel Corp. —— Carter Pick Columbian Steel Tank Co. —— Cities Fuel Corp. —— Carter Oil Co. The. —— Commercial Shearing & Stamping Co. —— Carner Panking Co. —— Carner Panking Co. —— Commercial Shearing & Stamping Co. —— Carner Panking Co. —— Carner Panking Co. —— Commercial Shearing & Stamping Co. —— Carner Panking Co. —— Commercial Shearing & Stamping Co. —— Carner Panking Co. —— Commercial Shearing & Stamping Co. —— Carner Panking Co. —— Commercial Shearing & Stamping Co. —— Carner Panking Co. —— Commercial Shearing & Stamping Co. —— Carner Panking Co. —— Reliance Regulator —— Reciptor Manufacturing Co. —— Bearborn Stove Co. —— Dearborn Stove Co. —— Ellis Manifold Co. —— **Fisher Governor Co. —— **Fisher Governor Co. —— **General Controls —— **Harrisburg Steel Corp. —— **Harrisburg Steel Corp. —— Hartwell Co. —— **Harrisburg Steel Corp. —— Harrisburg Steel Corp. —— Hartwell Co. —— **Herrisburg Steel Corp. —— **Herrisburg Steel Corp. —— **Harrisburg Steel Corp. —— **Herrisburg Steel Corp. ——	Anco Manufacturing & Supply Co 3	
**Buehler Tank & Welding Works. — Burland Manufacturing Co. — **Preissed Steel Tank Caloric Stove Corp	Bagwell-General Steel Co., Inc 146 * Bastian-Blessing Co., The80, 81 * Beacon Petroleum Co 26	* O'Keefe & Merritt
**Buehler Tank & Welding Works. — Burland Manufacturing Co. — **Preissed Steel Tank Caloric Stove Corp	Black, Sivalis & Bryson, Inc 10, 11, 29 Blodgett Co., Inc., The G. S 107 Bowser, Inc., Incinerator Div	Panoma Corp * Peerless Manufact
**Caloric Stove Corp	* Buehler Tank & Welding Works	Phillips & Buttorff * Phillips Petroleum
* Caloric Stove Corp. — * * * * * * * * * * * * * * * * * *		* Pressed Steel Tank
Cities Fuel Corp. 139	* Caloric Stove Corp	* Reliance Regulator
Commercial Shearing & Stamping Co. Crane Packing Co. 140	Cities Fuel Corp	Rheem Manufactur
Dearborn Stove Co.	Commercial Shearing & Stamping Co. —	Rockwell Manufact
Dickerson Manufacturing Co. 145 Dix Manufacturing Co. 100 * Downingtown Iron Works, Inc. 2 Ellis Manifold Co. 101 Empire Stove Co. 112 * Ensign Carburetor Co. 20 * Fisher Governor Co. 20 * Gas Equipment Co., Inc. 149 * Gas-Kit Co. 25 Gas-Kit Co. 26 General Controls 147 General Controls 147 General Gas Light Co. 79 Griffiths Co. The E. F. 145 Harper-Wyman Co. 49 * Heatbath Appliances, Inc. 146 Helco Products Corp. 131 Hartwell Co. 149 * Heatbath Appliances, Inc. 146 Helco Products Corp. 134 Holly Manufacturing Co. 9 International Metal Hose Co. 137 J & S Carburetor Co. 101 Leggitt Co., S. H. 147 * Linde Air Products Co., The Unit of Union Carbide & Carbon Corp. 3 * LPG Credit Corp. 71 LPG Insurance Underwriters 147 William Wallace*	Dallas Tank Co — Dearborn Stove Co	* Scaife Co
Ellis Manifold Co. 101 Empire Stove Co. 112 Empire Carburetor Co	Dickerson Manufacturing Co 145	Selwyn-Landers Co. Shand & Jurs Co.
* Fisher Governor Co. 20 * Gas Equipment Co., Inc. 149 * Gas Equipment Co., Inc. 149 * Gas Equipment Co. 165 Gas-Kit Co. 145 General Controls 147 General Gas Light Co. 79 Griffiths Co., The E. F. 145 Harper-Wyman Co. 149 * Hearbath Appliances, Inc. 146 * Heleo Products Corp. 131 Holly Manufacturing Co. 9 International Metal Hose Co. 137 J & S Carburetor Co. 101 Leggitt Co., S. H. 147 * Linde Air Products Co., The Unit of Union Carbide & Carbon Corp. 83 * LPG Credit Corp. 71 LPG Insurance Underwriters 147	Ellis Manifold Co. 101	Sinclair Oil & Gas
* Gas Equipment Supply Co. 145 Gas-Kit Co. ———————————————————————————————————		* Smith Precision I
Griffiths Co. The E. F	* Gas Equipment Co., Inc	Squibb-Taylor, Inc.
Griffiths Co. The E. F	Gas-Kit Co	Sunray Oil Corp. Superior Tank & Superior Valve &
Hartwell Co. 149 *Heatbath Appliances, Inc. 146 Helco Products Corp. 134 Holly Manufacturing Co. 9 International Metal Hose Co. 137 J & S Carburetor Co. 101 Leggitt Co., S. H. 147 * Linde Air Products Co., The Unit of Union Carbide & Carbon Corp. 83 *LPG Credit Corp. 71 LPG Insurance Underwriters 147 * Hartwell Co. 149 * Union Carbide & Carbon Corp. 83 * LPG Credit Corp. 71 LPG Insurance Underwriters 147	Harper-Wyman Co	Tesco, Inc Thomas Truck &
Helco Products Corp	Hartwell Co	*************
J & S Carburetor Co		Linde Air Produ
Leggitt Co., S. H		
LPG Credit Corp		* Weatherhead Co
LPG Insurance Underwriters 147 Lubbock Machine Co., Inc 67 Wood Co., John	of Union Carbide & Carbon Corp. 88	William Wallace
	LPG Insurance Underwriters 147 Lubbock Machine Co., Inc 67	Wood Manufacturi Wood Co., John

* *	Mallinckrodt Chemical Works Master Tank & Welding Co McNamar Boiler & Tank Co Minneapolis-Honeywell Regulator Co. Mutual Liquid Gas Equipment Co., Inc.	148 123 18
	National Committee for LP-Gas	_
**	Promotion, The National L-P Gas Institute. Neptune Meter Co Nordstrom Valve Division. Norman Products Co	145 13 15
*	North Texas Tank Co	103
*	Ohio Foundry & Manufacturing Co. O'Keefe & Merritt Co	95 89
** *	Philadelphia Valve Co	87 141 135 90
*	Premier Stove Co	144
		over
*	Ransome Co	120
	Revere Copper & Brass Inc	97
	Rheem Manufacturing Co	-
*	Roadmaster Products Co Robertshaw-Fulton Controls Co	149
	Rockwell Manufacturing Co	30
_	Santa Fe Engineering &	30
	Equipment Co	100
×	Scarfe Co	3, 7
*	Security Manufacturing Co	-
	Selwyn-Landers Co	-
	Shand & Jurs Co	107
	Siebring Manufacturing Co	137
*	Smith Corn. A. O. (Gas Tanks)	19
*	Smith Corp., A. O. (Water Heaters)	-
*	Smith Precision Products Co	8
*	Sprague Meter Co	108
	Siebring Manufacturing Co. Sinclair Oil & Gas Co	73
*	Support Oil Comp	125 136
	Stampings. Inc. Sunray Oil Corp. Superior Tank & Construction Co. Superior Valve & Fittings Co	75
	Superior Valve & Fittings Co	126
	Tesso Inc	143
	Thomas Truck & Caster Co	_
	Tesco, Inc. Thomas Truck & Caster Co Trageser Copper Works, Inc., Fourth Co	over
*	Union Carbide & Carbon Corp., The Linde Air Products Co. Unit	83
*	United Petroleum Gas Co	17
*	Viking Pump Co	141
*	Warren Petroleum CorpFirst C	over
*	Weatherhead Co., The. Weldit, Inc. Wilcolator Co., The.	128
	Wilcolator Co. The	93
	William Wallace Co	105
	William Wallace Co	76
	Wood Co., John	-



